

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

WYNDHAM – WESTERN AUSTRALIA

LAT 15° 27' LONG 128° 6'

Times and Heights of High and Low Waters

2016

Local Time

JANUARY				FEBRUARY				MARCH				APRIL												
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m									
1	0526 1106 FR 1713 2322	2.21 6.39 2.34 7.37	16	0536 1117 SA 1735 2330	1.64 7.05 1.99 7.82	1	0551 1154 MO 1752 2342	2.04 6.40 3.12 6.73	16	0631 1258 TU 1856	1.65 6.87 3.33	1	0514 1114 TU 1723 2258	1.74 6.94 2.90 6.85	16	0600 1231 WE 1834	1.67 7.05 3.37	1	0548 1221 FR 1843	2.24 6.66 3.60	16	0125 0747 SA 1439 2136	5.63 3.01 6.55 3.16	
2	0558 1151 SA 1747 2358	2.31 6.11 2.88 6.94	17	0617 1214 SU 1821	1.66 6.82 2.58	2	0628 1255 TU 1843	2.31 6.10 3.73	17	0035 0729 WE 1424 2036	6.69 2.04 6.67 3.76	2	0542 1155 WE 1803 2332	2.05 6.58 3.46 6.29	17	0008 0648 TH 1346 2013	6.39 2.29 6.68 3.75	2	0010 0652 SA 1406 2049	5.80 2.71 6.50 3.65	17	0335 0951 SU 1613 2258	5.75 3.00 6.79 2.54	
3	0639 1252 SU 1835	2.43 5.86 3.45	18	0014 0706 MO 1329 1926	7.41 1.73 6.65 3.17	3	0028 0725 WE 1433 2043	6.15 2.59 6.04 4.14	18	0206 0906 TH 1605 2232	6.11 2.26 6.87 3.53	3	0623 1311 TH 1915	2.45 6.25 4.00	18	0142 0829 FR 1532 2214	5.78 2.76 6.68 3.43	3	0227 0902 SU 1551 2225	5.62 2.83 6.88 3.05	18	0454 1115 MO 1713 2353	6.39 2.53 7.18 1.94	
4	0046 0740 MO 1418 2006	6.45 2.55 5.82 3.92	19	0116 0816 TU 1459 2104	6.90 1.80 6.73 3.50	4	0206 0923 TH 1622 2233	5.70 2.57 6.47 3.77	19	0358 1047 FR 1727 2355	6.05 2.03 7.40 2.86	4	0040 0743 FR 1513 2145	5.71 2.84 6.35 3.90	19	0354 1027 SA 1658 2335	5.84 2.60 7.14 2.69	4	0415 1040 MO 1700 2337	6.23 2.35 7.45 2.35	19	0545 1209 TU 1757	7.02 2.09 7.45	
5	0158 0913 TU 1603 2206	6.06 2.43 6.21 3.78	20	0241 0940 WE 1627 2247	6.50 1.71 7.11 3.34	5	0356 1043 FR 1729 2343	5.80 2.10 7.17 3.19	20	0522 1201 SA 1824	6.45 1.56 7.84	5	0311 0958 SA 1647 2310	5.59 2.61 6.96 3.26	20	0515 1144 SU 1755	6.44 2.06 7.60	5	0519 1153 TU 1751	7.00 1.79 7.85	20	0033 0626 WE 1250 1833	1.54 7.45 1.84 7.57	
6	0326 1024 WE 1710 2317	5.97 2.03 6.85 3.35	21	0409 1104 TH 1742	6.43 1.42 7.62	6	0508 1146 SA 1819	6.27 1.54 7.73	21	0050 0619 SU 1254 1907	2.27 6.90 1.19 8.05	6	0444 1117 SU 1744	6.17 2.01 7.60	21	0027 0608 MO 1236 1836	2.05 7.04 1.62 7.85	6	0033 0611 WE 1251 1833	1.72 7.60 1.38 8.04	21	0109 0701 TH 1326 1903	1.31 7.70 1.76 7.62	
7	0439 1122 TH 1800	6.20 1.54 7.45	22	0005 0522 FR 1212 1841	2.86 6.62 1.03 7.98	7	0038 0601 SU 1241 1901	2.68 6.77 1.07 8.05	22	0134 0702 MO 1337 1942	1.92 7.21 1.04 8.09	7	0013 0542 MO 1220 1830	2.61 6.85 1.44 8.00	22	0109 0649 TU 1317 1910	1.67 7.41 1.42 7.93	7	0121 0657 TH 1339 1911	1.21 7.98 1.18 8.12	22	0141 0734 FR 1359 1930	1.16 7.84 1.76 7.65	
8	0012 0534 FR 1214 1843	2.90 6.52 1.08 7.85	23	0103 0619 SA 1306 1927	2.42 6.86 0.78 8.13	8	0126 0645 MO 1330 1939	2.29 7.16 0.76 8.19	23	0211 0739 TU 1414 2011	1.77 7.39 1.07 8.09	8	0104 0630 TU 1313 1910	2.07 7.39 1.03 8.17	23	0144 0723 WE 1353 1939	1.51 7.62 1.42 7.94	8	0204 0742 FR 1423 1948	0.79 8.16 1.13 8.17	23	0210 0806 SA 1429 1958	1.01 7.93 1.80 7.67	
9	0059 0619 SA 1301 1923	2.54 6.83 0.76 8.06	24	0150 0706 SU 1350 2004	2.14 7.05 0.71 8.15	9	0210 0727 TU 1414 2015	1.98 7.46 0.60 8.25	24	0244 0812 WE 1446 2037	1.71 7.51 1.19 8.10	9	0149 0713 WE 1358 1946	1.64 7.76 0.82 8.24	24	0215 0755 TH 1424 2005	1.43 7.75 1.48 7.95	9	0244 0827 SA 1504 2026	0.47 8.25 1.22 8.18	24	0239 0836 SU 1458 2026	0.88 7.96 1.85 7.63	
10	0144 0659 SU 1344 2001	2.32 7.05 0.58 8.16	25	0231 0747 MO 1429 2036	2.01 7.18 0.78 8.15	10	0251 0808 WE 1455 2048	1.69 7.68 0.57 8.27	25	0313 0844 TH 1514 2102	1.63 7.61 1.32 8.11	10	0230 0756 TH 1441 2020	1.25 8.01 0.77 8.27	25	0243 0825 FR 1453 2030	1.32 7.84 1.56 7.98	10	0321 0912 SU 1542 2105	0.29 8.26 1.44 8.11	25	0307 0906 MO 1526 2054	0.83 7.94 1.96 7.50	
11	0225 0738 MO 1426 2035	2.15 7.22 0.52 8.20	26	0307 0825 TU 1502 2105	1.95 7.26 0.94 8.14	11	0331 0851 TH 1535 2121	1.42 7.84 0.69 8.28	26	0339 0915 FR 1540 2126	1.52 7.66 1.48 8.09	11	0309 0840 FR 1521 2055	0.90 8.15 0.87 8.28	26	0309 0855 SA 1519 2055	1.19 7.90 1.66 7.94	11	0357 0956 MO 1619 2145	0.31 8.23 1.79 7.87	26	0334 0934 TU 1553 2121	0.89 7.84 2.13 7.28	
12	0306 0818 TU 1505 2108	2.01 7.35 0.57 8.23	27	0338 0900 WE 1533 2131	1.90 7.30 1.15 8.12	12	0407 0936 FR 1612 2155	1.20 7.88 0.98 8.27	27	0403 0945 SA 1605 2150	1.42 7.63 1.70 7.98	12	0346 0924 SA 1558 2131	0.67 8.19 1.15 8.25	27	0334 0925 SU 1545 2121	1.09 7.89 1.82 7.82	12	0430 1038 TU 1655 2223	0.57 8.04 2.25 7.41	27	0400 1002 WE 1621 2149	1.08 7.69 2.35 7.00	
13	0345 0900 WE 1543 2141	1.87 7.41 0.73 8.23	28	0406 0935 TH 1600 2157	1.83 7.28 1.40 8.06	13	0442 1020 SA 1647 2230	1.09 7.79 1.46 8.17	28	0426 1015 SU 1629 2213	1.40 7.49 2.02 7.74	13	0421 1009 SU 1634 2206	0.61 8.13 1.60 8.10	28	0359 0953 MO 1609 2145	1.11 7.77 2.07 7.56	13	0502 1120 WE 1732 2304	1.07 7.67 2.73 6.79	28	0425 1030 TH 1651 2219	1.33 7.50 2.59 6.67	
14	0423 0943 TH 1620 2216	1.75 7.38 1.03 8.20	29	0431 1007 FR 1625 2221	1.78 7.18 1.71 7.94	14	0516 1106 SU 1723 2305	1.15 7.56 2.04 7.87	29	0450 1044 MO 1654 2235	1.52 7.26 2.43 7.34	14	0453 1051 MO 1708 2242	0.78 7.91 2.17 7.71	29	0422 1019 TU 1635 2207	1.27 7.57 2.39 7.21	14	0536 1208 TH 1821 2357	1.72 7.19 3.18 6.13	29	0453 1106 FR 1731 2300	1.63 7.27 2.85 6.31	
15	0459 1028 FR 1656 2251	1.67 7.26 1.46 8.08	30	0456 1039 SA 1650 2245	1.77 7.00 2.09 7.67	15	0551 1155 MO 1802 2343	1.33 7.23 2.68 7.35	30	0445 1046 WE 1703 2232	1.52 7.32 2.75 6.80	15	0524 1136 TU 1746 2318	1.15 7.52 2.78 7.10	30	0445 1046 WE 1703 2232	1.52 7.32 2.75 6.80	15	0620 1309 FR 1949	2.42 6.75 3.44	30	0532 1200 SA 1830	2.01 7.00 3.07	
			31	0521 1113 SU 1717 2312	1.85 6.74 2.56 7.26				31	0511 1121 TH 1741 2306	1.83 7.01 3.17 6.33													

© Copyright Commonwealth of Australia 2014, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

○ First Quarter

○ Full Moon

○ Last Quarter

WYNDHAM – WESTERN AUSTRALIA

LAT 15° 27' LONG 128° 6'

Times and Heights of High and Low Waters

2016

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0006 0633 SU 1320 2003	5.94 2.46 6.81 3.05	16 0246 0854 MO 1505 2157	5.69 3.19 6.43 2.46	1 0307 0918 WE 1523 2207	6.56 2.51 7.04 1.57	16 0428 1038 TH 1613 2252	6.36 3.01 6.19 1.75	1 0357 1016 FR 1554 2244	7.01 2.62 6.69 1.05	16 0442 1054 SA 1623 2259	6.45 3.05 5.81 1.67	1 0606 1234 MO 1754	7.62 2.13 6.61	16 0556 1218 TU 1747	7.28 2.34 6.40
2 0156 0815 MO 1454 2136	5.86 2.71 6.92 2.59	17 0415 1026 TU 1620 2301	6.18 2.95 6.62 2.00	2 0423 1045 TH 1628 2318	7.13 2.34 7.19 1.06	17 0522 1137 FR 1708 2343	6.88 2.66 6.39 1.35	2 0510 1138 SA 1700 2354	7.45 2.40 6.77 0.71	17 0538 1153 SU 1721 2354	6.99 2.62 6.16 1.23	2 0041 0659 TU 1327 1846	0.73 7.84 1.80 6.84	17 0021 0638 WE 1305 1830	1.15 7.65 1.95 6.84
3 0341 0957 TU 1610 2253	6.39 2.47 7.27 1.96	18 0511 1130 WE 1711 2348	6.77 2.56 6.85 1.58	3 0527 1159 FR 1723	7.64 2.09 7.30	18 0607 1224 SA 1751	7.32 2.37 6.61	3 0614 1243 SU 1757	7.77 2.12 6.87	18 0624 1242 MO 1806	7.41 2.28 6.48	3 0132 0742 WE 1411 1930	0.56 7.88 1.63 6.99	18 0110 0717 TH 1348 1910	0.80 7.84 1.69 7.16
4 0451 1120 WE 1708 2358	7.12 2.08 7.58 1.34	19 0556 1217 TH 1751	7.26 2.27 7.02	4 0020 0624 SA 1257 1812	0.63 7.94 1.91 7.35	19 0027 0647 SU 1306 1829	1.01 7.60 2.15 6.78	4 0053 0709 MO 1337 1847	0.45 7.93 1.93 6.96	19 0043 0704 TU 1325 1847	0.88 7.66 2.05 6.75	4 0215 0818 TH 1450 2010	0.58 7.84 1.57 7.10	19 0155 0752 FR 1429 1950	0.61 7.93 1.47 7.39
5 0548 1225 TH 1755	7.70 1.75 7.75	20 0028 0635 FR 1257 1826	1.25 7.59 2.08 7.14	5 0112 0716 SU 1348 1858	0.35 8.08 1.82 7.38	20 0109 0725 MO 1344 1905	0.76 7.75 2.04 6.90	5 0142 0756 TU 1423 1935	0.34 7.97 1.82 7.04	20 0128 0742 WE 1407 1925	0.67 7.77 1.90 6.95	5 0252 0849 FR 1525 2049	0.71 7.80 1.53 7.16	20 0237 0826 SA 1509 2031	0.55 7.98 1.24 7.56
6 0051 0640 FR 1318 1838	0.83 8.03 1.57 7.82	21 0104 0711 SA 1332 1857	1.00 7.78 1.99 7.21	6 0158 0804 MO 1434 1944	0.20 8.12 1.80 7.38	21 0148 0801 TU 1422 1940	0.62 7.79 2.00 6.98	6 0227 0836 WE 1505 2020	0.36 7.94 1.76 7.08	21 0210 0817 TH 1447 2003	0.56 7.83 1.79 7.10	6 0326 0919 SA 1555 2126	0.89 7.76 1.48 7.16	21 0317 0859 SU 1546 2114	0.60 8.02 1.03 7.65
7 0137 0728 SA 1404 1919	0.45 8.18 1.53 7.85	22 0138 0746 SU 1406 1929	0.81 7.87 1.96 7.25	7 0240 0848 TU 1516 2029	0.19 8.12 1.82 7.34	22 0225 0835 WE 1459 2016	0.59 7.79 1.98 7.02	7 0306 0912 TH 1543 2104	0.48 7.90 1.73 7.06	22 0250 0851 FR 1526 2043	0.54 7.87 1.66 7.20	7 0355 0947 SU 1623 2201	1.15 7.68 1.45 7.08	22 0354 0933 MO 1622 2157	0.80 7.98 0.91 7.61
8 0220 0815 SU 1447 2001	0.23 8.23 1.57 7.84	23 0211 0819 MO 1439 2001	0.70 7.89 1.97 7.24	8 0319 0929 WE 1555 2115	0.30 8.06 1.88 7.19	23 0301 0907 TH 1535 2053	0.63 7.78 1.96 7.01	8 0342 0946 FR 1618 2145	0.72 7.80 1.73 6.96	23 0328 0923 SA 1603 2125	0.60 7.90 1.53 7.24	8 0423 1013 MO 1648 2234	1.45 7.53 1.46 6.93	23 0430 1007 TU 1656 2242	1.17 7.82 0.93 7.45
9 0258 0900 MO 1527 2044	0.14 8.24 1.69 7.75	24 0243 0850 TU 1511 2032	0.68 7.86 2.02 7.18	9 0355 1008 TH 1633 2200	0.59 7.90 1.99 6.93	24 0336 0939 FR 1611 2133	0.75 7.77 1.95 6.95	9 0415 1018 SA 1650 2225	1.06 7.65 1.76 6.78	24 0405 0957 SU 1639 2209	0.78 7.87 1.43 7.20	9 0449 1037 TU 1713 2307	1.81 7.26 1.55 6.69	24 0506 1042 WE 1729 2329	1.67 7.48 1.06 7.16
10 0336 0943 TU 1606 2128	0.22 8.19 1.90 7.50	25 0314 0920 WE 1542 2105	0.75 7.80 2.11 7.05	10 0430 1044 FR 1710 2244	1.05 7.66 2.13 6.60	25 0409 1012 SA 1647 2215	0.95 7.71 1.94 6.84	10 0445 1048 SU 1720 2303	1.47 7.43 1.82 6.55	25 0441 1031 MO 1715 2254	1.09 7.75 1.37 7.06	10 0515 1104 WE 1740 2346	2.25 6.85 1.74 6.38	25 0543 1120 TH 1805	2.24 7.01 1.33
11 0410 1024 WE 1644 2211	0.53 8.02 2.19 7.09	26 0344 0950 TH 1614 2138	0.91 7.71 2.23 6.87	11 0503 1119 SA 1748 2329	1.59 7.34 2.28 6.25	26 0445 1049 SU 1726 2301	1.22 7.60 1.91 6.70	11 0515 1117 MO 1751 2344	1.92 7.13 1.92 6.29	26 0518 1108 TU 1751 2344	1.52 7.51 1.37 6.88	11 0548 1135 TH 1813	2.75 6.33 2.02	26 0025 0631 FR 1207 1854	6.84 2.82 6.42 1.69
12 0444 1104 TH 1722 2255	1.06 7.68 2.50 6.58	27 0413 1021 FR 1648 2216	1.15 7.59 2.34 6.65	12 0539 1157 SU 1831	2.14 6.98 2.41	27 0525 1130 MO 1809 2357	1.57 7.43 1.86 6.55	12 0548 1151 TU 1826	2.41 6.74 2.07	27 0600 1149 WE 1835	2.01 7.15 1.43	12 0038 0633 FR 1219 1901	6.06 3.30 5.75 2.36	27 0142 0752 SA 1329 2018	6.58 3.27 5.87 2.01
13 0519 1146 FR 1807 2348	1.70 7.26 2.78 6.08	28 0446 1058 SA 1729 2303	1.43 7.45 2.43 6.41	13 0023 0624 MO 1243 1931	5.94 2.69 6.60 2.47	28 0614 1219 TU 1903	1.98 7.17 1.78	13 0035 0631 WE 1235 1916	6.03 2.92 6.27 2.25	28 0047 0654 TH 1243 1932	6.69 2.54 6.70 1.53	13 0200 0810 SA 1347 2046	5.88 3.71 5.29 2.53	28 0316 0945 SU 1520 2201	6.62 3.17 5.75 1.93
14 0600 1234 SA 1913	2.36 6.85 2.94	29 0527 1146 SU 1821	1.77 7.25 2.46	14 0135 0737 TU 1342 2045	5.77 3.14 6.27 2.39	29 0110 0718 WE 1323 2010	6.48 2.40 6.89 1.64	14 0144 0742 TH 1337 2036	5.87 3.39 5.83 2.31	29 0208 0815 FR 1401 2053	6.62 2.95 6.29 1.56	14 0348 1013 SU 1538 2218	6.12 3.41 5.35 2.17	29 0446 1119 MO 1651 2329	7.04 2.59 6.15 1.51
15 0059 0704 SU 1338 2039	5.69 2.95 6.52 2.84	30 0005 0624 MO 1249 1931	6.21 2.17 7.06 2.37	15 0311 0919 WE 1459 2152	5.91 3.25 6.11 2.12	30 0236 0845 TH 1440 2128	6.64 2.66 6.71 1.38	15 0319 0938 FR 1501 2156	5.99 3.41 5.64 2.08	30 0336 0955 SA 1531 2218	6.81 2.95 6.16 1.38	15 0506 1123 MO 1656 2324	6.71 2.86 5.85 1.63	30 0552 1223 TU 1755	7.51 1.94 6.66
31 0132 0744 TU 1406 2051	6.19 2.48 6.96 2.04							31 0458 1126 SU 1649 2338	7.22 2.59 6.33 1.04			31 0031 0641 WE 1311 1843	1.07 7.78 1.52 7.03		

© Copyright Commonwealth of Australia 2014, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

WYNDHAM – WESTERN AUSTRALIA

LAT 15° 27' LONG 128° 6'

Times and Heights of High and Low Waters

2016

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0118 0.85 0721 7.84 TH 1352 1.34 ● 1923 7.23		16 0050 1.07 0645 7.88 FR 1324 1.37 1854 7.50		1 0138 1.25 0720 7.69 SA 1358 1.06 ● 1940 7.65		16 0115 1.24 0646 7.90 SU 1339 0.66 ○ 1919 8.07		1 0218 1.83 0741 7.43 TU 1424 0.75 2024 7.96		16 0226 1.68 0735 7.68 WE 1436 0.09 2036 8.27		1 0229 2.14 0746 7.14 TH 1427 0.66 2040 8.02		16 0258 1.98 0806 7.38 FR 1500 0.23 2112 8.26	
2 0159 0.86 0751 7.80 FR 1427 1.30 1958 7.34		17 0137 0.83 0721 7.98 SA 1406 1.06 ○ 1935 7.77		2 0212 1.36 0747 7.67 SU 1428 1.03 2012 7.72		17 0200 1.17 0723 7.94 MO 1420 0.39 2002 8.18		2 0247 1.90 0809 7.38 WE 1451 0.74 2053 7.93		17 0308 1.76 0818 7.61 TH 1514 0.15 2121 8.25		2 0300 2.18 0817 7.08 FR 1458 0.76 2108 7.96		17 0340 1.98 0853 7.28 SA 1538 0.48 2150 8.20	
3 0234 1.00 0820 7.76 SA 1459 1.29 2031 7.42		18 0220 0.76 0754 8.03 SU 1446 0.77 2017 7.94		3 0241 1.50 0813 7.65 MO 1455 0.97 2042 7.77		18 0242 1.23 0800 7.94 TU 1458 0.23 2047 8.22		3 0314 2.00 0838 7.25 TH 1518 0.82 2121 7.83		18 0349 1.92 0902 7.40 FR 1551 0.41 2204 8.15		3 0330 2.25 0848 6.96 SA 1527 0.95 2136 7.88		18 0420 2.02 0939 7.08 SU 1614 0.94 2227 8.06	
4 0305 1.17 0846 7.74 SU 1526 1.23 2104 7.46		19 0300 0.83 0829 8.05 MO 1524 0.55 2100 8.01		4 0309 1.62 0839 7.60 TU 1520 0.93 2112 7.74		19 0322 1.40 0839 7.85 WE 1535 0.23 2131 8.18		4 0341 2.15 0905 7.03 FR 1543 1.03 2148 7.67		19 0428 2.15 0948 7.03 SA 1626 0.90 2244 7.90		4 0401 2.33 0921 6.79 SU 1555 1.21 2204 7.77		19 0458 2.12 1025 6.77 MO 1649 1.51 2303 7.81	
5 0333 1.35 0912 7.70 MO 1552 1.17 2136 7.44		20 0338 1.04 0905 7.98 TU 1559 0.49 2144 7.97		5 0334 1.78 0905 7.46 WE 1545 0.96 2141 7.63		20 0400 1.71 0919 7.61 TH 1609 0.43 2215 8.01		5 0409 2.35 0933 6.73 SA 1608 1.32 2214 7.47		20 0509 2.41 1035 6.56 SU 1702 1.57 2326 7.51		5 0432 2.42 0955 6.58 MO 1624 1.51 2236 7.64		20 0536 2.24 1111 6.41 TU 1724 2.12 2338 7.46	
6 0358 1.57 0937 7.56 TU 1616 1.18 2206 7.31		21 0415 1.43 0942 7.77 WE 1632 0.60 2228 7.77		6 0359 2.00 0930 7.18 TH 1608 1.13 2208 7.42		21 0438 2.11 0959 7.17 FR 1643 0.89 2259 7.67		6 0437 2.56 1001 6.39 SU 1634 1.66 2245 7.24		21 0554 2.65 1127 6.07 MO 1742 2.26 ●		6 0509 2.49 1036 6.34 TU 1659 1.87 2315 7.46		21 0618 2.36 1203 6.08 WE 1805 2.74 ●	
7 0422 1.86 1002 7.29 WE 1639 1.29 2235 7.08		22 0451 1.92 1018 7.36 TH 1705 0.93 2313 7.43		7 0424 2.29 0954 6.81 FR 1631 1.42 2234 7.14		22 0517 2.54 1042 6.59 SA 1717 1.52 2346 7.23		7 0513 2.79 1037 6.05 MO 1707 2.05 2329 6.96		22 0012 7.09 0653 2.81 TU 1237 5.68 1838 2.90		7 0555 2.54 1129 6.11 WE 1747 2.30 ●		22 0018 7.05 0709 2.45 TH 1311 5.84 1901 3.33	
8 0447 2.23 1025 6.88 TH 1702 1.53 2305 6.77		23 0528 2.47 1056 6.79 FR 1739 1.39 ●		8 0451 2.63 1017 6.38 SA 1655 1.77 2305 6.82		23 0604 2.96 1134 5.97 SU 1800 2.21 ●		8 0604 3.00 1133 5.68 TU 1758 2.52 ●		23 0109 6.72 0813 2.73 WE 1419 5.62 2016 3.32		8 0007 7.22 0654 2.50 TH 1245 5.98 1855 2.75		23 0109 6.62 0817 2.44 FR 1448 5.88 2041 3.68	
9 0515 2.67 1048 6.38 FR 1728 1.87 ● 2343 6.39		24 0005 7.00 0614 3.00 SA 1144 6.14 1823 1.98		9 0527 3.01 1047 5.91 SU 1727 2.20 ● 2355 6.46		24 0045 6.79 0720 3.20 MO 1259 5.48 1911 2.85		9 0038 6.71 0724 3.06 WE 1313 5.50 1925 2.91		24 0226 6.49 0930 2.39 TH 1555 6.09 2157 3.23		9 0116 7.00 0811 2.29 FR 1429 6.21 2029 2.99		24 0219 6.27 0931 2.26 SA 1616 6.33 2218 3.56	
10 0552 3.17 1119 5.82 SA 1805 2.30		25 0114 6.62 0736 3.39 SU 1311 5.56 1944 2.51		10 0620 3.40 1143 5.40 MO 1821 2.69		25 0203 6.52 0903 2.96 TU 1505 5.56 2113 3.00		10 0213 6.67 0905 2.67 TH 1514 5.96 2120 2.84		25 0350 6.57 1039 1.92 FR 1658 6.73 2313 2.85		10 0239 6.93 0931 1.83 SA 1554 6.82 2205 2.88		25 0345 6.18 1036 1.92 SU 1715 6.91 2327 3.19	
11 0047 6.05 0654 3.66 SU 1221 5.24 1908 2.73		26 0248 6.51 0933 3.16 MO 1519 5.56 2145 2.51		11 0128 6.23 0813 3.52 TU 1356 5.16 2017 2.97		26 0339 6.64 1028 2.36 WE 1632 6.23 2248 2.61		11 0336 6.95 1021 2.01 FR 1629 6.77 2247 2.43		26 0450 6.76 1132 1.47 SA 1745 7.30		11 0352 7.03 1044 1.28 SU 1703 7.48 2327 2.60		26 0451 6.33 1129 1.52 MO 1802 7.44	
12 0240 6.01 0927 3.63 MO 1453 5.11 2131 2.69		27 0423 6.86 1103 2.45 TU 1649 6.19 2315 2.02		12 0319 6.47 1002 2.92 WE 1557 5.79 2211 2.54		27 0447 7.00 1129 1.71 TH 1728 6.94 2348 2.13		12 0439 7.31 1126 1.35 SA 1727 7.51 2356 2.02		27 0004 2.50 0534 6.92 SU 1213 1.12 1826 7.68		12 0454 7.17 1148 0.77 MO 1802 7.96		27 0018 2.82 0540 6.55 TU 1215 1.16 1843 7.80	
13 0421 6.51 1049 2.97 TU 1630 5.74 2253 2.10		28 0527 7.34 1202 1.73 WE 1748 6.87		13 0433 7.04 1110 2.20 TH 1701 6.65 2326 1.95		28 0536 7.28 1214 1.24 FR 1811 7.45		13 0529 7.54 1221 0.79 SU 1817 7.98		28 0045 2.28 0611 7.03 MO 1250 0.89 1902 7.91		13 0031 2.32 0546 7.28 TU 1245 0.40 1857 8.18		28 0059 2.54 0619 6.76 WE 1256 0.88 1921 7.99	
14 0521 7.16 1148 2.32 WE 1727 6.48 2357 1.51		29 0014 1.52 0613 7.63 TH 1247 1.27 1831 7.31		14 0525 7.51 1205 1.55 FR 1750 7.36		29 0034 1.83 0613 7.41 SA 1252 1.00 1848 7.72		14 0052 1.77 0613 7.66 MO 1310 0.41 ○ 1905 8.19		29 0123 2.17 0644 7.10 TU 1323 0.74 ● 1937 8.01		14 0125 2.14 0633 7.34 WE 1334 0.19 ○ 1946 8.25		29 0137 2.37 0655 6.91 TH 1334 0.73 ● 1956 8.06	
15 0606 7.63 1239 1.78 TH 1812 7.09		30 0059 1.26 0650 7.71 FR 1325 1.09 1908 7.54		15 0025 1.49 0608 7.79 SA 1254 1.04 1836 7.83		30 0113 1.74 0645 7.44 SU 1325 0.89 1921 7.87		15 0141 1.68 0654 7.69 TU 1354 0.18 1951 8.25		30 0156 2.14 0715 7.14 WE 1356 0.66 2009 8.04		15 0214 2.03 0720 7.38 TH 1418 0.14 2030 8.27		30 0213 2.29 0729 7.01 FR 1410 0.70 2027 8.08	
				31 0147 1.77 0713 7.44 MO 1355 0.81 ● 1953 7.94										31 0248 2.24 0803 7.07 SA 1445 0.74 2057 8.07	

© Copyright Commonwealth of Australia 2014, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◑ First Quarter

○ Full Moon

◐ Last Quarter