

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

CAPE HARDY – SOUTH AUSTRALIA

LAT 34° 12' S LONG 136° 18' E

Times and Heights of High and Low Waters

2018

Local Time

| JANUARY | | | | FEBRUARY | | | | MARCH | | | | APRIL | | | | | | |
|-----------|------|------|-----------|----------|------|-----------|------|-------|-----------|------|------|-----------|------|------|-----------|------|------|------|
| Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | | | |
| 1 | 0253 | 1.72 | 16 | 0309 | 1.72 | 1 | 0400 | 1.81 | 16 | 0400 | 1.76 | 1 | 0324 | 1.64 | 16 | 0317 | 1.57 | |
| | 1034 | 0.18 | | 1030 | 0.27 | | 1120 | 0.18 | | 1056 | 0.14 | | 1038 | 0.22 | | 1009 | 0.23 | |
| MO | 1625 | 0.78 | TU | 1617 | 0.95 | TH | 1709 | 0.97 | FR | 1652 | 1.18 | TH | 1635 | 1.04 | FR | 1612 | 1.21 | |
| | 2019 | 0.57 | | 2052 | 0.59 | | 2153 | 0.54 | ● | 2207 | 0.44 | | 2131 | 0.56 | | 2135 | 0.49 | |
| 2 | 0329 | 1.83 | 17 | 0339 | 1.80 | 2 | 0428 | 1.83 | 17 | 0428 | 1.80 | 2 | 0354 | 1.68 | 17 | 0346 | 1.64 | |
| | 1105 | 0.14 | | 1052 | 0.20 | | 1135 | 0.25 | | 1115 | 0.15 | | 1050 | 0.25 | | 1026 | 0.19 | |
| TU | 1653 | 0.81 | WE | 1642 | 1.02 | FR | 1720 | 1.09 | SA | 1709 | 1.27 | FR | 1644 | 1.18 | SA | 1627 | 1.32 | |
| ○ | 2059 | 0.56 | ● | 2130 | 0.54 | | 2223 | 0.52 | | 2235 | 0.41 | | ○ | 2203 | 0.48 | ● | 2205 | 0.39 |
| 3 | 0400 | 1.90 | 18 | 0407 | 1.86 | 3 | 0450 | 1.82 | 18 | 0452 | 1.80 | 3 | 0419 | 1.70 | 18 | 0414 | 1.67 | |
| | 1132 | 0.17 | | 1114 | 0.17 | | 1145 | 0.35 | | 1131 | 0.20 | | 1100 | 0.30 | | 1043 | 0.20 | |
| WE | 1715 | 0.85 | TH | 1703 | 1.09 | SA | 1732 | 1.21 | SU | 1728 | 1.35 | SA | 1656 | 1.33 | SU | 1644 | 1.45 | |
| | 2131 | 0.55 | | 2201 | 0.52 | | 2251 | 0.55 | | 2302 | 0.42 | | 2231 | 0.45 | | 2234 | 0.33 | |
| 4 | 0428 | 1.93 | 19 | 0433 | 1.89 | 4 | 0510 | 1.76 | 19 | 0515 | 1.74 | 4 | 0440 | 1.69 | 19 | 0440 | 1.65 | |
| | 1155 | 0.27 | | 1135 | 0.19 | | 1152 | 0.42 | | 1145 | 0.27 | | 1107 | 0.35 | | 1057 | 0.24 | |
| TH | 1730 | 0.91 | FR | 1725 | 1.15 | SU | 1748 | 1.33 | MO | 1746 | 1.41 | SU | 1709 | 1.48 | MO | 1701 | 1.56 | |
| | 2200 | 0.57 | | 2230 | 0.52 | | 2318 | 0.62 | | 2330 | 0.48 | | 2258 | 0.47 | | 2303 | 0.34 | |
| 5 | 0452 | 1.91 | 20 | 0459 | 1.89 | 5 | 0528 | 1.68 | 20 | 0535 | 1.62 | 5 | 0458 | 1.65 | 20 | 0502 | 1.57 | |
| | 1211 | 0.39 | | 1156 | 0.25 | | 1200 | 0.48 | | 1159 | 0.35 | | 1115 | 0.38 | | 1110 | 0.31 | |
| FR | 1744 | 0.99 | SA | 1746 | 1.19 | MO | 1809 | 1.41 | TU | 1807 | 1.45 | MO | 1726 | 1.60 | TU | 1720 | 1.65 | |
| | 2226 | 0.61 | | 2257 | 0.55 | | 2347 | 0.73 | | 2359 | 0.58 | | 2323 | 0.54 | | 2332 | 0.41 | |
| 6 | 0514 | 1.84 | 21 | 0523 | 1.83 | 6 | 0545 | 1.57 | 21 | 0552 | 1.46 | 6 | 0515 | 1.59 | 21 | 0522 | 1.45 | |
| | 1223 | 0.51 | | 1215 | 0.33 | | 1211 | 0.51 | | 1208 | 0.42 | | 1123 | 0.41 | | 1118 | 0.38 | |
| SA | 1800 | 1.08 | SU | 1809 | 1.21 | TU | 1836 | 1.45 | WE | 1831 | 1.47 | TU | 1745 | 1.68 | WE | 1740 | 1.71 | |
| | 2253 | 0.69 | | 2323 | 0.61 | | | | | | | | 2350 | 0.64 | | 2345 | 0.85 | |
| 7 | 0534 | 1.74 | 22 | 0545 | 1.72 | 7 | 0019 | 0.86 | 22 | 0031 | 0.71 | 7 | 0530 | 1.50 | 22 | 0001 | 0.53 | |
| | 1233 | 0.60 | | 1234 | 0.41 | | 0559 | 1.43 | | 0602 | 1.27 | | 1135 | 0.44 | | 0536 | 1.29 | |
| SU | 1823 | 1.15 | MO | 1834 | 1.22 | WE | 1225 | 0.54 | TH | 1214 | 0.47 | WE | 1808 | 1.70 | TH | 1123 | 0.44 | |
| | 2323 | 0.80 | | 2351 | 0.69 | | 1912 | 1.44 | | 1900 | 1.45 | | | | | 1800 | 1.73 | |
| 8 | 0553 | 1.60 | 23 | 0606 | 1.55 | 8 | 0058 | 1.00 | 23 | 0114 | 0.86 | 8 | 0018 | 0.77 | 23 | 0034 | 0.68 | |
| | 1246 | 0.65 | | 1252 | 0.49 | | 0601 | 1.28 | | 0554 | 1.07 | | 0545 | 1.39 | | 0542 | 1.13 | |
| MO | 1900 | 1.19 | TU | 1905 | 1.22 | TH | 1239 | 0.57 | FR | 1213 | 0.49 | TH | 1147 | 0.49 | FR | 1123 | 0.48 | |
| | 2358 | 0.94 | | | | ● | 2000 | 1.38 | ● | 1940 | 1.40 | | 1834 | 1.65 | | 1825 | 1.69 | |
| 9 | 0609 | 1.44 | 24 | 0025 | 0.80 | 9 | 0209 | 1.12 | 24 | 1156 | 0.50 | 9 | 0050 | 0.91 | 24 | 0115 | 0.84 | |
| | 1306 | 0.68 | | 0623 | 1.36 | | 0447 | 1.14 | | 2102 | 1.33 | | 0550 | 1.25 | | 0519 | 0.99 | |
| TU | 2000 | 1.21 | WE | 1307 | 0.54 | FR | 1247 | 0.61 | SA | | | FR | 1158 | 0.55 | SA | 1115 | 0.50 | |
| ● | | | | 1949 | 1.21 | | 2204 | 1.32 | | | | ● | 1902 | 1.55 | | 1853 | 1.59 | |
| 10 | 0045 | 1.09 | 25 | 0115 | 0.93 | 10 | 1232 | 0.65 | 25 | 1101 | 0.46 | 10 | 0134 | 1.03 | 25 | 1054 | 0.51 | |
| | 0606 | 1.26 | | 0627 | 1.14 | | | | | | | | 0519 | 1.12 | | 1930 | 1.45 | |
| WE | 1330 | 0.70 | TH | 1318 | 0.57 | SA | | | SU | | | SA | 1159 | 0.61 | SU | | | |
| | 2309 | 1.25 | ● | 2114 | 1.21 | | | | | | | | 1936 | 1.42 | ● | | | |
| 11 | 1400 | 0.71 | 26 | 1315 | 0.59 | 11 | 0051 | 1.37 | 26 | 0043 | 1.36 | 11 | 1136 | 0.66 | 26 | 1016 | 0.50 | |
| | | | | 2341 | 1.29 | | 1036 | 0.63 | | 1017 | 0.37 | | 2246 | 1.28 | | | | |
| TH | | | FR | | | SU | | | MO | | | SU | | | MO | | | |
| 12 | 0041 | 1.37 | 27 | 1132 | 0.56 | 12 | 0150 | 1.44 | 27 | 0200 | 1.47 | 12 | 1015 | 0.63 | 27 | 0015 | 1.33 | |
| | 1444 | 0.73 | | | | | 0957 | 0.50 | | 1014 | 0.28 | | | | | 0947 | 0.46 | |
| FR | | | SA | | | MO | 1618 | 0.86 | TU | 1653 | 0.87 | MO | | | TU | | | |
| | | | | | | | 1853 | 0.83 | | 1952 | 0.82 | | | | | | | |
| 13 | 0126 | 1.48 | 28 | 0106 | 1.41 | 13 | 0230 | 1.52 | 28 | 0247 | 1.57 | 13 | 0129 | 1.33 | 28 | 0147 | 1.41 | |
| | 0944 | 0.66 | | 1012 | 0.40 | | 1004 | 0.36 | | 1024 | 0.23 | | 0936 | 0.52 | | 0940 | 0.42 | |
| SA | 1452 | 0.77 | SU | | | TU | 1610 | 0.92 | WE | 1632 | 0.94 | TU | 1625 | 0.99 | WE | 1612 | 1.04 | |
| | 1736 | 0.73 | | | | | 2019 | 0.73 | | 2053 | 0.68 | | 1951 | 0.94 | | 2021 | 0.87 | |
| 14 | 0203 | 1.56 | 29 | 0203 | 1.54 | 14 | 0302 | 1.60 | 29 | 0302 | 1.60 | 14 | 0213 | 1.41 | 29 | 0233 | 1.47 | |
| | 0949 | 0.51 | | 1020 | 0.26 | | 1020 | 0.25 | | | | | 0940 | 0.40 | | 0946 | 0.39 | |
| SU | 1524 | 0.81 | MO | 1646 | 0.75 | WE | 1620 | 1.00 | TH | 1556 | 1.13 | WE | 1559 | 1.03 | TH | 1556 | 1.13 | |
| | 1900 | 0.69 | | 1906 | 0.71 | | 2103 | 0.62 | | 2034 | 0.78 | | 2034 | 0.78 | | 2100 | 0.70 | |
| 15 | 0237 | 1.64 | 30 | 0249 | 1.66 | 15 | 0332 | 1.68 | 30 | 0308 | 1.51 | 15 | 0246 | 1.49 | 30 | 0308 | 1.51 | |
| | 1009 | 0.38 | | 1041 | 0.16 | | 1038 | 0.17 | | 0957 | 0.39 | | 0953 | 0.30 | | 0957 | 0.39 | |
| MO | 1552 | 0.88 | TU | 1646 | 0.80 | TH | 1635 | 1.09 | FR | 1600 | 1.27 | TH | 1600 | 1.11 | FR | 1600 | 1.27 | |
| | 2003 | 0.64 | | 2028 | 0.65 | | 2137 | 0.52 | | 2106 | 0.62 | | 2106 | 0.62 | | 2133 | 0.57 | |
| | | | | | | | | | | | | | | | | | | |
| | | | 31 | 0328 | 1.75 | | | | | | | | | | 31 | 0336 | 1.53 | |
| | | | | 1101 | 0.14 | | | | | | | | | | | 1007 | 0.39 | |
| | | | | WE | 1657 | 0.88 | | | | | | | | | | SA | 1611 | 1.43 |
| | | | | ○ | 2116 | 0.58 | | | | | | | | | | ○ | 2203 | 0.48 |

© Copyright Commonwealth of Australia 2016, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

CAPE HARDY – SOUTH AUSTRALIA

LAT 34° 12' S LONG 136° 18' E

Times and Heights of High and Low Waters

2018

Local Time

| MAY | | | | JUNE | | | | JULY | | | | AUGUST | | | |
|-----------------------------------|------------------------------|-----------------------------------|------------------------------|-----------------------------------|------------------------------|------------------------------------|------------------------------|-----------------------------------|------------------------------|-----------------------------------|------------------------------|-----------------------------------|------------------------------|-----------------------------------|------------------------------|
| Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m |
| 1 0300 TU 1515 2153 | 1.35 0.51 1.95 0.49 | 16 0316 WE 1512 2213 | 1.20 0.53 1.97 0.37 | 1 0345 FR 1542 2247 | 1.24 0.65 2.13 0.58 | 16 0424 SA 1552 2329 | 0.98 0.70 2.12 0.56 | 1 0418 SU 1600 2308 | 1.24 2.08 0.57 | 16 0442 MO 1615 2327 | 1.10 1.99 0.66 | 1 0454 WE 1641 2325 | 1.36 0.70 1.87 0.59 | 16 0450 TH 1637 2257 | 1.49 0.78 1.65 0.67 |
| 2 0324 WE 1536 2219 | 1.35 0.51 2.03 0.53 | 17 0347 TH 1536 2247 | 1.14 0.57 2.06 0.44 | 2 0414 SA 1606 2315 | 1.25 0.70 2.10 0.65 | 17 0444 SU 1617 2356 | 0.99 0.74 2.07 0.71 | 2 0445 MO 1625 2334 | 1.26 0.78 2.03 0.64 | 17 0457 TU 1636 2337 | 1.18 0.80 1.90 0.76 | 2 0518 TH 1702 2343 | 1.37 0.78 1.73 0.65 | 17 0515 FR 1651 2308 | 1.55 0.91 1.53 0.69 |
| 3 0347 TH 1558 2246 | 1.34 0.53 2.07 0.60 | 18 0411 FR 1600 2321 | 1.07 0.61 2.09 0.57 | 3 0442 SU 1630 2347 | 1.23 0.78 2.03 0.74 | 18 0500 MO 1641 19.97 | 1.02 0.81 1.97 | 3 0514 TU 1650 | 1.26 0.85 1.94 | 18 0516 WE 1656 2347 | 1.26 0.90 1.77 0.82 | 3 0546 FR 1723 | 1.38 0.88 1.54 | 18 0547 SA 1658 2322 | 1.55 1.05 1.39 0.71 |
| 4 0410 FR 1619 2315 | 1.31 0.59 2.04 0.70 | 19 0428 SA 1622 2357 | 1.00 0.65 2.05 0.72 | 4 0512 MO 1654 | 1.19 0.86 1.92 | 19 0020 TU 0929 1705 | 0.84 1.06 1.83 | 4 0001 WE 1031 1716 | 0.71 1.24 0.93 1.80 | 19 0547 TH 1714 1055 | 1.33 1.03 1.62 | 4 0000 SA 1200 1738 | 0.70 1.37 1.00 1.34 | 19 0631 SU 1621 2334 | 1.51 1.19 1.25 0.74 |
| 5 0432 SA 1641 2346 | 1.26 0.67 1.96 0.80 | 20 0437 SU 1645 | 0.96 0.70 1.96 | 5 0026 TU 1000 1720 | 0.82 0.95 1.77 | 20 0045 WE 0934 1729 | 0.93 1.03 1.66 | 5 0032 TH 1101 1744 | 0.77 1.22 1.02 1.63 | 20 0001 FR 1141 1726 | 0.84 1.37 1.18 1.46 | 5 0014 SU 1355 1717 | 0.73 1.36 1.10 1.12 | 20 0757 MO 2331 | 1.44 0.78 |
| 6 0454 SU 1701 | 1.17 0.76 1.84 | 21 0042 MO 0858 1709 | 0.87 0.94 0.76 1.81 | 6 0124 WE 0947 1751 | 0.87 1.03 1.61 | 21 0122 TH 1750 | 0.98 1.47 | 6 0109 FR 1149 1813 | 0.81 1.12 1.43 | 21 0023 SA 1342 1530 | 0.85 1.40 1.30 1.30 | 6 0021 MO 2357 | 0.75 1.38 0.75 | 21 1118 TU 2148 | 1.46 0.79 |
| 7 0030 MO 0949 1722 | 0.90 1.07 0.85 1.69 | 22 0836 TU 1735 | 0.83 1.63 | 7 0304 TH 1837 | 0.87 1.42 | 22 0230 FR 1250 | 0.97 1.35 | 7 0156 SA 1532 1839 | 0.82 1.27 1.18 1.21 | 22 0052 SU 1048 | 0.85 1.49 | 7 1120 TU 2059 | 1.48 0.63 | 22 1229 WE 2039 | 1.52 0.68 |
| 8 0323 TU 0907 1745 | 0.95 0.96 0.90 1.51 | 23 0723 WE 1800 | 0.90 1.43 | 8 0415 FR 1656 2119 | 0.82 1.25 1.25 | 23 0340 SA 1953 2145 | 0.93 1.49 1.11 | 8 0256 SU 2000 2130 | 0.82 1.39 0.99 0.99 | 23 0132 MO 2115 2218 | 0.86 1.59 0.90 0.90 | 8 1230 WE 2101 | 1.60 0.47 | 23 0246 TH 1312 2045 | 0.96 0.92 1.59 0.56 |
| 9 0607 WE 1823 | 0.85 1.33 | 24 0605 TH 1851 2227 | 0.88 1.31 1.22 1.26 | 9 0459 SA 1845 2310 | 0.76 1.00 1.15 | 24 0427 SU 2002 2344 | 0.87 0.93 1.04 | 9 0358 MO 2013 | 0.79 1.53 0.77 | 24 0336 TU 2045 | 0.86 1.68 0.76 | 9 0324 TH 1324 2122 | 0.85 0.83 1.72 0.36 | 24 0240 FR 1346 2100 | 1.02 0.81 1.66 0.45 |
| 10 0620 TH 1826 2311 | 0.74 1.22 1.13 1.28 | 25 0608 FR 1917 2355 | 0.84 1.40 1.03 1.22 | 10 0536 SU 1941 | 0.71 1.49 0.80 | 25 0511 MO 2030 | 0.81 1.75 0.79 | 10 0027 TU 1245 2048 | 0.88 0.77 1.67 0.57 | 25 0152 WE 1319 2100 | 0.92 0.84 1.75 0.63 | 10 0325 FR 1408 2145 | 0.89 0.76 1.81 0.31 | 25 0253 SA 1418 2119 | 1.10 0.69 1.73 0.37 |
| 11 0639 FR 1904 | 0.65 1.28 0.93 | 26 0621 SA 1950 | 0.79 1.54 0.87 | 11 0033 MO 1317 2027 | 1.09 0.68 1.64 0.61 | 26 0109 TU 1336 2059 | 1.02 0.76 1.85 0.67 | 11 0219 WE 1330 2123 | 0.87 0.75 1.80 0.43 | 26 0229 TH 1356 2121 | 0.98 0.80 1.82 0.53 | 11 0338 SA 1445 2208 | 0.96 0.69 1.88 0.32 | 26 0310 SU 1447 2138 | 1.18 0.59 1.79 0.33 |
| 12 0019 SA 1341 1943 | 1.28 0.58 1.38 0.74 | 27 0050 SU 1339 2024 | 1.19 0.73 1.69 0.73 | 12 0145 TU 1350 2109 | 1.05 0.66 1.79 0.47 | 27 0206 WE 1407 2127 | 1.04 0.73 1.94 0.58 | 12 0307 TH 1412 2157 | 0.89 0.74 1.92 0.35 | 27 0258 FR 1429 2144 | 1.05 0.74 1.89 0.45 | 12 0352 SU 1517 2225 | 1.05 0.62 1.91 0.39 | 27 0328 MO 1515 2157 | 1.27 0.51 1.84 0.33 |
| 13 0114 SU 1358 2021 | 1.28 0.53 1.52 0.57 | 28 0134 MO 1402 2056 | 1.18 0.68 1.82 0.63 | 13 0241 WE 1424 2148 | 1.02 0.65 1.94 0.39 | 28 0247 TH 1437 2153 | 1.08 0.71 2.01 0.52 | 13 0342 FR 1449 2227 | 0.92 0.72 2.01 0.35 | 28 0324 SA 1459 2205 | 1.14 0.68 1.95 0.41 | 13 0405 MO 1543 2237 | 1.15 0.60 1.89 0.49 | 28 0346 TU 1540 2214 | 1.36 0.46 1.84 0.36 |
| 14 0200 MO 1420 2100 | 1.27 0.51 1.68 0.44 | 29 0213 TU 1428 2125 | 1.18 0.64 1.94 0.56 | 14 0324 TH 1456 2225 | 1.00 0.66 2.05 0.38 | 29 0321 FR 1506 2218 | 1.14 0.70 2.07 0.50 | 14 0407 SA 1522 2253 | 0.97 0.70 2.05 0.42 | 29 0347 SU 1527 2226 | 1.21 0.65 1.99 0.42 | 14 0418 TU 1603 2244 | 1.27 0.62 1.84 0.58 | 29 0405 WE 1603 2229 | 1.44 0.46 1.80 0.42 |
| 15 0241 TU 1445 2137 | 1.24 0.51 1.84 0.37 | 30 0245 WE 1453 2153 | 1.19 0.62 2.04 0.53 | 15 0358 FR 1525 2259 | 0.99 0.68 2.11 0.44 | 30 0351 SA 1533 2243 | 1.20 0.70 2.09 0.52 | 15 0427 SU 1550 2313 | 1.03 0.71 2.04 0.53 | 30 0410 MO 1552 2246 | 1.28 0.63 2.00 0.45 | 15 0432 WE 1621 2249 | 1.39 0.68 1.76 0.64 | 30 0425 TH 1625 2242 | 1.50 0.51 1.69 0.49 |
| | | 31 0316 TH 1517 2220 | 1.22 2.11 0.54 | | | | | 31 0431 TU 1617 2306 | 1.33 1.96 0.52 | | | | | 31 0445 FR 1643 2252 | 1.54 1.60 1.54 0.55 |

© Copyright Commonwealth of Australia 2016, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter

