

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

TIPARRA REEF LIGHT – SOUTH AUSTRALIA

LAT 34° 4' S LONG 137° 24' E

Times and Heights of High and Low Waters

2019

Local Time

| JANUARY | | | | FEBRUARY | | | | MARCH | | | | APRIL | | | | | |
|-----------|------------------------------|------------------------------|-----------|------------------------------|------------------------------|-----------|------------------------------|------------------------------|-----------|------------------------------|------------------------------|-----------|------------------------------|------------------------------|-----------|------------------------------|------------------------------|
| Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | | |
| 1 | 0138 1347 | 1.13 0.49 | 16 | 0046 1347 | 1.12 0.55 | 1 | 0154 1213 | 1.37 0.38 | 16 | 0202 1155 | 1.33 0.20 | 1 | 1209 | 0.39 | 16 | 1130 0.22 | |
| TU | | | WE | | | FR | | | SA | | | FR | | | SA | | |
| 2 | 0159 1235 | 1.28 0.46 | 17 | 0142 1224 | 1.24 0.47 | 2 | 0257 1201 | 1.44 0.38 | 17 | 0311 1159 | 1.41 0.14 | 2 | 0119 1143 | 1.30 0.41 | 17 | 0133 1121 | 1.28 0.18 |
| WE | | | TH | | | SA | | | SU | | | SA | | | SU | | |
| 3 | 0232 1205 | 1.41 0.42 | 18 | 0231 1157 | 1.37 0.34 | 3 | 0346 1203 1824 2059 | 1.50 0.37 0.83 0.80 | 18 | 0401 1213 1850 2132 | 1.47 0.11 0.73 0.68 | 3 | 0249 1134 1900 2043 | 1.34 0.42 0.93 0.92 | 18 | 0300 1128 1834 2113 | 1.31 0.17 0.85 0.80 |
| TH | | | FR | | | SU | | | MO | | | SU | | | MO | | |
| 4 | 0311 1200 | 1.52 0.39 | 19 | 0318 1204 | 1.48 0.23 | 4 | 0426 1211 1802 2202 | 1.55 0.37 0.90 0.75 | 19 | 0442 1229 1835 2230 | 1.49 0.13 0.76 0.60 | 4 | 0345 1137 1802 2155 | 1.39 0.42 0.98 0.85 | 19 | 0356 1138 1807 2218 | 1.33 0.21 0.89 0.69 |
| FR | | | SA | | | MO | | | TU | | | MO | | | TU | | |
| 5 | 0348 1207 1744 2016 | 1.59 0.38 0.72 0.69 | 20 | 0401 1224 1850 2032 | 1.57 0.15 0.64 0.63 | 5 | 0457 1223 1805 2243 | 1.58 0.38 0.96 0.69 | 20 | 0514 1243 1830 2312 | 1.47 0.19 0.82 0.54 | 5 | 0423 1145 1749 2232 | 1.44 0.43 1.04 0.76 | 20 | 0436 1148 1756 2300 | 1.31 0.27 0.97 0.58 |
| SA | | | SU | | | TU | | | WE | | | TU | | | WE | | |
| 6 | 0424 1219 1745 2125 | 1.64 0.37 0.80 0.68 | 21 | 0440 1247 1844 2137 | 1.62 0.12 0.63 0.58 | 6 | 0523 1236 1815 2314 | 1.59 0.39 1.00 0.64 | 21 | 0539 1251 1833 2346 | 1.39 0.28 0.89 0.51 | 6 | 0451 1154 1748 2300 | 1.47 0.44 1.10 0.68 | 21 | 0505 1154 1753 2335 | 1.26 0.35 1.07 0.51 |
| SU | | | MO | | | WE | | | TH | | | WE | | | TH | | |
| 7 | 0456 1235 1800 2213 | 1.67 0.38 0.86 0.65 | 22 | 0514 1311 1848 2222 | 1.62 0.14 0.64 0.54 | 7 | 0545 1250 1830 2342 | 1.58 0.41 1.03 0.60 | 22 | 0557 1252 1843 2342 | 1.29 0.35 0.98 0.60 | 7 | 0513 1202 1754 2324 | 1.48 0.44 1.15 0.60 | 22 | 0526 1153 1758 2324 | 1.19 0.41 1.18 0.60 |
| MO | | | TU | | | TH | | | FR | | | TH | | | FR | | |
| 8 | 0525 1255 1819 2249 | 1.67 0.40 0.89 0.64 | 23 | 0544 1332 1858 2258 | 1.56 0.21 0.66 0.52 | 8 | 0605 1305 1846 | 1.53 0.43 1.05 | 23 | 0610 1246 1900 | 0.51 0.38 1.08 | 8 | 0532 1212 1803 2349 | 1.47 0.45 1.19 0.54 | 23 | 0605 1147 1809 | 0.47 1.10 0.43 1.30 |
| TU | | | WE | | | FR | | | SA | | | FR | | | SA | | |
| 9 | 0551 1316 1841 2319 | 1.64 0.43 0.90 0.64 | 24 | 0607 1347 1911 2332 | 1.46 0.30 0.71 0.54 | 9 | 0624 1319 1909 | 0.60 1.45 1.07 | 24 | 0617 1251 1926 | 0.56 1.05 1.18 | 9 | 0550 1221 1817 | 1.43 0.44 1.24 | 24 | 0603 0550 1140 1827 | 0.48 1.01 0.40 1.39 |
| WE | | | TH | | | SA | | | SU | | | SA | | | SU | | |
| 10 | 0615 1339 1906 2346 | 1.58 0.47 0.90 0.67 | 25 | 0625 1353 1931 | 1.32 0.38 0.78 | 10 | 0643 0640 1331 1938 | 0.63 1.33 0.46 1.09 | 25 | 0132 0619 1234 2000 | 0.64 0.95 0.33 1.24 | 10 | 0018 0607 1230 1838 | 0.52 1.33 0.44 1.28 | 25 | 0104 0558 1138 1852 | 0.52 0.94 0.35 1.45 |
| TH | | | FR | | | SU | | | MO | | | SU | | | MO | | |
| 11 | 0636 1402 1936 | 1.49 0.51 0.90 | 26 | 0607 1347 1911 2332 | 1.46 0.30 0.71 0.54 | 11 | 0651 1319 2018 | 1.18 0.46 1.12 | 26 | 0608 1238 2046 | 0.87 0.31 1.28 | 11 | 0052 0622 1237 1905 | 0.54 1.20 0.42 1.31 | 26 | 0138 0603 1145 1924 | 0.60 0.88 0.32 1.47 |
| FR | | | SA | | | MO | | | TU | | | MO | | | TU | | |
| 12 | 0655 1424 2016 | 0.72 1.38 0.54 0.91 | 27 | 0607 1347 1911 2332 | 1.46 0.30 0.71 0.54 | 12 | 0711 1337 2112 | 0.78 0.45 1.15 | 27 | 0339 0505 1244 2146 | 0.84 0.85 0.31 1.29 | 12 | 0132 0631 1238 1941 | 0.61 1.04 0.40 1.33 | 27 | 0221 0600 1156 2001 | 0.69 0.83 0.33 1.45 |
| SA | | | SU | | | TU | | | WE | | | TU | | | WE | | |
| 13 | 0706 1442 2116 | 0.79 1.25 0.57 0.94 | 28 | 0202 0614 1328 2159 | 0.81 0.93 0.39 1.09 | 13 | 0807 1319 2230 | 0.87 0.89 1.19 | 28 | 1236 2317 | 0.35 1.29 | 13 | 0226 0626 1230 2026 | 0.69 0.88 0.36 1.32 | 28 | 0326 0517 1200 2046 | 0.79 0.80 0.38 1.38 |
| SU | | | MO | | | WE | | | TH | | | WE | | | TH | | |
| 14 | 0703 1453 2306 | 1.11 0.58 1.01 | 29 | 1326 2322 | 0.37 1.20 | 14 | 1249 | 0.37 | 14 | | | 14 | 1215 2126 | 0.32 1.30 | 29 | 1146 2148 | 0.44 1.30 |
| MO | | | TU | | | TH | | | TH | | | TH | | | FR | | |
| 15 | 0820 0604 1445 | 0.97 0.99 0.58 | 30 | 1318 | 0.37 | 15 | 0023 1213 | 1.25 0.30 | 15 | | | 15 | 1154 2308 | 0.28 1.27 | 30 | 1114 0.49 | |
| TU | | | WE | | | FR | | | FR | | | FR | | | SA | | |
| 31 | 0043 1246 | 1.29 0.38 | 31 | | | 31 | | | 31 | | | 31 | 0031 1051 1928 2008 | 1.24 0.51 1.06 1.06 | 31 | | |
| TH | | | | | | | | | | | | | | | | | |

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter

TIPARRA REEF LIGHT – SOUTH AUSTRALIA

LAT 34° 4' S LONG 137° 24' E

2019

Times and Heights of High and Low Waters

Local Time

| MAY | | | | JUNE | | | | JULY | | | | AUGUST | | | |
|--|---|--|---|---|---|--|---|---|---|--|---|--|---|--|---|
| Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m |
| 1 0150 1.18 0854 0.67 WE 1546 1.26 2127 0.92 | | 16 0212 0.93 0810 0.63 TH 1518 1.30 2214 0.68 | | 1 0241 1.01 0741 0.78 SA 1500 1.52 2223 0.72 | | 16 0401 0.70 0528 0.69 SU 1457 1.70 2326 0.56 | | 1 0348 0.79 0631 0.76 MO 1455 1.70 2317 0.52 | | 16 1516 1.74 2334 0.56 TU | | 1 0516 0.73 0815 0.67 TH 1605 1.76 | | 16 0442 1.02 0929 0.74 FR 1618 1.67 2328 0.57 | |
| 2 0237 1.19 0901 0.69 TH 1540 1.32 2146 0.82 | | 17 0306 0.88 0808 0.67 FR 1519 1.44 2241 0.59 | | 2 0316 0.98 0759 0.74 SU 1515 1.64 2249 0.61 | | 17 0357 0.72 0641 0.68 MO 1525 1.78 2337 0.55 | | 2 0417 0.77 0717 0.71 TU 1530 1.79 2344 0.44 | | 17 0436 0.82 0739 0.76 WE 1551 1.78 2345 0.57 | | 2 0004 0.33 0524 0.74 FR 0910 0.62 1638 1.73 | | 17 0454 1.09 1003 0.69 SA 1643 1.67 2341 0.59 | |
| 3 0308 1.19 0907 0.69 FR 1540 1.40 2207 0.71 | | 18 0334 0.84 0805 0.67 SA 1530 1.58 2303 0.54 | | 3 0346 0.93 0818 0.69 MO 1540 1.74 2321 0.52 | | 18 0410 0.77 0738 0.66 TU 1556 1.84 2353 0.56 | | 3 0443 0.73 0757 0.65 WE 1605 1.85 | | 18 0445 0.90 0847 0.74 TH 1623 1.80 2359 0.58 | | 3 0027 0.37 0537 0.77 SA 0953 0.59 1706 1.64 | | 18 0510 1.13 1034 0.66 SU 1704 1.63 2356 0.60 | |
| 4 0332 1.18 0915 0.67 SA 1547 1.50 2231 0.61 | | 19 0350 0.82 0809 0.63 SU 1548 1.69 2325 0.52 | | 4 0414 0.87 0837 0.62 TU 1609 1.82 2359 0.47 | | 19 0430 0.83 0827 0.65 WE 1626 1.86 | | 4 0015 0.39 0508 0.70 TH 0829 0.60 1639 1.85 | | 19 0505 0.97 0935 0.73 FR 1652 1.78 | | 4 0045 0.44 0555 0.81 SU 1031 0.60 1729 1.50 | | 19 0529 1.16 1102 0.66 MO 1723 1.55 | |
| 5 0354 1.14 0924 0.63 SU 1602 1.59 2301 0.53 | | 20 0404 0.82 0825 0.58 MO 1611 1.77 2347 0.53 | | 5 0439 0.79 0852 0.55 WE 1641 1.85 | | 20 0013 0.59 0454 0.87 TH 0907 0.66 1657 1.84 | | 5 0051 0.40 0535 0.66 FR 0852 0.57 1712 1.79 | | 20 0017 0.60 0529 1.01 SA 1014 0.73 1718 1.74 | | 5 0058 0.52 0616 0.87 MO 1109 0.66 1744 1.34 | | 20 0010 0.62 0549 1.17 TU 1132 0.69 1739 1.45 | |
| 6 0415 1.07 0934 0.57 MO 1624 1.68 2337 0.50 | | 21 0420 0.83 0850 0.54 TU 1637 1.81 | | 6 0043 0.46 0504 0.69 TH 0900 0.51 1715 1.82 | | 21 0039 0.62 0524 0.90 FR 0942 0.69 1728 1.78 | | 6 0129 0.43 0604 0.65 SA 0907 0.58 1742 1.67 | | 21 0039 0.63 0557 1.03 SU 1047 0.76 1743 1.66 | | 6 0059 0.57 0647 0.95 TU 1151 0.75 1748 1.18 | | 21 0022 0.63 0616 1.18 WE 1205 0.76 1750 1.32 | |
| 7 0434 0.97 0942 0.51 TU 1651 1.72 | | 22 0013 0.57 0440 0.84 WE 0916 0.53 1706 1.80 | | 7 0137 0.48 0528 0.60 FR 0902 0.48 1748 1.73 | | 22 0110 0.66 0600 0.91 SA 1008 0.75 1757 1.69 | | 7 0206 0.50 0644 0.66 SU 0916 0.63 1806 1.51 | | 22 0102 0.66 0629 1.03 MO 1118 0.81 1803 1.56 | | 7 0045 0.58 0730 1.05 WE 1245 0.86 1733 1.05 | | 22 0030 0.63 0651 1.20 TH 1246 0.84 1751 1.17 | |
| 8 0019 0.50 0452 0.84 WE 0945 0.45 1722 1.73 | | 23 0044 0.62 0503 0.84 TH 0941 0.55 1737 1.75 | | 8 0258 0.51 0554 0.54 SA 0854 0.49 1821 1.60 | | 23 0145 0.70 0647 0.90 SU 1018 0.83 1823 1.58 | | 8 0237 0.57 0751 0.72 MO 0908 0.72 1822 1.34 | | 23 0125 0.69 0709 1.04 TU 1150 0.89 1817 1.43 | | 8 0028 0.54 0832 1.15 TH 1411 0.98 1617 0.99 | | 23 0031 0.62 0740 1.22 FR 1347 0.94 1728 1.04 | |
| 9 0113 0.54 0501 0.70 TH 0943 0.41 1757 1.68 | | 24 0122 0.68 0529 0.83 FR 0957 0.62 1809 1.66 | | 9 0515 0.52 1851 1.43 SU | | 24 0228 0.74 0817 0.91 MO 0924 0.91 1842 1.46 | | 9 0251 0.62 1815 1.17 TU | | 24 0144 0.72 0803 1.07 WE 1230 0.98 1820 1.30 | | 9 0020 0.49 0953 1.25 FR | | 24 0020 0.58 0851 1.25 SA 2358 0.54 | |
| 10 0241 0.58 0430 0.59 FR 0935 0.39 1835 1.58 | | 25 0216 0.73 0600 0.80 SA 0951 0.70 1840 1.55 | | 10 0553 0.54 1905 1.26 MO | | 25 0313 0.77 1843 1.34 TU | | 10 0237 0.66 1622 1.07 WE | | 25 0158 0.73 0928 1.12 TH 1334 1.08 1755 1.18 | | 10 0020 0.46 1115 1.35 SA | | 25 1048 1.29 2326 0.48 SU | |
| 11 0916 0.38 1916 1.45 SA | | 26 0444 0.76 0715 0.77 SU 0845 0.77 1905 1.43 | | 11 0601 0.59 1704 1.11 TU | | 26 0353 0.79 1742 1.24 WE | | 11 0200 0.64 1219 1.20 TH | | 26 0201 0.72 1115 1.22 FR | | 11 0012 0.47 1230 1.43 SU 2342 0.50 | | 26 1238 1.38 2256 0.41 MO | |
| 12 0836 0.40 2001 1.29 SU | | 27 0620 0.75 1901 1.31 MO | | 12 0600 0.65 1454 1.16 WE | | 27 0420 0.81 1403 1.25 TH | | 12 0131 0.60 1240 1.36 FR | | 27 0143 0.71 1218 1.33 SA | | 12 1337 1.50 2315 0.52 MO | | 27 1350 1.47 2249 0.34 TU | |
| 13 0810 0.43 2131 1.13 MO | | 28 0649 0.75 1649 1.24 TU | | 13 0549 0.70 1415 1.29 TH | | 28 0441 0.82 1348 1.35 FR | | 13 0110 0.56 1315 1.49 SA | | 28 0039 0.66 1312 1.44 SU 2334 0.58 | | 13 1432 1.56 2306 0.54 TU | | 28 1444 1.54 2258 0.30 WE | |
| 14 0808 0.48 1608 1.08 TU 2058 0.95 | | 29 0707 0.77 1522 1.27 WE 2200 1.06 | | 14 0512 0.72 1415 1.44 FR 2315 0.64 | | 29 0506 0.81 1400 1.46 SA 2301 0.76 | | 14 0017 0.55 1356 1.60 SU 2344 0.54 | | 29 1401 1.56 2315 0.48 MO | | 14 0515 0.85 0713 0.84 WE 1515 1.61 2308 0.55 | | 29 0509 0.78 0804 0.72 TH 1527 1.58 2313 0.30 | |
| 15 0041 1.01 0810 0.56 WE 1532 1.17 2141 0.80 | | 30 0021 1.08 0718 0.79 TH 1457 1.33 2152 0.95 | | 15 1431 1.58 2318 0.58 SA | | 30 0259 0.82 0545 0.79 SU 1424 1.58 2300 0.64 | | 15 1437 1.68 2333 0.55 MO | | 30 1446 1.66 2324 0.39 TU | | 15 0437 0.94 0841 0.80 TH 1550 1.65 2316 0.56 | | 30 0459 0.82 0908 0.63 FR 1602 1.57 2328 0.34 | |
| | | 31 0149 1.04 0728 0.80 FR 1452 1.42 2203 0.84 | | | | | | | | 31 0530 0.73 0650 0.72 WE 1529 1.73 2343 0.33 | | | | 31 0500 0.88 0954 0.56 SA 1631 1.50 2340 0.41 | |

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

TIPARRA REEF LIGHT – SOUTH AUSTRALIA

LAT 34° 4' S LONG 137° 24' E

2019

Times and Heights of High and Low Waters

Local Time

| SEPTEMBER | | | | OCTOBER | | | | NOVEMBER | | | | DECEMBER | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m |
| 1 0508 0.95 1032 0.51 SU 1654 1.39 2345 0.48 | 16 0438 1.27 1037 0.55 MO 1644 1.46 2304 0.59 | 2 0519 1.04 1106 0.52 MO 1709 1.26 2341 0.52 | 17 0452 1.31 1103 0.54 TU 1700 1.38 2313 0.58 | 3 0536 1.12 1140 0.56 TU 1716 1.12 2328 0.52 | 18 0510 1.34 1133 0.56 WE 1713 1.27 2318 0.56 | 4 0559 1.20 1216 0.65 WE 1715 1.00 2314 0.46 | 19 0533 1.36 1208 0.62 TH 1722 1.13 2319 0.53 | 5 0630 1.26 1300 0.75 TH 1701 0.92 2312 0.41 | 20 0605 1.36 1253 0.71 FR 1721 0.98 2313 0.49 | 6 0714 1.30 1402 0.87 FR 1613 0.89 2318 0.39 | 21 0645 1.34 1404 0.81 SA 1646 0.86 2302 0.44 | 7 0813 1.30 2322 0.41 | 22 0743 1.30 2245 0.40 | 8 0946 1.29 2308 0.46 | 23 0927 1.26 2219 0.36 |
| 9 1159 1.31 2240 0.50 | 24 1214 1.28 2201 0.32 | 10 1330 1.36 2221 0.53 | 25 1339 1.32 2202 0.30 | 11 0524 0.92 0715 0.91 WE 1430 1.41 2219 0.55 | 26 0445 0.85 0745 0.78 TH 1436 1.35 2213 0.32 | 12 0422 0.99 0834 0.84 TH 1512 1.45 2226 0.56 | 27 0423 0.90 0851 0.66 FR 1520 1.34 2224 0.36 | 13 0413 1.08 0916 0.75 FR 1543 1.49 2235 0.58 | 28 0419 0.99 0938 0.54 SA 1554 1.29 2233 0.43 | 14 0418 1.16 0946 0.67 SA 1607 1.50 2245 0.59 | 29 0422 1.09 1015 0.45 SU 1618 1.21 2236 0.49 | 15 0428 1.22 1013 0.60 SU 1627 1.50 2255 0.59 | 30 0430 1.19 1049 0.41 MO 1635 1.11 2230 0.52 | 31 0528 1.59 1254 0.42 TH 1731 0.75 2214 0.39 | |
| 1 0442 1.30 1119 0.42 TU 1645 1.00 2218 0.49 | 16 0519 1.47 1204 0.45 WE 1738 1.16 2313 0.54 | 2 0458 1.38 1149 0.47 WE 1649 0.91 2208 0.43 | 17 0539 1.51 1237 0.46 TH 1752 1.05 2316 0.49 | 3 0520 1.44 1220 0.55 TH 1649 0.84 2211 0.37 | 18 0604 1.53 1317 0.52 FR 1800 0.91 2316 0.44 | 4 0548 1.45 1259 0.66 FR 1642 0.80 2222 0.34 | 19 0636 1.51 1410 0.60 SA 1757 0.76 2313 0.39 | 5 0623 1.42 1353 0.76 SA 1609 0.79 2232 0.37 | 20 0714 1.45 2303 0.36 | 6 0806 1.35 2329 0.44 SU | 21 0800 1.35 2242 0.35 MO | 7 0909 1.25 2300 0.51 MO | 22 0915 1.23 2209 0.33 TU | 8 1223 1.19 2227 0.55 TU | 23 1237 1.14 2157 0.34 WE |
| 9 0615 1.01 0814 0.99 WE 1415 1.21 2216 0.57 | 24 0531 0.91 0817 0.88 TH 1419 1.13 2201 0.37 | 10 0500 1.05 0923 0.89 TH 1517 1.24 2223 0.59 | 25 0446 0.96 0931 0.72 FR 1524 1.10 2211 0.42 | 11 0440 1.13 1001 0.79 FR 1558 1.27 2234 0.61 | 26 0435 1.06 1019 0.57 SA 1611 1.05 2218 0.49 | 12 0441 1.21 1029 0.69 SA 1628 1.30 2245 0.63 | 27 0435 1.18 1059 0.45 SU 1645 0.99 2220 0.54 | 13 0446 1.28 1052 0.61 SU 1649 1.30 2253 0.63 | 28 0442 1.31 1131 0.38 MO 1705 0.91 2216 0.56 | 14 0454 1.35 1114 0.53 MO 1707 1.29 2300 0.62 | 29 0453 1.43 1200 0.35 TU 1717 0.84 2206 0.53 | 15 0504 1.41 1137 0.47 TU 1723 1.24 2307 0.58 | 30 0509 1.52 1228 0.36 WE 1725 0.78 2203 0.46 | 1 0552 1.61 1323 0.49 FR 1739 0.74 2231 0.36 | 16 0549 1.66 1336 0.43 SA 1758 0.69 2230 0.40 |
| 2 0620 1.58 1358 0.58 SA 1745 0.72 2249 0.39 | 17 0622 1.61 1435 0.48 SU 1800 0.58 2230 0.37 | 3 0651 1.50 1446 0.66 SU 1734 0.71 2258 0.46 | 18 0658 1.51 2216 0.37 | 4 0724 1.38 2242 0.55 MO | 19 0736 1.36 2130 0.39 TU | 5 0757 1.25 2134 0.61 TU | 20 0817 1.19 2037 0.40 WE | 6 0725 1.11 2056 0.62 WE | 21 0913 1.00 2033 0.44 TH | 7 0503 1.08 0922 0.98 TH 1335 1.06 2103 0.64 | 22 0423 0.97 0937 0.81 FR 1347 0.88 2039 0.50 | 8 0410 1.15 0949 0.86 FR 1450 1.07 2118 0.66 | 23 0351 1.08 1017 0.64 SA 1521 0.82 2044 0.56 | 9 0401 1.23 1015 0.76 SA 1538 1.08 2131 0.68 | 24 0345 1.21 1054 0.49 SU 1621 0.76 2044 0.61 |
| 10 0405 1.30 1037 0.67 SU 1610 1.09 2142 0.69 | 25 0350 1.35 1126 0.39 MO 1657 0.71 2039 0.62 | 11 0412 1.38 1058 0.58 MO 1633 1.08 2150 0.68 | 26 0404 1.48 1153 0.33 TU 1710 0.66 2033 0.58 | 12 0420 1.46 1119 0.49 TU 1652 1.05 2159 0.64 | 27 0422 1.58 1216 0.32 WE 1715 0.65 2046 0.52 | 13 0434 1.54 1145 0.43 WE 1709 1.00 2209 0.58 | 28 0445 1.66 1238 0.34 TH 1722 0.65 2114 0.47 | 14 0455 1.61 1215 0.39 TH 1727 0.92 2219 0.51 | 29 0510 1.69 1259 0.39 FR 1735 0.68 2145 0.44 | 15 0520 1.66 1251 0.39 FR 1744 0.81 2227 0.45 | 30 0537 1.69 1324 0.44 SA 1755 0.71 2215 0.45 | 1 0606 1.63 1354 0.51 SU 1821 0.72 2240 0.50 | 16 0620 1.63 1441 0.37 MO 1858 0.52 2214 0.43 | 2 0636 1.53 1431 0.58 MO 1859 0.72 2252 0.60 | 17 0652 1.49 1543 0.42 TU 1952 0.50 2159 0.48 |
| 3 0705 1.41 1524 0.64 TU 2012 0.72 2217 0.70 | 18 0720 1.32 1704 0.46 | 4 0726 1.27 1717 0.67 WE | 19 0734 1.12 1755 0.51 TH | 5 0648 1.14 1847 0.69 TH | 20 0554 0.95 1807 0.56 FR | 6 0439 1.10 1923 0.71 FR | 21 0309 1.01 1742 0.60 SA | 7 0322 1.17 1050 0.85 SA 1406 0.89 1945 0.73 | 22 0241 1.15 1202 0.49 SU | 8 0319 1.26 1051 0.74 SU 1527 0.87 2000 0.75 | 23 0247 1.30 1200 0.38 MO | 9 0326 1.34 1103 0.64 MO 1612 0.86 2014 0.75 | 24 0308 1.43 1210 0.31 TU | 10 0336 1.42 1118 0.54 TU 1638 0.85 2031 0.72 | 25 0334 1.54 1222 0.29 WE |
| 11 0352 1.52 1139 0.45 WE 1659 0.82 2054 0.66 | 26 0403 1.62 1232 0.30 TH 1752 0.59 1945 0.57 | 12 0415 1.62 1204 0.37 TH 1717 0.78 2117 0.59 | 27 0433 1.67 1244 0.32 FR 1745 0.65 2058 0.56 | 13 0443 1.69 1235 0.31 FR 1738 0.72 2140 0.51 | 28 0504 1.69 1257 0.36 SA 1759 0.72 2152 0.55 | 14 0514 1.73 1311 0.30 SA 1801 0.65 2158 0.45 | 29 0534 1.67 1315 0.40 SU 1822 0.78 2237 0.57 | 15 0546 1.71 1352 0.32 SU 1827 0.58 2210 0.42 | 30 0604 1.61 1338 0.45 MO 1853 0.83 2316 0.62 | 31 0633 1.52 1404 0.50 TU 1934 0.86 2353 0.70 | | | | | |

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter