

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

CAPE VOLTAIRE (KRAIT BAY) – WESTERN AUSTRALIA

LAT 14° 15' S LONG 125° 36' E

Times and Heights of High and Low Waters

2019

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0018 2.95		16 0418 4.70		1 0318 2.76		16 0115 3.14		1 0521 3.84		16 0347 4.47		1 0336 2.89		16 0239 2.71	
0601 4.36		1032 2.97		0933 4.27		0711 4.20		0933 3.59		0920 3.18		0959 4.74		0851 4.85	
TU 1224 2.86		WE 1727 5.25		FR 1459 3.18		SA 1312 3.48		FR 1831 4.61		SA 1635 5.12		MO 1543 3.16		TU 1455 2.83	
1859 5.23				2107 5.32		1937 5.29						2139 5.09		2053 5.34	
2 0210 2.74		17 0019 3.18		2 0404 2.28		17 0309 2.60		2 0321 3.11		17 0033 3.30		2 0400 2.42		17 0328 2.05	
0756 4.35		0611 4.43		1016 4.76		0914 4.63		1004 4.20		0648 4.06		1013 5.26		0933 5.58	
WE 1400 2.85		TH 1219 3.20		SA 1554 2.79		SU 1507 3.02		SA 1505 3.52		SU 1253 3.68		TU 1607 2.64		WE 1543 2.02	
2018 5.48		1857 5.38		2155 5.72		2107 5.76		2110 4.90		1921 4.95		2206 5.57		2142 5.91	
3 0319 2.30		18 0208 2.83		3 0436 1.86		18 0404 1.91		3 0400 2.59		18 0305 2.73		3 0423 1.98		18 0404 1.48	
0917 4.65		0801 4.57		1044 5.22		1009 5.25		1020 4.75		0918 4.64		1030 5.74		1006 6.26	
TH 1507 2.64		FR 1404 3.08		SU 1631 2.41		MO 1605 2.35		SU 1555 3.01		MO 1507 3.04		WE 1631 2.15		TH 1621 1.31	
2114 5.84		2015 5.72		2231 6.10		2204 6.33		2155 5.38		2106 5.49		2230 6.01		2220 6.36	
4 0403 1.88		19 0319 2.25		4 0504 1.51		19 0447 1.27		4 0426 2.13		19 0354 2.00		4 0447 1.61		19 0437 1.05	
1004 5.02		0918 4.96		1110 5.63		1049 5.86		1037 5.25		0959 5.37		1050 6.17		1038 6.82	
FR 1555 2.37		SA 1516 2.71		MO 1703 2.07		TU 1650 1.68		MO 1625 2.53		TU 1559 2.21		TH 1655 1.71		FR 1656 0.78	
2157 6.18		2117 6.19		2303 6.41		2250 6.83		2225 5.84		2159 6.14		2256 6.37		2255 6.64	
5 0438 1.52		20 0409 1.66		5 0532 1.23		20 0524 0.76		5 0450 1.72		20 0431 1.33		5 0510 1.33		20 0510 0.79	
1039 5.37		1011 5.41		1136 5.96		1125 6.39		1057 5.70		1032 6.07		1113 6.55		1110 7.23	
SA 1633 2.12		SU 1609 2.24		TU 1732 1.79		WE 1730 1.11		TU 1652 2.10		WE 1639 1.45		FR 1721 1.33		SA 1731 0.45	
2234 6.47		2208 6.64		2332 6.64		2331 7.17		2251 6.23		2239 6.67		2322 6.63		2330 6.74	
6 0510 1.25		21 0453 1.15		6 0559 1.06		21 0559 0.42		6 0514 1.38		21 0504 0.82		6 0536 1.15		21 0541 0.70	
1113 5.67		1055 5.83		1203 6.20		1201 6.82		1119 6.09		1105 6.67		1136 6.86		1143 7.45	
SU 1708 1.91		MO 1655 1.79		WE 1801 1.61		TH 1808 0.71		WE 1717 1.73		TH 1715 0.84		SA 1748 1.05		SU 1806 0.36	
2308 6.67		2254 7.00						2318 6.54		2316 7.02		2349 6.77			
7 0541 1.07		22 0534 0.76		7 0001 6.76		22 0009 7.31		7 0539 1.14		22 0537 0.48		7 0601 1.08		22 0005 6.68	
1144 5.90		1136 6.18		0626 0.98		0633 0.28		1142 6.40		1138 7.13		1200 7.10		0613 0.79	
MO 1741 1.77		TU 1738 1.40		TH 1229 6.36		FR 1236 7.09		TH 1744 1.44		FR 1751 0.45		SU 1816 0.88		MO 1216 7.45	
2341 6.77		2338 7.23		1829 1.50		1845 0.54		2345 6.75		2351 7.16				1840 0.49	
8 0611 1.00		23 0613 0.52		8 0029 6.78		23 0046 7.23		8 0604 1.00		23 0609 0.36		8 0016 6.78		23 0038 6.46	
1215 6.05		1215 6.46		0652 1.01		0706 0.34		1206 6.64		1210 7.41		0626 1.11		0645 1.03	
TU 1812 1.71		WE 1819 1.12		FR 1255 6.45		SA 1310 7.18		FR 1811 1.24		SA 1826 0.30		MO 1226 7.23		TU 1249 7.25	
				1857 1.49		1922 0.61						1844 0.85		1913 0.82	
9 0012 6.78		24 0019 7.28		9 0056 6.70		24 0121 6.92		9 0012 6.84		24 0026 7.07		9 0043 6.67		24 0113 6.13	
0640 1.04		0651 0.44		0717 1.11		0739 0.60		0628 0.96		0640 0.43		0651 1.23		0715 1.41	
WE 1245 6.10		TH 1254 6.62		SA 1321 6.48		SU 1344 7.06		SA 1231 6.82		SU 1243 7.47		TU 1252 7.24		WE 1321 6.87	
1842 1.74		1859 1.01		1924 1.56		1958 0.93		1838 1.13		1901 0.41		1912 0.97		1947 1.29	
10 0042 6.68		25 0100 7.15		10 0122 6.54		25 0156 6.42		10 0038 6.83		25 0059 6.79		10 0111 6.44		25 0146 5.71	
0709 1.16		0728 0.54		0741 1.29		0809 1.04		0653 1.02		0711 0.70		0716 1.45		0744 1.88	
TH 1313 6.09		FR 1332 6.66		SU 1346 6.45		MO 1418 6.74		SU 1254 6.92		MO 1316 7.31		WE 1318 7.10		TH 1353 6.35	
1911 1.85		1939 1.09		1951 1.70		2034 1.45		1904 1.13		1935 0.76		1941 1.24		2020 1.86	
11 0110 6.49		26 0139 6.81		11 0148 6.29		26 0229 5.79		11 0104 6.70		26 0132 6.34		11 0139 6.09		26 0220 5.24	
0736 1.36		0804 0.81		0805 1.53		0837 1.61		0717 1.16		0739 1.14		0740 1.76		0812 2.42	
FR 1342 6.01		SA 1410 6.55		MO 1413 6.36		TU 1453 6.24		MO 1319 6.94		TU 1348 6.93		TH 1347 6.80		FR 1424 5.75	
1939 2.03		2020 1.37		2020 1.92		2112 2.10		1932 1.24		2008 1.29		2012 1.66		2053 2.45	
12 0137 6.24		27 0217 6.30		12 0215 5.96		27 0302 5.10		12 0129 6.48		27 0204 5.79		12 0209 5.63		27 0256 4.76	
0802 1.61		0839 1.23		0828 1.84		0902 2.27		0739 1.38		0806 1.69		0806 2.18		0839 2.98	
SA 1410 5.88		SU 1450 6.28		TU 1441 6.19		WE 1531 5.63		TU 1344 6.86		WE 1419 6.38		FR 1419 6.30		SA 1456 5.13	
2008 2.25		2102 1.82		2052 2.23		2157 2.78		1959 1.47		2041 1.94		2046 2.21		2137 3.02	
13 0204 5.93		28 0257 5.65		13 0246 5.53		28 0342 4.41		13 0155 6.14		28 0236 5.18		13 0245 5.06		28 0357 4.31	
0829 1.90		0913 1.77		0853 2.22		0924 2.94		0801 1.69		0830 2.32		0833 2.71		0913 3.54	
SU 1441 5.73		MO 1533 5.89		WE 1517 5.92		TH 1625 5.01		WE 1410 6.64		TH 1451 5.73		SA 1459 5.66		SU 1554 4.55	
2041 2.53		2150 2.38		2133 2.62		2336 3.35		2028 1.82		2117 2.63		2138 2.84		2342 3.42	
14 0234 5.57		29 0340 4.96		14 0326 5.00		29 0302 5.10		14 0223 5.69		29 0309 4.57		14 0346 4.43		29 0643 4.16	
0858 2.23		0950 2.37		0924 2.68		0902 2.27		0824 2.09		0848 2.97		0917 3.32		1305 3.84	
MO 1518 5.54		TU 1625 5.44		TH 1607 5.56		2242 3.03		TH 1441 6.26		FR 1527 5.05		SU 1618 4.95		MO 1859 4.34	
2122 2.83		2259 2.91						2102 2.30		2213 3.28					
15 0314 5.14		30 0442 4.30		15 0436 4.44		30 0418 4.01		15 0256 5.12		30 0418 4.01		15 0024 3.22		30 0228 3.19	
0934 2.60		1043 2.96		1016 3.19		0846 3.59		0848 2.58		0846 3.59		0654 4.21		0901 4.63	
TU 1610 5.36		WE 1742 5.06		FR 1736 5.24				FR 1521 5.73		SA 1706 4.45		MO 1311 3.57		TU 1504 3.36	
2228 3.11								2150 2.88				1917 4.80		2051 4.74	
		31 0118 3.14								31 0248 3.39					
		0650 3.94								0955 4.20					
		TH 1250 3.36								SU 1501 3.71					
		1935 5.00								2055 4.58					

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ○ Last Quarter

CAPE VOLTAIRE (KRAIT BAY) – WESTERN AUSTRALIA

LAT 14° 15' S LONG 125° 36' E

Times and Heights of High and Low Waters

2019

Local Time

MAY				JUNE				JULY				AUGUST					
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m		
1	0313	2.75	16	0248	2.19	1	0321	2.34	16	0342	1.97	1	0317	2.44	16	0415	2.14
	0926	5.15		0854	5.68		0924	5.98		0945	6.34		0918	6.14		1015	6.13
WE	1534	2.82	TH	1519	1.96	SA	1552	1.91	SU	1623	1.29	MO	1600	1.62	TU	1654	1.30
	2128	5.22		2116	5.49		2150	5.62		2221	5.45		2201	5.46		2256	5.38
2	0342	2.32	17	0331	1.78	2	0356	2.03	17	0422	1.78	2	0402	2.13	17	0453	1.88
	0948	5.66		0933	6.25		0956	6.44		1023	6.60		1000	6.53		1053	6.37
TH	1559	2.28	FR	1600	1.39	SU	1625	1.42	MO	1701	1.04	TU	1642	1.20	WE	1727	1.09
	2157	5.67		2157	5.83		2225	5.93	○	2258	5.65		2242	5.72	○	2329	5.65
3	0409	1.94	18	0408	1.46	3	0430	1.79	18	0500	1.64	3	0444	1.85	18	0528	1.68
	1011	6.14		1009	6.71		1028	6.82		1101	6.76		1042	6.82		1128	6.51
FR	1625	1.77	SA	1637	0.96	MO	1659	1.05	TU	1736	0.91	WE	1722	0.91	TH	1800	0.98
	2225	6.06		2234	6.06	●	2300	6.12		2336	5.78	●	2323	5.91			
4	0435	1.64	19	0442	1.27	4	0503	1.63	19	0536	1.58	4	0525	1.62	19	0002	5.84
	1036	6.58		1044	7.03		1101	7.08		1138	6.80		1124	6.99		0601	1.56
SA	1654	1.32	SU	1713	0.70	TU	1734	0.83	WE	1811	0.91	TH	1802	0.75	FR	1202	6.55
	2254	6.35	○	2310	6.17		2335	6.19								1831	0.97
5	0503	1.44	20	0517	1.20	5	0539	1.55	20	0012	5.84	5	0003	6.03	20	0033	5.94
	1102	6.94		1118	7.19		1136	7.20		0612	1.60		0606	1.46		0633	1.54
SU	1723	0.98	MO	1748	0.62	WE	1811	0.77	TH	1213	6.72	FR	1206	7.02	SA	1234	6.49
●	2324	6.51		2346	6.18					1845	1.02		1843	0.73		1900	1.07
6	0531	1.33	21	0551	1.24	6	0011	6.16	21	0047	5.83	6	0044	6.08	21	0104	5.96
	1129	7.19		1153	7.18		0614	1.56		0645	1.70		0647	1.39		0704	1.61
MO	1753	0.78	TU	1823	0.71	TH	1213	7.15	FR	1247	6.53	SA	1248	6.89	SU	1304	6.33
	2354	6.54					1848	0.87		1917	1.23		1923	0.83		1928	1.24
7	0600	1.33	22	0022	6.09	7	0049	6.03	22	0121	5.73	7	0125	6.06	22	0133	5.90
	1158	7.32		0625	1.40		0651	1.66		0718	1.89		0730	1.44		0732	1.77
TU	1825	0.75	WE	1228	7.00	FR	1251	6.94	SA	1320	6.24	SU	1331	6.60	MO	1332	6.08
				1857	0.95		1928	1.10		1949	1.51		2003	1.05		1956	1.48
8	0024	6.44	23	0058	5.91	8	0129	5.82	23	0154	5.57	8	0208	5.96	23	0202	5.79
	0629	1.42		0658	1.65		0730	1.85		0750	2.16		0814	1.62		0802	1.99
WE	1228	7.29	TH	1302	6.69	SA	1332	6.57	SU	1351	5.90	MO	1415	6.17	TU	1400	5.79
	1857	0.89		1931	1.30		2009	1.44		2020	1.83		2045	1.37		2022	1.76
9	0057	6.23	24	0133	5.66	9	0213	5.56	24	0229	5.37	9	0254	5.78	24	0232	5.64
	0659	1.61		0730	1.99		0814	2.14		0822	2.47		0902	1.92		0833	2.26
TH	1300	7.08	FR	1335	6.27	SU	1417	6.06	MO	1422	5.51	TU	1502	5.63	WE	1429	5.45
	1930	1.19		2004	1.73		2056	1.84		2051	2.18	○	2129	1.77		2048	2.08
10	0130	5.90	25	0208	5.36	10	0305	5.27	25	0306	5.14	10	0345	5.55	25	0305	5.46
	0730	1.91		0801	2.39		0907	2.50		0859	2.81		1000	2.29		0909	2.55
FR	1334	6.70	SA	1406	5.78	MO	1511	5.49	TU	1456	5.11	WE	1557	5.05	TH	1503	5.07
	2007	1.62		2037	2.18	○	2154	2.24	○	2128	2.53		2221	2.20	○	2121	2.43
11	0208	5.49	26	0246	5.02	11	0413	5.04	26	0355	4.93	11	0447	5.32	26	0347	5.26
	0804	2.30		0834	2.83		1023	2.82		0951	3.13		1117	2.61		1001	2.84
SA	1413	6.15	SU	1439	5.28	TU	1625	4.96	WE	1547	4.72	TH	1710	4.53	FR	1554	4.67
	2050	2.14		2116	2.64		2313	2.53		2224	2.84		2329	2.58		2206	2.79
12	0255	5.01	27	0336	4.70	12	0539	4.99	27	0506	4.83	12	0602	5.19	27	0451	5.10
	0848	2.80		0917	3.27		1209	2.88		1123	3.30		1301	2.67		1129	3.03
SU	1502	5.49	MO	1522	4.79	WE	1804	4.67	TH	1720	4.45	FR	1847	4.26	SA	1728	4.35
○	2154	2.67	○	2217	3.03					2351	3.03					2332	3.10
13	0415	4.59	28	0501	4.48	13	0042	2.59	28	0628	4.94	13	0059	2.77	28	0617	5.09
	1011	3.27		1054	3.62		0703	5.20		1309	3.13		0725	5.26		1323	2.88
MO	1632	4.88	TU	1703	4.42	TH	1348	2.57	FR	1902	4.49	SA	1436	2.39	SU	1921	4.35
	2358	2.92					1937	4.70					2029	4.37			
14	0626	4.59	29	0008	3.20	14	0158	2.44	29	0118	2.97	14	0228	2.68	29	0125	3.12
	1252	3.24		0650	4.59		0810	5.58		0737	5.26		0838	5.51		0740	5.33
TU	1850	4.75	WE	1321	3.50	FR	1454	2.10	SA	1425	2.67	SU	1536	1.98	MO	1449	2.42
				1909	4.46		2047	4.93		2019	4.76		2136	4.70		2049	4.67
15	0148	2.64	30	0145	3.02	15	0255	2.20	30	0226	2.74	15	0329	2.43	30	0248	2.81
	0801	5.08		0806	4.98		0902	5.98		0832	5.69		0932	5.83		0849	5.73
WE	1427	2.63	TH	1437	3.02	SA	1543	1.65	SU	1517	2.13	MO	1618	1.60	TU	1545	1.86
	2022	5.09		2027	4.81		2138	5.20		2115	5.12		2219	5.06		2147	5.10
31			31	0241	2.68				31	0347	2.36	31			31	0508	1.06
				0850	5.47					0945	6.18					1108	6.89
			FR	1517	2.46				WE	1631	1.34				SA	1736	0.46
				2113	5.24					2233	5.52					2336	6.64

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

○ First Quarter

○ Full Moon

○ Last Quarter

CAPE VOLTAIRE (KRAIT BAY) – WESTERN AUSTRALIA

LAT 14° 15' S LONG 125° 36' E

Times and Heights of High and Low Waters

2019

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0546 1147 SU 1810	0.59 7.10 0.26	16 0555 1156 MO 1811	1.03 6.60 0.92	1 0603 1202 TU 1816	0.07 6.97 0.36	16 0558 1159 WE 1807	0.77 6.57 1.15	1 0026 0654 FR 1252 1854	7.38 0.54 6.11 1.32	16 0007 0638 SA 1238 1838	7.25 0.84 6.17 1.69	1 0044 0716 SU 1319 1916	6.88 1.07 5.76 1.89	16 0031 0708 MO 1310 1910	7.07 1.02 5.98 1.85
2 0011 0624 MO 1224 1844	6.96 0.33 7.08 0.26	17 0012 0621 TU 1222 1835	6.69 0.95 6.58 1.00	2 0017 0638 WE 1237 1847	7.49 0.12 6.72 0.60	17 0005 0626 TH 1225 1831	7.12 0.76 6.47 1.30	2 0059 0728 SA 1328 1925	6.99 1.02 5.69 1.80	17 0038 0710 SU 1310 1908	7.08 1.10 5.91 1.94	2 0119 0751 MO 1356 1949	6.45 1.50 5.48 2.29	17 0109 0746 TU 1350 1950	6.78 1.29 5.79 2.07
3 0045 0700 TU 1300 1916	7.11 0.33 6.83 0.47	18 0036 0647 WE 1247 1858	6.77 0.97 6.45 1.17	3 0050 0713 TH 1311 1917	7.35 0.44 6.29 1.02	18 0030 0652 FR 1252 1854	7.12 0.88 6.26 1.52	3 0132 0803 SU 1404 1956	6.44 1.60 5.22 2.34	18 0109 0744 MO 1344 1940	6.76 1.48 5.56 2.28	3 0153 0825 TU 1435 2024	5.94 1.97 5.15 2.74	18 0151 0827 WE 1436 2036	6.36 1.64 5.56 2.38
4 0120 0737 WE 1335 1947	7.04 0.57 6.38 0.86	19 0059 0713 TH 1312 1920	6.76 1.09 6.23 1.41	4 0123 0748 FR 1345 1946	6.98 0.96 5.74 1.57	19 0055 0720 SA 1318 1918	6.99 1.13 5.96 1.81	4 0206 0839 MO 1446 2028	5.79 2.23 4.74 2.93	19 0144 0822 TU 1427 2020	6.27 1.96 5.15 2.72	4 0226 0902 WE 1523 2107	5.39 2.45 4.83 3.20	19 0236 0914 TH 1531 2136	5.82 2.04 5.33 2.73
5 0154 0813 TH 1410 2017	6.76 1.05 5.78 1.41	20 0123 0739 FR 1337 1941	6.66 1.32 5.93 1.71	5 0156 0823 SA 1419 2013	6.42 1.62 5.12 2.21	20 0122 0749 SU 1347 1942	6.71 1.52 5.56 2.19	5 0240 0926 TU 1551 2113	5.11 2.84 4.29 3.51	20 0227 0912 WE 1531 2123	5.65 2.47 4.74 3.19	5 0305 0952 TH 1637 2228	4.84 2.89 4.58 3.61	20 0335 1015 FR 1644 2306	5.23 2.42 5.17 2.97
6 0229 0851 FR 1446 2046	6.28 1.68 5.09 2.06	21 0147 0807 SA 1403 2002	6.46 1.66 5.53 2.08	6 0229 0901 SU 1458 2036	5.73 2.35 4.49 2.88	21 0151 0820 MO 1420 2008	6.27 2.03 5.06 2.66	6 0337 1125 WE 1842	4.46 3.27 4.18	21 0336 1049 TH 1730 2353	4.99 2.88 4.59 3.38	6 0423 1129 FR 1826	4.38 3.18 4.60	21 0459 1136 SA 1810	4.74 2.68 5.22
7 0307 0936 SA 1528 2112	5.66 2.40 4.39 2.75	22 0215 0836 SU 1433 2024	6.11 2.10 5.04 2.54	7 0307 1001 MO 1617 2048	4.98 3.04 3.92 3.55	22 0225 0902 TU 1511 2043	5.66 2.62 4.48 3.23	7 0130 0654 TH 1408 2048	3.75 4.21 3.10 4.66	22 0551 1258 FR 1922	4.62 2.80 4.97	7 0110 0644 SA 1319 1954	3.60 4.27 3.14 4.94	22 0058 0643 SU 1307 1930	2.85 4.55 2.71 5.50
8 0358 1101 SU 1659 2205	4.98 3.03 3.79 3.42	23 0248 0917 MO 1517 2052	5.62 2.66 4.44 3.08	8 0445 1412 TU 2125	4.31 3.21 4.17	23 0324 1102 WE 1800	4.95 3.16 4.14	8 0302 0847 FR 1458 2115	3.23 4.60 2.70 5.18	23 0154 0745 SA 1413 2024	2.86 4.85 2.40 5.58	8 0239 0821 SU 1427 2041	3.15 4.57 2.88 5.40	23 0225 0815 MO 1422 2032	2.42 4.69 2.53 5.89
9 0553 1445 MO 2137	4.46 2.96 4.06	24 0345 1113 TU 1758 2346	5.01 3.19 3.97 3.67	9 0251 0844 WE 1514 2139	3.52 4.45 2.73 4.74	24 0016 0626 TH 1403 2023	3.65 4.57 2.83 4.72	9 0329 0922 SA 1528 2137	2.70 5.05 2.31 5.67	24 0255 0849 SU 1502 2107	2.15 5.27 1.97 6.19	9 0316 0909 MO 1509 2114	2.62 4.99 2.56 5.88	24 0323 0918 TU 1517 2122	1.91 4.99 2.28 6.29
10 0245 0849 TU 1538 2159	3.37 4.68 2.45 4.63	25 0636 1433 WE 2053	4.66 2.81 4.48	10 0331 0928 TH 1543 2155	2.93 4.95 2.27 5.26	25 0231 0826 FR 1500 2107	2.94 5.06 2.18 5.47	10 0352 0949 SU 1554 2158	2.20 5.49 1.97 6.14	25 0338 0934 MO 1543 2145	1.50 5.65 1.62 6.71	10 0347 0945 TU 1544 2145	2.08 5.40 2.27 6.33	25 0408 1005 WE 1603 2205	1.46 5.30 2.03 6.62
11 0340 0940 WE 1607 2218	2.81 5.17 1.99 5.15	26 0243 0840 TH 1528 2135	3.08 5.17 2.08 5.22	11 0357 0954 FR 1606 2213	2.40 5.42 1.87 5.74	26 0320 0917 SA 1538 2140	2.09 5.67 1.58 6.19	11 0416 1015 MO 1620 2221	1.72 5.87 1.70 6.55	26 0416 1013 TU 1619 2221	0.98 5.93 1.38 7.09	11 0417 1018 WE 1617 2215	1.60 5.74 2.03 6.72	26 0447 1046 TH 1644 2245	1.11 5.58 1.81 6.85
12 0411 1011 TH 1632 2238	2.29 5.63 1.59 5.61	27 0337 0935 FR 1606 2208	2.22 5.84 1.40 5.94	12 0419 1018 SA 1630 2233	1.93 5.83 1.53 6.16	27 0358 0956 SU 1611 2212	1.31 6.17 1.11 6.81	12 0442 1042 TU 1647 2246	1.30 6.17 1.52 6.89	27 0454 1051 WE 1655 2256	0.65 6.10 1.26 7.30	12 0448 1050 TH 1649 2247	1.20 5.98 1.86 7.01	27 0524 1124 FR 1722 2323	0.90 5.80 1.66 6.96
13 0437 1037 FR 1657 2300	1.85 6.02 1.27 6.00	28 0416 1016 SA 1639 2239	1.41 6.42 0.85 6.57	13 0442 1042 SU 1653 2254	1.51 6.18 1.28 6.53	28 0434 1032 MO 1644 2245	0.70 6.50 0.80 7.26	13 0509 1110 WE 1714 2312	0.97 6.34 1.44 7.13	28 0529 1128 TH 1731 2332	0.50 6.15 1.26 7.33	13 0521 1123 FR 1723 2320	0.94 6.12 1.74 7.18	28 0559 1200 SA 1759	0.81 5.95 1.59
14 0503 1103 SA 1722 2323	1.49 6.32 1.05 6.31	29 0452 1052 SU 1712 2312	0.74 6.82 0.48 7.07	14 0506 1107 MO 1717 2317	1.17 6.43 1.13 6.81	29 0508 1107 TU 1717 2318	0.31 6.65 0.68 7.52	14 0537 1139 TH 1741 2339	0.77 6.40 1.44 7.26	29 0605 1205 FR 1806	0.54 6.11 1.37	14 0555 1158 SA 1757 2355	0.82 6.15 1.70 7.20	29 0000 0633 SU 1236 1834	6.95 0.86 6.01 1.63
15 0529 1129 SU 1746 2347	1.21 6.52 0.93 6.55	30 0528 1127 MO 1744 2344	0.28 7.01 0.32 7.39	15 0532 1133 TU 1741 2341	0.91 6.56 1.09 7.01	30 0543 1142 WE 1750 2351	0.16 6.62 0.74 7.56	15 0607 1208 FR 1809	0.73 6.34 1.53	30 0008 0641 SA 1242 1841	7.18 0.74 5.97 1.58	15 0631 1233 SU 1833	0.85 6.10 1.73	30 0036 0706 MO 1311 1908	6.80 1.02 5.98 1.76
				31 0619 1217 TH 1822	0.24 6.43 0.96									31 0109 0738 TU 1344 1941	6.53 1.27 5.87 2.01

© Copyright Commonwealth of Australia 2018, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter