

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

CAPE VOLTAIRE (KRAIT BAY) – WESTERN AUSTRALIA

LAT 14° 15' S LONG 125° 36' E

Times and Heights of High and Low Waters

2020

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1	0140 6.18	16	0151 6.62	1	0214 5.79	16	0248 5.68	1	0150 6.09	16	0224 5.66	1	0217 5.43	16	0338 4.32
	0808 1.61		0819 1.15		0831 1.91		0858 1.74		0800 1.68		0825 1.77		0811 2.42		0904 3.30
WE	1417 5.68	TH	1426 6.25	SA	1446 5.86	SU	1517 6.17	SU	1408 6.42	MO	1442 6.34	WE	1428 6.05	TH	1552 4.77
	2012 2.34		2034 1.75		2048 2.48	☾	2139 2.24		2020 1.95	☾	2108 2.11	☾	2052 2.52		2341 3.32
2	0210 5.77	17	0231 6.13	2	0240 5.39	17	0327 4.94	2	0213 5.74	17	0258 4.93	2	0248 4.90	17	0626 3.99
	0836 1.98		0855 1.52		0853 2.30		0926 2.39		0819 2.04		0849 2.46		0832 2.91		1231 3.81
TH	1451 5.45	FR	1509 6.04	SU	1517 5.62	MO	1604 5.60	MO	1432 6.17	TU	1520 5.61	TH	1505 5.48	FR	1859 4.39
	2045 2.71	☾	2121 2.12	☾	2124 2.84		2243 2.88		2046 2.32		2158 2.87		2140 3.11		
3	0239 5.33	18	0315 5.52	3	0311 4.95	18	0423 4.21	3	0239 5.31	18	0343 4.21	3	0346 4.29	18	0246 3.04
	0906 2.36		0935 1.98		0919 2.72		0959 3.06		0838 2.46		0903 3.17		0904 3.49		0922 4.55
FR	1531 5.20	SA	1559 5.76	MO	1559 5.35	TU	1719 5.05	TU	1501 5.82	WE	1622 4.87	FR	1636 4.85	SA	1510 3.28
☾	2125 3.09		2219 2.55		2221 3.19			☾	2121 2.76						2108 4.81
4	0314 4.89	19	0409 4.87	4	0405 4.48	19	0132 3.19	4	0310 4.79	19	0100 3.38	4	0128 3.35	19	0328 2.58
	0943 2.76		1022 2.49		0959 3.18		0712 3.79		0900 2.94		1025 3.87		0801 4.21		0945 5.09
SA	1627 5.00	SU	1701 5.46	TU	1713 5.11	WE	1251 3.59	WE	1545 5.37	TH	1253 3.83	SA	1354 3.67	SU	1545 2.73
	2234 3.41		2348 2.88				1944 4.89		2223 3.26		1952 4.56		1953 4.92		2143 5.27
5	0417 4.48	20	0529 4.31	5	0025 3.36	20	0336 2.68	5	0419 4.20	20	0331 2.86	5	0308 2.68	20	0356 2.17
	1047 3.12		1136 2.95		0621 4.16		1006 4.35		0931 3.50		1007 4.49		0919 4.94		1004 5.59
SU	1746 4.93	MO	1826 5.29	WE	1206 3.56	TH	1522 3.22	TH	1732 4.93	FR	1531 3.26	SU	1516 2.85	MO	1611 2.24
					1859 5.12		2126 5.30				2134 5.07		2113 5.57		2209 5.67
6	0032 3.45	21	0156 2.82	6	0239 3.00	21	0416 2.15	6	0205 3.30	21	0404 2.33	6	0349 1.96	21	0421 1.82
	0619 4.28		0737 4.14		0843 4.40		1031 4.91		0827 4.16		1020 5.06		0952 5.69		1025 6.04
MO	1233 3.30	TU	1336 3.13	TH	1429 3.41	FR	1610 2.67	FR	1405 3.69	SA	1606 2.67	MO	1559 1.99	TU	1635 1.81
	1910 5.11		2001 5.40		2032 5.46		2211 5.78		2009 5.09		2207 5.56		2158 6.20		2235 6.02
7	0216 3.09	22	0322 2.38	7	0343 2.39	22	0446 1.69	7	0333 2.62	22	0428 1.88	7	0423 1.33	22	0444 1.55
	0806 4.47		0926 4.47		0950 4.90		1054 5.42		0946 4.81		1037 5.57		1024 6.40		1047 6.42
TU	1404 3.18	WE	1508 2.89	FR	1538 2.92	SA	1644 2.18	SA	1531 3.01	SU	1633 2.15	TU	1626 1.22	WE	1659 1.46
	2016 5.48		2114 5.73		2135 5.97		2244 6.19		2128 5.71		2234 5.99		2236 6.70		2300 6.28
8	0314 2.55	23	0411 1.90	8	0426 1.79	23	0513 1.32	8	0415 1.90	23	0452 1.51	8	0456 0.86	23	0509 1.38
	0913 4.86		1016 4.92		1032 5.42		1117 5.87		1021 5.48		1056 6.02		1056 7.01		1110 6.74
WE	1505 2.89	TH	1603 2.51	SA	1625 2.35	SU	1714 1.77	SU	1617 2.23	MO	1658 1.73	WE	1712 0.63	TH	1725 1.18
	2107 5.93		2204 6.11		2223 6.48	☾	2315 6.51		2216 6.35		2259 6.33	☾	2312 7.00	☾	2326 6.45

© Copyright Commonwealth of Australia 2019, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols ● New Moon ☾ First Quarter ○ Full Moon ☾ Last Quarter

CAPE VOLTAIRE (KRAIT BAY) – WESTERN AUSTRALIA

LAT 14° 15' S LONG 125° 36' E

Times and Heights of High and Low Waters

2020

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0249 0834 FR 1458 ☾ 2147	4.88 2.99 5.40 2.97	16 0515 1116 SA 1730	4.36 3.59 4.40	1 0609 1238 MO 1834	4.91 3.02 4.79	16 0026 0702 TU 1350 1932	3.03 4.82 3.20 4.40	1 0001 0631 WE 1323 1911	2.58 5.38 2.52 4.55	16 0633 1336 TH 1929	4.89 3.09 4.25	1 0226 0836 SA 1543 2149	2.93 5.38 1.99 4.61	16 0208 0810 SU 1524 2136	3.40 5.05 2.47 4.68
2 0414 0950 SA 1641	4.41 3.52 4.81	17 0052 0732 SU 1408 1950	3.14 4.52 3.40 4.48	2 0115 0730 TU 1407 1958	2.60 5.33 2.49 5.02	17 0147 0808 WE 1452 2043	2.94 5.14 2.78 4.70	2 0124 0743 TH 1441 2032	2.60 5.62 2.12 4.69	17 0129 0747 FR 1451 2052	3.18 5.13 2.67 4.56	2 0338 0938 SU 1627 2231	2.54 5.76 1.54 5.07	17 0321 0918 MO 1608 2215	2.92 5.55 1.89 5.18
3 0036 0706 SU 1325 1922	3.14 4.50 3.40 4.86	18 0222 0843 MO 1506 2057	2.88 4.97 2.94 4.83	3 0220 0828 WE 1505 2058	2.28 5.86 1.88 5.33	18 0244 0852 TH 1530 2128	2.73 5.53 2.33 5.05	3 0236 0845 FR 1538 2134	2.44 5.94 1.69 4.96	18 0243 0846 SA 1538 2143	2.98 5.49 2.19 4.94	3 0425 1025 MO 1703 2306	2.10 6.12 1.17 5.48	18 0409 1006 TU 1646 2249	2.36 6.07 1.36 5.66
4 0220 0829 MO 1446 2042	2.66 5.14 2.63 5.37	19 0307 0917 TU 1538 2133	2.55 5.43 2.47 5.22	4 0310 0914 TH 1550 2145	1.94 6.37 1.34 5.62	19 0326 0927 FR 1603 2204	2.48 5.93 1.88 5.38	4 0334 0937 SA 1624 2223	2.20 6.26 1.30 5.25	19 0335 0933 SU 1618 2223	2.66 5.89 1.73 5.29	4 0503 1104 TU 1736 2338	1.70 6.41 0.92 5.82	19 0449 1047 WE 1721 ● 2323	1.78 6.53 0.93 6.10
5 0309 0913 TU 1533 2130	2.07 5.86 1.84 5.88	20 0338 0944 WE 1605 2203	2.24 5.87 2.02 5.57	5 0353 0955 FR 1632 2228	1.67 6.78 0.94 5.82	20 0402 1000 SA 1635 2238	2.26 6.29 1.50 5.63	5 0422 1023 SU 1706 2305	1.93 6.53 1.02 5.52	20 0418 1015 MO 1656 2301	2.32 6.27 1.34 5.59	5 0539 1139 WE 1808	1.40 6.58 0.79	20 0526 1127 TH 1755 2357	1.27 6.87 0.62 6.47
6 0348 0950 WE 1612 2210	1.55 6.52 1.16 6.26	21 0407 1009 TH 1632 2232	1.99 6.27 1.62 5.86	6 0434 1035 SA 1712 2310	1.49 7.05 0.70 5.93	21 0436 1033 SU 1709 ● 2312	2.08 6.58 1.22 5.80	6 0505 1106 MO 1744 2345	1.70 6.70 0.86 5.72	21 0458 1055 TU 1734 ● 2336	1.98 6.58 1.05 5.84	6 0009 0612 TH 1213 1838	6.07 1.23 6.62 0.78	21 0603 1204 FR 1829	0.87 7.03 0.47
7 0424 1024 TH 1650 2248	1.18 7.06 0.66 6.49	22 0435 1035 FR 1659 2301	1.81 6.60 1.30 6.06	7 0513 1115 SU 1751 2350	1.40 7.15 0.64 5.95	22 0510 1107 MO 1743 2346	1.93 6.78 1.06 5.88	7 0545 1146 TU 1821	1.54 6.75 0.82	22 0536 1135 WE 1811	1.68 6.78 0.87	7 0040 0643 FR 1245 1907	6.21 1.19 6.52 0.89	22 0031 0640 SA 1240 1902	6.75 0.64 7.00 0.48
8 0458 1059 FR 1727 2325	0.97 7.41 0.38 6.54	23 0503 1101 SA 1728 ● 2329	1.70 6.85 1.08 6.16	8 0552 1155 MO 1830	1.41 7.09 0.74	23 0545 1143 TU 1819	1.83 6.86 1.02	8 0023 0623 WE 1225 1857	5.85 1.47 6.67 0.90	23 0013 0614 TH 1214 1847	6.03 1.44 6.86 0.80	8 0110 0714 SA 1315 1934	6.23 1.30 6.30 1.11	23 0104 0716 SU 1316 1934	6.90 0.61 6.76 0.66
9 0533 1134 SA 1804	0.92 7.56 0.34	24 0532 1129 SU 1758 2359	1.68 7.00 0.99 6.15	9 0030 0631 TU 1234 1909	5.90 1.51 6.88 0.97	24 0021 0621 WE 1219 1855	5.90 1.78 6.83 1.09	9 0059 0659 TH 1302 1930	5.90 1.51 6.47 1.09	24 0050 0653 FR 1254 1923	6.17 1.29 6.80 0.84	9 0139 0743 SU 1342 1958	6.16 1.53 5.99 1.41	24 0138 0754 MO 1351 2005	6.87 0.81 6.32 1.02
10 0002 0608 SU 1211 1841	6.44 1.03 7.48 0.53	25 0600 1158 MO 1828	1.71 7.04 1.03	10 0110 0709 WE 1313 1947	5.77 1.71 6.53 1.31	25 0057 0657 TH 1257 1933	5.86 1.80 6.67 1.25	10 0135 0735 FR 1337 2003	5.85 1.69 6.16 1.37	25 0126 0732 SA 1332 1959	6.25 1.28 6.57 1.00	10 0206 0811 MO 1408 2022	5.99 1.84 5.62 1.77	25 0213 0831 TU 1427 2034	6.65 1.23 5.72 1.52
11 0040 0643 MO 1247 1918	6.20 1.28 7.19 0.90	26 0029 0629 TU 1228 1901	6.06 1.80 6.95 1.19	11 0150 0748 TH 1352 2024	5.57 2.01 6.08 1.71	26 0136 0737 FR 1337 2013	5.77 1.89 6.39 1.48	11 0210 0809 SA 1410 2034	5.71 1.97 5.77 1.72	26 0204 0813 SU 1412 2034	6.23 1.41 6.18 1.29	11 0233 0839 TU 1433 2043	5.76 2.20 5.22 2.17	26 0249 0912 WE 1504 ● 2103	6.24 1.81 5.01 2.13
12 0118 0718 TU 1324 1957	5.86 1.65 6.72 1.40	27 0101 0700 WE 1300 1934	5.88 1.96 6.74 1.47	12 0232 0827 FR 1431 2104	5.32 2.39 5.57 2.14	27 0217 0820 SA 1421 2055	5.65 2.07 5.99 1.77	12 0245 0843 SU 1441 2104	5.51 2.33 5.33 2.10	27 0243 0856 MO 1453 ● 2111	6.11 1.69 5.66 1.68	12 0302 0911 WE 1502 ● 2106	5.49 2.58 4.80 2.60	27 0331 1006 TH 1554 2135	5.67 2.47 4.29 2.80
13 0157 0754 WE 1402 2037	5.46 2.12 6.12 1.98	28 0135 0732 TH 1335 2011	5.64 2.19 6.39 1.82	13 0319 0912 SA 1514 ● 2151	5.03 2.82 5.04 2.56	28 0305 0911 SU 1511 ● 2144	5.50 2.32 5.50 2.09	13 0323 0922 MO 1517 ● 2138	5.26 2.71 4.89 2.50	28 0327 0946 TU 1540 2151	5.87 2.09 5.06 2.15	13 0338 0957 TH 1547 2138	5.18 2.96 4.36 3.06	28 0433 1203 FR 1755 2325	5.04 2.98 3.73 3.42
14 0241 0832 TH 1443 ● 2125	5.02 2.65 5.47 2.55	29 0214 0810 FR 1416 2055	5.35 2.49 5.92 2.23	14 0418 1014 SU 1615 2256	4.79 3.20 4.58 2.89	29 0404 1018 MO 1616 2245	5.36 2.58 5.01 2.39	14 0409 1016 TU 1608 2227	5.02 3.06 4.48 2.88	29 0421 1054 WE 1644 2246	5.56 2.50 4.46 2.64	14 0439 1141 FR 1751 2324	4.88 3.23 4.01 3.48	29 0643 1500 SA 2139	4.68 2.67 4.13
15 0338 0922 FR 1538 2242	4.61 3.19 4.83 3.02	30 0306 0902 SA 1511 ● 2201	5.03 2.85 5.37 2.60	15 0536 1158 MO 1751	4.69 3.39 4.32	30 0514 1146 TU 1739	5.29 2.69 4.65	15 0515 1146 WE 1741 2351	4.87 3.25 4.20 3.15	30 0532 1240 TH 1826	5.26 2.71 4.07	15 0628 1411 SA 2024	4.78 3.02 4.19	30 0254 0859 SU 1552 2209	3.17 5.00 2.11 4.72
		31 0427 1032 SU 1641 2341	4.81 3.15 4.89 2.77					31 0025 0704 FR 1437 2036	3.00 5.17 2.46 4.17			31 0350 0952 MO 1625 2232	2.56 5.50 1.62 5.26		

© Copyright Commonwealth of Australia 2019, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

