

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

MOURILYAN HARBOUR – QUEENSLAND

LAT 17° 36' S LONG 146° 7' E

Times and Heights of High and Low Waters

2022

Local Time

JANUARY				FEBRUARY				MARCH				APRIL					
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m		
1	0120	0.37	16	0158	0.81	1	0243	0.30	16	0230	0.78	1	0153	0.45	16	0142	0.90
	0811	3.20		0847	2.87		0932	3.49		0914	3.03		0834	3.49		0815	3.06
SA	1425	1.14	SU	1458	1.45	TU	1548	1.03	WE	1518	1.33	TU	1447	0.93	WE	1422	1.20
	1953	2.51		2010	2.16	●	2120	2.61	○	2052	2.43	●	2029	2.79	○	2009	2.56
2	0204	0.28	17	0220	0.80	2	0324	0.37	17	0255	0.78	2	0230	0.43	17	0206	0.83
	0859	3.33		0914	2.88		1012	3.41		0938	3.04		0908	3.46		0838	3.11
SU	1515	1.11	MO	1522	1.47	WE	1628	1.09	TH	1544	1.31	WE	1520	0.93	TH	1445	1.11
	2041	2.46		2033	2.16		2202	2.55	○	2121	2.45		2105	2.82	○	2038	2.66
3	0249	0.27	18	0242	0.79	3	0403	0.54	18	0321	0.82	3	0305	0.53	18	0234	0.82
	0946	3.37		0939	2.88		1049	3.24		1004	3.00		0940	3.35		0904	3.11
MO	1606	1.13	TU	1546	1.48	TH	1708	1.19	FR	1612	1.30	TH	1551	0.98	FR	1510	1.04
●	2129	2.38	○	2057	2.16		2245	2.43		2154	2.44	●	2142	2.77	○	2110	2.73
4	0335	0.35	19	0306	0.81	4	0444	0.81	19	0351	0.94	4	0340	0.72	19	0304	0.89
	1034	3.32		1005	2.86		1127	3.00		1032	2.91		1010	3.14		0931	3.05
TU	1700	1.19	WE	1614	1.51	FR	1752	1.32	SA	1643	1.30	FR	1622	1.08	SA	1538	1.00
	2218	2.27		2123	2.15		2330	2.26		2232	2.39		2218	2.66		2145	2.74

© Copyright Commonwealth of Australia 2021, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter

MOURILYAN HARBOUR – QUEENSLAND

LAT 17° 36' S LONG 146° 7' E

2022

Times and Heights of High and Low Waters

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0530 1152 TH 1730 2340	1.16 2.04 1.51 2.12	16 0636 1622 FR	1.36 2.13	1 0544 1422 SA 2230	1.10 2.24 1.59	16 0145 1633 SU	1.32 2.27	1 0400 0927 TU 1640 2331	1.75 1.10 2.82 0.96	16 0024 0551 WE 0941 1645	1.30 1.63 1.50 2.40	1 0434 1004 TH 1649 2335	2.05 1.14 2.83 0.83	16 0509 0848 FR 1603 2328	1.70 1.61 2.37 1.28
2 0627 1351 FR 1946	1.21 2.00 1.75	17 0147 0430 SA 0950 1728	1.49 1.55 1.38 2.31	2 0045 0744 SU 1613 2328	1.62 1.21 2.45 1.33	17 0105 0624 MO 1002 1715	1.27 1.58 1.44 2.38	2 0500 1036 WE 1725	2.00 0.97 2.94	17 0008 0545 TH 1037 1715	1.23 1.78 1.42 2.48	2 0529 1109 FR 1732	2.29 1.14 2.81	17 0530 1015 SA 1641 2335	1.90 1.59 2.41 1.12
3 0038 0812 SA 1626 2320	1.88 1.22 2.22 1.58	18 0115 0540 SU 1057 1801	1.35 1.65 1.27 2.45	3 0409 0951 MO 1712 2359	1.70 1.10 2.70 1.10	18 0052 0602 TU 1056 1743	1.21 1.71 1.32 2.48	3 0002 0543 TH 1130 1803	0.80 2.26 0.85 3.01	18 0011 0558 FR 1116 1740	1.15 1.95 1.33 2.55	3 0008 0615 SA 1203 1811	0.71 2.50 1.14 2.74	18 0554 1115 SU 1715 2352	2.14 1.53 2.45 0.93
4 0338 1001 SU 1730	1.77 1.09 2.50	19 0116 0606 MO 1138 1828	1.25 1.77 1.14 2.56	4 0512 1059 TU 1755	1.92 0.89 2.91	19 0045 0608 WE 1132 1807	1.16 1.86 1.20 2.58	4 0032 0623 FR 1215 1838	0.67 2.48 0.79 3.01	19 0019 0617 SA 1150 1804	1.03 2.14 1.25 2.61	4 0040 0658 SU 1251 1845	0.63 2.67 1.18 2.63	19 0623 1206 MO 1752	2.39 1.45 2.47
5 0009 0503 MO 1108 1815	1.34 1.90 0.88 2.78	20 0118 0627 TU 1211 1851	1.18 1.89 1.02 2.64	5 0027 0556 WE 1148 1832	0.91 2.17 0.69 3.08	20 0047 0624 TH 1202 1830	1.10 2.00 1.09 2.66	5 0101 0701 SA 1256 1910	0.58 2.66 0.79 2.95	20 0031 0642 SU 1224 1830	0.89 2.34 1.19 2.64	5 0109 0737 MO 1335 1916	0.58 2.79 1.23 2.49	20 0018 0658 TU 1255 1831	0.74 2.65 1.36 2.48
6 0043 0558 TU 1200 1854	1.12 2.08 0.65 3.03	21 0124 0647 WE 1239 1914	1.14 2.01 0.92 2.72	6 0057 0635 TH 1231 1907	0.75 2.40 0.54 3.18	21 0058 0644 FR 1229 1852	1.03 2.15 1.00 2.72	6 0130 0739 SU 1333 1940	0.52 2.77 0.87 2.82	21 0050 0712 MO 1300 1900	0.73 2.55 1.14 2.65	6 0136 0814 TU 1415 1945	0.57 2.85 1.30 2.35	21 0051 0736 WE 1343 1914	0.56 2.89 1.28 2.46
7 0116 0644 WE 1245 1931	0.93 2.28 0.44 3.21	22 0135 0709 TH 1304 1936	1.10 2.12 0.83 2.77	7 0127 0714 FR 1310 1940	0.64 2.59 0.47 3.20	22 0112 0706 SA 1254 1915	0.94 2.30 0.94 2.76	7 0156 0815 MO 1411 2008	0.51 2.82 1.00 2.63	22 0115 0745 TU 1342 1931	0.57 2.74 1.12 2.60	7 0201 0848 WE 1454 2013	0.60 2.86 1.38 2.20	22 0129 0819 TH 1432 1959	0.42 3.08 1.22 2.42
8 0150 0725 TH 1326 2009	0.79 2.47 0.30 3.32	23 0151 0731 FR 1328 1959	1.05 2.22 0.78 2.81	8 0157 0750 SA 1346 2012	0.57 2.72 0.49 3.12	23 0128 0731 SU 1322 1938	0.84 2.45 0.91 2.77	8 0220 0850 TU 1448 2033	0.54 2.81 1.17 2.42	23 0145 0824 WE 1426 2007	0.45 2.89 1.15 2.50	8 0227 0921 TH 1532 2036	0.67 2.81 1.47 2.06	23 0210 0906 FR 1524 2045	0.34 3.20 1.20 2.35
9 0224 0805 FR 1405 2044	0.70 2.60 0.25 3.32	24 0207 0755 SA 1350 2020	1.00 2.32 0.75 2.83	9 0225 0827 SU 1422 2041	0.55 2.77 0.62 2.96	24 0148 0801 MO 1353 2003	0.72 2.59 0.92 2.73	9 0245 0926 WE 1527 2056	0.62 2.74 1.35 2.19	24 0218 0906 TH 1516 2047	0.40 2.98 1.21 2.35	9 0249 0954 FR 1611 2054	0.75 2.74 1.55 1.93	24 0255 0955 SA 1618 2136	0.33 3.25 1.21 2.26
10 0257 0844 SA 1443 2116	0.67 2.66 0.32 3.22	25 0226 0821 SU 1415 2043	0.94 2.40 0.76 2.81	10 0252 0903 MO 1458 2109	0.58 2.75 0.83 2.73	25 0212 0834 TU 1429 2031	0.62 2.69 0.98 2.64	10 0308 1000 TH 1608 2110	0.74 2.63 1.53 1.97	25 0257 0953 FR 1615 2131	0.42 2.99 1.31 2.16	10 0309 1027 SA 1652 2100	0.86 2.64 1.64 1.84	25 0343 1047 SU 1719 2230	0.40 3.22 1.26 2.15
11 0330 0923 SU 1520 2148	0.69 2.64 0.51 3.02	26 0247 0850 MO 1443 2106	0.87 2.46 0.82 2.74	11 0319 0940 TU 1535 2134	0.66 2.66 1.09 2.45	26 0240 0912 WE 1509 2101	0.56 2.74 1.11 2.47	11 0325 1038 FR 1659 2039	0.88 2.49 1.68 1.80	26 0341 1049 SA 1730 2226	0.53 2.93 1.41 1.95	11 0327 1101 SU 1743 2045	0.97 2.53 1.71 1.76	26 0435 1144 MO 1830 2331	0.55 3.13 1.30 2.04
12 0401 1002 MO 1558 2219	0.77 2.55 0.79 2.74	27 0312 0923 TU 1515 2131	0.82 2.49 0.95 2.61	12 0345 1017 WE 1614 2154	0.79 2.52 1.37 2.16	27 0311 0953 TH 1557 2136	0.57 2.73 1.28 2.25	12 0333 1122 SA	1.02 2.35	27 0433 1200 SU 1920 2339	0.70 2.84 1.42 1.77	12 0345 1144 MO	1.08 2.43	27 0532 1245 TU 1948	0.76 2.99 1.30
13 0434 1044 TU 1637 2247	0.90 2.39 1.13 2.41	28 0339 1000 WE 1552 2200	0.81 2.46 1.15 2.42	13 0409 1059 TH 1700 2152	0.95 2.35 1.64 1.89	28 0346 1044 FR 1703 2217	0.66 2.65 1.48 1.98	13 0332 1310 SU	1.16 2.24	28 0543 1331 MO 2106	0.90 2.79 1.30	13 0406 1243 TU	1.21 2.35	28 0045 0639 WE 1353 2109	1.95 1.01 2.85 1.23
14 0508 1131 WE 1721 2310	1.05 2.21 1.48 2.08	29 0411 1045 TH 1638 2230	0.86 2.39 1.39 2.17	14 0423 1155 FR	1.11 2.18	29 0430 1153 SA 1939 2318	0.82 2.54 1.59 1.71	14 0255 1503 MO	1.29 2.25	29 0129 0713 TU 1452 2212	1.71 1.06 2.80 1.13	14 0426 1410 WE	1.35 2.32	29 0222 0759 TH 1502 2216	1.94 1.25 2.71 1.12
15 0545 1252 TH 1845 2045	1.21 2.04 1.79 1.80	30 0449 1145 FR 1755 2309	0.96 2.27 1.64 1.89	15 0410 1516 SA	1.26 2.16	30 0535 1408 SU 2204	1.02 2.52 1.38	15 0107 1605 TU	1.32 2.32	30 0318 0846 WE 1558 2258	1.83 1.13 2.83 0.97	15 0056 1517 TH 2326	1.49 2.33 1.40	30 0406 0930 FR 1609 2307	2.08 1.42 2.60 0.99
				31 0155 0736 MO 1540 2256	1.57 1.16 2.66 1.15							31 0524 1100 SA 1705 2348	2.31 1.48 2.50 0.88		

© Copyright Commonwealth of Australia 2021, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter