

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

ANSON BAY – NORTHERN TERRITORY

LAT 13° 21' S LONG 130° 6' E

Times and Heights of High and Low Waters

2022

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0329 1046 SA 1711 2336	4.98 0.77 5.87 2.49	16 0419 1122 SU 1758	4.59 1.16 5.61	1 0015 0516 TU 1216 ● 1834	2.29 5.18 0.44 6.23	16 0026 0546 WE 1219 1838	2.13 4.97 0.77 6.01	1 0430 1120 TU 1742	4.83 0.97 5.90	16 0458 1121 WE 1739 2357	4.72 1.24 5.70 1.79	1 0015 0606 FR 1229 ● 1820	1.10 5.99 0.97 6.15	16 0537 1204 SA 1739	5.82 1.10 5.93
2 0421 1136 SU 1758	5.14 0.43 6.17	17 0010 0506 MO 1200 1831	2.63 4.73 0.92 5.82	2 0056 0607 WE 1259 1911	1.95 5.44 0.36 6.33	17 0054 0617 TH 1252 ○ 1901	1.78 5.30 0.56 6.18	2 0002 0527 WE 1207 1818	2.01 5.30 0.69 6.15	17 0531 1155 TH 1801	5.18 0.91 5.95	2 0048 0643 SA 1305 1847	0.74 6.26 1.04 6.16	17 0021 0611 SU 1240 ○ 1804	0.62 6.19 1.08 6.02
3 0023 0510 MO 1222 ● 1840	2.29 5.30 0.23 6.34	18 0044 0546 TU 1236 ○ 1900	2.39 4.90 0.73 5.98	3 0135 0654 TH 1339 1946	1.69 5.63 0.45 6.33	18 0123 0648 FR 1323 1924	1.47 5.58 0.48 6.27	3 0040 0613 TH 1247 ● 1851	1.54 5.70 0.59 6.29	18 0024 0600 FR 1228 ○ 1823	1.35 5.60 0.70 6.13	3 0120 0716 SU 1337 1910	0.55 6.36 1.26 6.07	18 0052 0645 MO 1316 1830	0.33 6.43 1.21 6.03
4 0106 0557 TU 1306 1921	2.14 5.42 0.19 6.38	19 0116 0621 WE 1309 1928	2.16 5.07 0.60 6.10	4 0212 0738 FR 1417 2018	1.51 5.70 0.71 6.22	19 0151 0721 SA 1356 1947	1.22 5.78 0.55 6.28	4 0115 0654 FR 1325 1921	1.19 5.97 0.66 6.31	19 0052 0631 SA 1302 1845	0.98 5.95 0.65 6.23	4 0149 0747 MO 1408 1930	0.53 6.30 1.58 5.90	19 0125 0721 TU 1353 1857	0.18 6.50 1.48 5.96
5 0147 0643 WE 1347 2001	2.04 5.47 0.33 6.30	20 0147 0656 TH 1342 1955	1.96 5.22 0.56 6.15	5 0248 0820 SA 1453 2048	1.43 5.65 1.11 6.04	20 0222 0754 SU 1429 2012	1.05 5.88 0.79 6.19	5 0149 0732 SA 1359 1947	0.97 6.09 0.90 6.23	20 0122 0702 SU 1335 1908	0.70 6.19 0.76 6.23	5 0217 0817 TU 1435 1949	0.65 6.10 1.98 5.67	20 0158 0758 WE 1429 1927	0.20 6.39 1.85 5.80
6 0227 0729 TH 1428 2039	2.00 5.42 0.63 6.12	21 0218 0731 FR 1415 2022	1.79 5.33 0.62 6.15	6 0323 0902 SU 1527 2115	1.44 5.49 1.59 5.79	21 0253 0832 MO 1502 2039	0.97 5.85 1.19 6.00	6 0220 0807 SU 1432 2010	0.89 6.05 1.27 6.05	21 0151 0737 MO 1408 1932	0.52 6.29 1.04 6.14	6 0243 0846 WE 1502 2010	0.89 5.79 2.40 5.39	21 0234 0839 TH 1509 1959	0.38 6.11 2.29 5.53
7 0308 0817 FR 1508 2117	2.00 5.28 1.06 5.89	22 0250 0808 SA 1449 2051	1.67 5.37 0.81 6.05	7 0357 0945 MO 1600 2142	1.52 5.25 2.12 5.49	22 0326 0913 TU 1538 2108	0.98 5.67 1.71 5.72	7 0251 0841 MO 1501 2032	0.94 5.88 1.72 5.81	22 0223 0813 TU 1443 1959	0.48 6.22 1.47 5.96	7 0308 0919 TH 1529 2032	1.21 5.41 2.81 5.05	22 0311 0926 FR 1552 2036	0.72 5.70 2.75 5.15
8 0350 0909 SA 1549 2155	2.03 5.06 1.57 5.62	23 0324 0849 SU 1524 2121	1.59 5.33 1.14 5.88	8 0433 1032 TU 1635 ● 2211	1.67 4.95 2.65 5.16	23 0402 1004 WE 1618 2142	1.11 5.36 2.32 5.35	8 0319 0914 TU 1528 2053	1.11 5.60 2.22 5.52	23 0255 0853 WE 1519 2028	0.58 5.98 1.99 5.67	8 0336 0959 FR 1604 2055	1.59 4.99 3.21 4.64	23 0354 1026 SA 1648 ● 2121	1.21 5.22 3.16 4.67
9 0433 1008 SU 1632 2235	2.08 4.82 2.11 5.33	24 0359 0936 MO 1602 2155	1.56 5.19 1.60 5.62	9 0513 1131 WE 1715 2246	1.86 4.64 3.15 4.79	24 0444 1109 TH 1708 ● 2224	1.33 5.00 2.94 4.93	9 0347 0951 WE 1555 2114	1.36 5.23 2.71 5.17	24 0331 0940 TH 1559 2101	0.82 5.59 2.56 5.30	9 0413 1100 SA 1701 ● 2123	2.00 4.59 3.55 4.19	24 0452 1158 SU 1816 2242	1.76 4.85 3.39 4.15
10 0522 1118 MO 1720 ● 2320	2.11 4.60 2.63 5.05	25 0439 1034 TU 1647 ● 2235	1.58 4.99 2.15 5.30	10 0602 1255 TH 1817 2336	2.07 4.42 3.57 4.42	25 0541 1243 FR 1829 2330	1.60 4.74 3.45 4.50	10 0418 1035 TH 1626 ● 2139	1.68 4.82 3.18 4.76	25 0412 1042 FR 1649 ● 2141	1.19 5.13 3.12 4.83	10 0515 1255 SU 1936 2320	2.39 4.38 3.65 3.72	25 0624 1352 MO 2024	2.24 4.80 3.16
11 0617 1242 TU 1821	2.12 4.49 3.07	26 0528 1147 WE 1743 2325	1.64 4.79 2.72 4.96	11 0716 1502 FR 2108	2.21 4.46 3.72	26 0709 1436 SA 2058	1.82 4.80 3.53	11 0456 1143 FR 1717 2209	2.04 4.43 3.62 4.31	26 0508 1217 SA 1817 2246	1.65 4.76 3.55 4.32	11 0711 1502 MO 2153	2.58 4.58 3.14	26 0148 0825 TU 1512 2144	4.08 2.33 5.03 2.55
12 0012 0723 WE 1413 1949	4.80 2.07 4.56 3.35	27 0629 1316 TH 1906	1.69 4.73 3.19	12 0059 0902 SA 1627 2242	4.12 2.13 4.78 3.37	27 0121 0903 SU 1605 2230	4.26 1.73 5.15 3.09	12 0602 1414 SA	2.38 4.29	27 0641 1423 SU 2053	2.04 4.76 3.46	12 0236 0906 TU 1551 2223	3.82 2.34 4.92 2.58	27 0330 0950 WE 1602 2231	4.58 2.08 5.32 1.89
13 0113 0836 TH 1533 2134	4.60 1.92 4.79 3.35	28 0032 0751 FR 1451 2107	4.68 1.64 4.92 3.31	13 0253 1018 SU 1713 2324	4.07 1.82 5.14 2.95	28 0312 1024 MO 1701 2321	4.41 1.35 5.56 2.54	13 0813 1610 SU 2236	2.47 4.63 3.30	28 0124 0849 MO 1549 2216	4.05 2.05 5.08 2.87	13 0350 1006 WE 1622 2251	4.31 1.93 5.25 2.02	28 0428 1045 TH 1640 2310	5.18 1.79 5.57 1.29
14 0219 0943 FR 1633 2243	4.50 1.69 5.08 3.15	29 0150 0921 SA 1609 2235	4.56 1.41 5.29 3.05	14 0420 1106 MO 1746 2357	4.30 1.43 5.48 2.53	14 0258 0954 MO 1649 2304	3.84 2.12 5.02 2.78	14 0419 1044 TU 1715 2331	4.25 1.66 5.38 2.27	30 0437 1107 WE 1717 2340	5.00 1.32 5.78 1.61	14 0430 1049 TH 1649 2320	4.84 1.55 5.54 1.49	29 0512 1129 FR 1713 2346	5.71 1.59 5.76 0.82
15 0323 1037 SA 1720 2332	4.50 1.42 5.36 2.90	30 0307 1032 SU 1708 2330	4.64 1.03 5.69 2.67	15 0509 1145 TU 1813	4.63 1.07 5.77	15 0509 1145 TU 1813	4.63 1.07 5.77	15 0419 1044 TU 1715 2331	4.25 1.66 5.38 2.27	30 0437 1107 WE 1717 2340	5.00 1.32 5.78 1.61	15 0504 1127 FR 1713 2350	5.36 1.26 5.77 1.01	30 0550 1207 SA 1743	6.10 1.51 5.85
		31 0417 1128 MO 1754	4.88 0.68 6.01					31 0525 1151 TH 1751	5.55 1.06 6.02						

© Copyright Commonwealth of Australia 2021, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

ANSON BAY – NORTHERN TERRITORY

LAT 13° 21' S LONG 130° 6' E

Times and Heights of High and Low Waters

2022

Local Time

MAY				JUNE				JULY				AUGUST					
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m		
1 0019 0.52 0624 6.33 SU 1243 1.57 ● 1809 5.85		16 0553 6.24 1222 1.66 MO 1726 5.72 ○		1 0055 0.53 0713 6.16 WE 1332 2.30 1826 5.27		16 0053 0.09 0707 6.41 TH 1336 2.12 1820 5.51		1 0114 0.71 0737 6.02 FR 1354 2.29 1853 5.04		16 0130 0.24 0742 6.34 SA 1408 1.87 1913 5.53		1 0202 0.67 0808 6.16 MO 1434 1.55 1958 5.45		16 0235 0.94 0826 6.15 TU 1502 1.16 2043 5.76			
2 0050 0.39 0657 6.40 MO 1316 1.73 1832 5.76		17 0028 0.17 0632 6.45 TU 1302 1.74 1758 5.76		2 0127 0.65 0744 6.03 TH 1405 2.42 1854 5.14		17 0135 0.16 0748 6.34 FR 1417 2.17 1902 5.45		2 0147 0.76 0806 5.99 SA 1427 2.23 1928 5.04		17 0210 0.46 0820 6.23 SU 1448 1.79 2001 5.48		2 0233 0.82 0832 6.10 TU 1505 1.44 2034 5.45		17 0310 1.41 0853 5.93 WE 1536 1.24 2124 5.53			
3 0119 0.42 0727 6.31 TU 1347 1.98 1853 5.61		18 0105 0.05 0711 6.50 WE 1342 1.90 1831 5.72		3 0158 0.84 0816 5.86 FR 1438 2.54 1925 4.98		18 0217 0.40 0830 6.15 SA 1500 2.25 1948 5.28		3 0220 0.87 0836 5.93 SU 1500 2.16 2006 5.00		18 0251 0.83 0855 6.05 MO 1527 1.77 2051 5.33		3 0305 1.11 0858 5.96 WE 1536 1.40 2115 5.35		18 0343 1.96 0919 5.64 TH 1610 1.41 2209 5.22			
4 0147 0.58 0756 6.11 WE 1416 2.27 1914 5.41		19 0143 0.11 0751 6.39 TH 1422 2.14 1906 5.59		4 0230 1.06 0851 5.67 SA 1514 2.64 2001 4.78		19 0259 0.79 0913 5.89 SU 1545 2.34 2040 5.02		4 0253 1.04 0907 5.83 MO 1534 2.11 2048 4.92		19 0330 1.32 0931 5.80 TU 1609 1.79 2144 5.11		4 0340 1.52 0928 5.74 TH 1612 1.43 2203 5.15		19 0417 2.52 0945 5.30 FR 1647 1.65 ● 2301 4.86			
5 0214 0.84 0826 5.84 TH 1446 2.56 1938 5.16		20 0222 0.35 0833 6.13 FR 1505 2.42 1944 5.35		5 0305 1.32 0930 5.48 SU 1555 2.71 2046 4.55		20 0343 1.31 0959 5.58 MO 1634 2.41 2145 4.72		5 0328 1.29 0940 5.69 TU 1612 2.07 2138 4.80		20 0411 1.88 1006 5.52 WE 1652 1.85 ● 2246 4.86		5 0418 2.03 1001 5.43 FR 1653 1.51 ● 2304 4.89		20 0454 3.06 1016 4.92 SA 1731 1.93			
6 0243 1.15 0900 5.51 FR 1519 2.85 2005 4.86		21 0302 0.75 0920 5.76 SA 1551 2.70 2028 5.00		6 0345 1.61 1015 5.29 MO 1643 2.73 2147 4.32		21 0432 1.87 1052 5.29 TU 1731 2.41 ● 2313 4.48		6 0406 1.63 1017 5.50 WE 1654 2.03 2237 4.65		21 0454 2.45 1045 5.21 TH 1741 1.92 2359 4.66		6 0504 2.61 1042 5.07 SA 1745 1.63		21 0016 4.53 0545 3.54 SU 1056 4.49 1836 2.20			
7 0314 1.50 0941 5.18 SA 1602 3.09 2039 4.51		22 0349 1.28 1016 5.37 SU 1647 2.91 2126 4.56		7 0432 1.92 1108 5.12 TU 1741 2.67 2311 4.17		22 0531 2.41 1153 5.05 WE 1838 2.31		7 0451 2.05 1100 5.27 TH 1743 1.98 ● 2349 4.55		22 0546 2.97 1130 4.90 FR 1840 1.97		7 0026 4.69 0611 3.16 SU 1139 4.70 1858 1.73		22 0224 4.44 0817 3.82 MO 1213 4.09 2029 2.27			
8 0356 1.88 1039 4.88 SU 1701 3.26 2131 4.11		23 0445 1.85 1132 5.04 MO 1801 2.97 ● 2313 4.19		8 0532 2.23 1206 5.00 WE 1846 2.49 ●		23 0057 4.46 0646 2.83 TH 1257 4.90 1952 2.07		8 0548 2.50 1151 5.02 FR 1844 1.89		23 0129 4.59 0701 3.38 SA 1228 4.62 1953 1.96		8 0206 4.73 0808 3.47 MO 1301 4.44 2036 1.64		23 0413 4.71 1034 3.46 TU 1436 3.96 2203 1.99			
9 0454 2.23 1158 4.70 MO 1830 3.24 ● 2333 3.82		24 0602 2.36 1259 4.90 TU 1935 2.75		9 0041 4.21 0643 2.48 TH 1304 4.95 1955 2.18		24 0227 4.69 0817 3.02 FR 1359 4.84 2100 1.74		9 0111 4.59 0703 2.90 SA 1249 4.82 1955 1.71		24 0302 4.72 0900 3.51 SU 1339 4.43 2114 1.82		9 0341 5.03 1008 3.27 TU 1430 4.43 2204 1.29		24 0503 5.08 1117 3.00 WE 1621 4.22 2256 1.60			
10 0617 2.46 1322 4.72 TU 2014 2.91		25 0137 4.26 0743 2.60 WE 1414 4.96 2055 2.26		10 0203 4.48 0806 2.60 FR 1358 4.96 2059 1.76		25 0336 5.03 0940 2.99 SA 1455 4.84 2155 1.41		10 0235 4.82 0843 3.08 SU 1352 4.73 2112 1.41		25 0416 5.00 1028 3.32 MO 1459 4.37 2219 1.57		10 0447 5.45 1110 2.84 WE 1550 4.67 2306 0.88		25 0537 5.42 1148 2.54 TH 1710 4.59 2335 1.23			
11 0139 3.95 0753 2.46 WE 1425 4.89 2117 2.40		26 0307 4.70 0913 2.54 TH 1509 5.10 2151 1.70		11 0312 4.89 0926 2.56 SA 1448 5.02 2154 1.30		26 0430 5.36 1040 2.85 SU 1544 4.88 2243 1.12		11 0350 5.19 1013 2.97 MO 1455 4.77 2218 1.03		26 0509 5.30 1122 3.01 TU 1611 4.47 2310 1.29		11 0536 5.83 1156 2.39 TH 1656 5.03 2355 0.55		26 0604 5.71 1216 2.12 FR 1744 4.96			
12 0259 4.38 0911 2.26 TH 1511 5.10 2159 1.86		27 0406 5.21 1016 2.37 FR 1553 5.25 2235 1.21		12 0409 5.35 1030 2.43 SU 1535 5.13 2242 0.85		27 0515 5.64 1129 2.70 MO 1628 4.93 2326 0.91		12 0450 5.60 1115 2.71 TU 1553 4.91 2314 0.64		27 0550 5.57 1202 2.70 WE 1705 4.65 2351 1.03		12 0616 6.12 1237 1.97 FR 1749 5.40 ○		27 0009 0.93 0627 5.94 SA 1243 1.74 ● 1814 5.30			
13 0352 4.90 1009 2.02 FR 1549 5.30 2237 1.32		28 0451 5.65 1103 2.22 SA 1630 5.37 2314 0.83		13 0458 5.78 1124 2.28 MO 1618 5.26 2328 0.47		28 0555 5.84 1210 2.57 TU 1708 4.97		13 0540 5.96 1205 2.44 WE 1647 5.12		28 0624 5.80 1237 2.40 TH 1747 4.85		13 0040 0.38 0652 6.29 SA 1315 1.61 1837 5.69		28 0040 0.72 0649 6.11 SU 1309 1.41 1842 5.59			
14 0435 5.42 1057 1.81 SA 1623 5.48 2315 0.84		29 0531 5.97 1146 2.14 SU 1703 5.43 2350 0.60		14 0543 6.12 1211 2.18 TU 1658 5.38 ○		29 0005 0.77 0632 5.96 WE 1247 2.46 ● 1744 5.00		14 0002 0.35 0624 6.21 TH 1247 2.20 ○ 1738 5.32		29 0028 0.83 0654 5.97 FR 1307 2.14 ● 1822 5.06		14 0121 0.38 0725 6.35 SU 1351 1.35 1921 5.85		29 0110 0.62 0709 6.22 MO 1335 1.14 1910 5.81			
15 0515 5.88 1141 1.68 SU 1654 5.62 2351 0.44		30 0607 6.15 1223 2.14 MO 1733 5.42 ●		15 0011 0.21 0626 6.34 WE 1254 2.12 1739 5.48		30 0040 0.71 0705 6.01 TH 1322 2.37 1819 5.03		15 0047 0.21 0704 6.34 FR 1328 2.00 1826 5.47		30 0100 0.69 0720 6.08 SA 1337 1.91 1854 5.23		15 0158 0.58 0757 6.30 MO 1427 1.20 2002 5.88		30 0139 0.66 0730 6.25 TU 1403 0.95 1940 5.94			
		31 0024 0.50 0640 6.21 TU 1258 2.20 1800 5.37						31 0132 0.63 0744 6.15 SU 1405 1.71 1925 5.37				31 0210 0.84 0751 6.19 WE 1432 0.85 2013 5.95					

© Copyright Commonwealth of Australia 2021, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

ANSON BAY – NORTHERN TERRITORY

LAT 13° 21' S LONG 130° 6' E

Times and Heights of High and Low Waters

2022

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER																	
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m														
1	0242	1.18	16	0316	2.14	1	0258	1.94	16	0322	2.80	1	0424	2.99	16	0449	3.17												
	0815	6.04		0833	5.61		0804	5.71		0817	5.08		0858	4.80		0924	4.16												
TH	1502	0.84	FR	1529	1.14	SA	1506	0.68	SU	1524	1.48	TU	1625	1.54	WE	1636	2.19	TH	1724	2.13	FR	1703	2.21						
	2051	5.81		2134	5.47		2114	5.75		2145	5.14	☉	2315	5.01	☉	2330	4.80	☉	2330	5.08									
2	0316	1.64	17	0344	2.65	2	0336	2.46	17	0357	3.18	2	0536	3.23	17	0602	3.16	2	0007	5.01	17	0611	2.42						
	0841	5.80		0855	5.25		0835	5.38		0842	4.67		1006	4.31		1107	3.87		0641	2.65		1206	4.23						
FR	1535	0.96	SA	1559	1.51	SU	1545	1.03	MO	1559	1.93	WE	1740	2.07	TH	1746	2.48	FR	1239	4.30	SA	1805	2.51		1849	2.54			
	2134	5.53		2215	5.02		2208	5.30		2241	4.72																		
3	0352	2.20	18	0414	3.14	3	0423	2.99	18	0451	3.51	3	0057	4.83	18	0045	4.74	3	0123	4.94	18	0024	4.96						
	0912	5.46		0919	4.84		0912	4.95		0912	4.22		0722	3.16		0733	2.91		0805	2.30		0713	2.20						
SA	1612	1.18	SU	1635	1.93	MO	1634	1.48	TU	1654	2.36	TH	1245	4.06	FR	1309	3.92	SA	1423	4.61	SU	1327	4.37	SA	1423	4.61	SU	1327	4.37
	2230	5.15	☉	2315	4.57	☉	2329	4.86	☉				1928	2.36		1913	2.59		2025	2.68		1919	2.74						
4	0435	2.80	19	0459	3.59	4	0534	3.43	19	0021	4.45	4	0225	4.93	19	0149	4.82	4	0226	5.00	19	0118	4.88						
	0947	5.05		0945	4.38		1004	4.44		0651	3.63		0902	2.66		0845	2.47		0912	1.80		0819	1.90						
SU	1701	1.49	MO	1731	2.35	TU	1752	1.95	WE	1040	3.74	FR	1449	4.45	SA	1435	4.26	SU	1534	5.08	MO	1441	4.67	SU	1534	5.08	MO	1441	4.67
	2351	4.77								1836	2.65		2109	2.26		2036	2.51		2143	2.59		2044	2.82						
5	0539	3.36	20	0128	4.32	5	0129	4.70	20	0232	4.55	5	0325	5.16	20	0239	4.97	5	0317	5.11	20	0212	4.87						
	1038	4.58		0751	3.86		0749	3.52		0934	3.17		0959	2.00		0933	1.97		1005	1.31		0921	1.51						
MO	1815	1.81	TU	1036	3.87	WE	1219	4.02	TH	1422	3.77	SA	1559	5.04	SU	1532	4.72	MO	1627	5.53	TU	1545	5.07	MO	1627	5.53	TU	1545	5.07
				1934	2.58		1956	2.15		2038	2.53		2216	2.01		2142	2.32		2239	2.45		2202	2.74						
6	0147	4.67	21	0352	4.58	6	0311	4.93	21	0329	4.83	6	0409	5.41	21	0319	5.12	6	0401	5.22	21	0302	4.92						
	0755	3.64		1028	3.34		0944	3.01		1006	2.63		1044	1.37		1013	1.47		1049	0.91		1016	1.10						
TU	1221	4.19	WE	1457	3.76	TH	1453	4.26	FR	1540	4.23	SU	1648	5.61	MO	1618	5.20	TU	1711	5.89	WE	1639	5.50	TU	1711	5.89	WE	1639	5.50
	2014	1.90		2137	2.31		2139	1.89		2146	2.19		2306	1.80		2234	2.14		2327	2.34		2303	2.57						
7	0335	4.95	22	0435	4.95	7	0410	5.28	22	0402	5.12	7	0446	5.61	22	0355	5.28	7	0439	5.30	22	0350	5.02						
	1004	3.26		1054	2.81		1036	2.33		1034	2.08		1122	0.86		1051	1.01		1130	0.64		1105	0.71						
WE	1434	4.23	TH	1617	4.20	FR	1611	4.85	SA	1620	4.74	MO	1729	6.05	TU	1658	5.65	WE	1751	6.12	TH	1726	5.88	TH	1751	6.12	TH	1726	5.88
	2154	1.58		2231	1.88		2241	1.52		2230	1.84		2348	1.69		2320	1.99					2353	2.40						
8	0437	5.36	23	0503	5.30	8	0451	5.62	23	0429	5.38	8	0518	5.74	23	0430	5.41	8	0008	2.28	23	0435	5.17						
	1100	2.67		1119	2.29		1116	1.68		1102	1.56		1158	0.50		1129	0.61		0514	5.32		1151	0.38						
TH	1606	4.66	FR	1654	4.68	SA	1703	5.46	SU	1653	5.23	TU	1807	6.34	WE	1736	6.02	TH	1207	0.51	FR	1810	6.16	TH	1207	0.51	FR	1810	6.16
	2257	1.16		2309	1.48		2328	1.23		2309	1.57		☉			☉			☉	1828	6.22		☉						
9	0520	5.74	24	0525	5.59	9	0525	5.88	24	0453	5.59	9	0026	1.70	24	0002	1.91	9	0047	2.29	24	0037	2.25						
	1141	2.08		1143	1.80		1153	1.10		1131	1.10		0547	5.77		0503	5.52		0546	5.30		0519	5.31						
FR	1706	5.20	SA	1724	5.13	SU	1746	5.96	MO	1724	5.68	WE	1232	0.32	TH	1207	0.31	FR	1243	0.51	SA	1235	0.18	FR	1243	0.51	SA	1235	0.18
	2346	0.82		2342	1.15					2345	1.40		1841	6.45	☉	1815	6.28		1904	6.20		1852	6.31						

© Copyright Commonwealth of Australia 2021, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality