

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

PORT WALCOTT (CAPE LAMBERT) – WESTERN AUSTRALIA

LAT 20° 35' S LONG 117° 11' E

2023

Times and Heights of High and Low Waters

Local Time

Table with columns for months (JANUARY, FEBRUARY, MARCH, APRIL) and rows for days. Each row contains time and height (m) for high and low water. Includes moon phase symbols (●, ○, ◎).

© Copyright Commonwealth of Australia 2022, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols ● New Moon ○ Full Moon ◎ Last Quarter

PORT WALCOTT (CAPE LAMBERT) – WESTERN AUSTRALIA

LAT 20° 35' S LONG 117° 11' E

2023

Times and Heights of High and Low Waters

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1	0239 2.77	16	0218 2.36	1	0251 2.44	16	0323 2.23	1	0240 2.55	16	0403 2.41	1	0420 2.18	16	0525 1.83
	0900 4.11		0833 4.68		0850 4.70		0916 5.06		0836 4.69		0951 4.71		1012 5.01		1110 4.99
MO	1511 2.86	TU	1455 2.16	TH	1524 2.01	FR	1600 1.54	SA	1526 1.77	SU	1637 1.61	TU	1700 1.16	WE	1745 1.17
	2101 4.18		2056 4.60		2129 4.46		2204 4.58		2143 4.24		2249 4.39		2309 4.66	●	2339 4.85
2	0321 2.44	17	0313 2.06	2	0332 2.19	17	0410 2.08	2	0336 2.32	17	0449 2.18	2	0511 1.75	17	0553 1.57
	0927 4.50		0914 5.09		0924 5.02		0959 5.19		0926 4.97		1036 4.89		1100 5.36		1138 5.17
TU	1545 2.40	WE	1544 1.67	FR	1603 1.59	SA	1643 1.32	SU	1616 1.41	MO	1719 1.39	WE	1745 0.80	TH	1813 1.00
	2139 4.54		2142 4.89		2206 4.71		2245 4.72		2229 4.50		2323 4.60	○	2345 5.00		
3	0352 2.12	18	0356 1.80	3	0410 1.96	18	0451 1.96	3	0425 2.06	18	0528 1.97	3	0556 1.36	18	0002 5.04
	0949 4.88		0949 5.42		0958 5.30		1038 5.27		1014 5.23		1115 5.04		1144 5.60		0620 1.38
WE	1614 1.94	TH	1625 1.27	SA	1641 1.22	SU	1723 1.18	MO	1703 1.10	TU	1756 1.21	TH	1827 0.56	FR	1205 5.27
	2209 4.85		2220 5.10		2242 4.90	●	2322 4.82	○	2311 4.72	●	2353 4.76		1838 0.90		
4	0421 1.83	19	0434 1.63	4	0446 1.77	19	0529 1.88	4	0511 1.82	19	0602 1.82	4	0019 5.28	19	0026 5.17
	1013 5.22		1023 5.64		1032 5.53		1115 5.30		1100 5.44		1149 5.14		0638 1.06		0645 1.24
TH	1643 1.51	FR	1702 0.99	SU	1718 0.95	MO	1800 1.12	TU	1749 0.87	WE	1829 1.11	FR	1225 5.70	SA	1231 5.29
	2237 5.10	●	2256 5.20	○	2316 5.02		2356 4.86		2350 4.90				1905 0.47		1901 0.89
5	0450 1.60	20	0510 1.54	5	0523 1.65	20	0603 1.86	5	0556 1.63	20	0022 4.87	5	0054 5.47	20	0049 5.26
	1038 5.51		1055 5.73		1108 5.66		1151 5.28		1145 5.56		0633 1.71		0718 0.89		0710 1.16
FR	1713 1.13	SA	1738 0.86	MO	1756 0.80	TU	1834 1.13	WE	1833 0.74	TH	1221 5.18	SA	1305 5.65	SU	1258 5.24
	2305 5.28		2330 5.22		2352 5.07						1858 1.07		1941 0.55		1925 0.95
6	0519 1.44	21	0543 1.55	6	0600 1.61	21	0029 4.86	6	0030 5.03	21	0049 4.93	6	0129 5.54	21	0112 5.30
	1104 5.73		1128 5.71		1146 5.70		0635 1.88		0641 1.51		0701 1.65		0758 0.89		0735 1.15
SA	1743 0.86	SU	1812 0.86	TU	1835 0.79	WE	1226 5.21	TH	1230 5.59	FR	1251 5.17	SU	1345 5.44	MO	1324 5.13
	○ 2334 5.36						1906 1.21		1915 0.74		1925 1.10		2015 0.78		1947 1.08
7	0548 1.37	22	0002 5.16	7	0030 5.04	22	0100 4.82	7	0109 5.10	22	0115 4.96	7	0204 5.48	22	0135 5.27
	1132 5.85		0614 1.63		0639 1.66		0706 1.94		0726 1.46		0730 1.64		0836 1.04		0801 1.21
SU	1814 0.71	MO	1200 5.61	WE	1229 5.62	TH	1300 5.11	FR	1315 5.50	SA	1320 5.09	MO	1423 5.12	TU	1350 4.94
			1843 0.97		1915 0.91		1937 1.35		1957 0.86		1951 1.19		2046 1.14		2010 1.30
8	0004 5.35	23	0033 5.05	8	0110 4.94	23	0132 4.75	8	0149 5.11	23	0143 4.96	8	0240 5.30	23	0200 5.16
	0618 1.40		0643 1.78		0719 1.79		0737 2.05		0811 1.51		0758 1.68		0915 1.33		0829 1.36
MO	1202 5.87	TU	1232 5.44	TH	1313 5.44	FR	1335 4.97	SA	1401 5.30	SU	1350 4.96	TU	1503 4.70	WE	1419 4.68
	1845 0.73		1914 1.17		1957 1.15		2008 1.52		2036 1.09		2016 1.34	●	2117 1.59		2033 1.59
9	0036 5.24	24	0106 4.88	9	0153 4.80	24	0204 4.65	9	0230 5.06	24	0210 4.91	9	0317 4.99	24	0227 4.98
	0648 1.53		0711 1.97		0804 1.99		0810 2.17		0858 1.63		0828 1.75		0958 1.72		0900 1.60
TU	1235 5.78	WE	1306 5.22	FR	1402 5.18	SA	1410 4.78	SU	1448 5.01	MO	1420 4.77	WE	1546 4.24	TH	1450 4.35
	1919 0.90		1944 1.45		2042 1.47		2038 1.73		2115 1.41		2042 1.55		2148 2.09	●	2057 1.95
10	0110 5.04	25	0139 4.68	10	0242 4.64	25	0239 4.54	10	0316 4.94	25	0239 4.82	10	0402 4.61	25	0258 4.72
	0719 1.76		0739 2.21		0859 2.22		0846 2.32		0948 1.82		0900 1.88		1052 2.13		0937 1.93
WE	1312 5.56	TH	1340 4.96	SA	1457 4.86	SU	1447 4.56	MO	1538 4.66	TU	1454 4.52	TH	1643 3.79	FR	1527 3.95
	1954 1.22		2015 1.76		2131 1.82		2111 1.97	●	2158 1.79		2109 1.82		2225 2.58		2121 2.37
11	0146 4.76	26	0214 4.46	11	0341 4.49	26	0318 4.41	11	0407 4.78	26	0311 4.68	11	0509 4.20	26	0336 4.38
	0752 2.08		0809 2.47		1007 2.41		0931 2.48		1046 2.02		0939 2.05		1221 2.45		1037 2.31
TH	1353 5.23	FR	1417 4.67	SU	1601 4.54	MO	1531 4.30	TU	1635 4.29	WE	1532 4.22	FR	1828 3.46	SA	1630 3.51
	2033 1.64		2048 2.09	●	2231 2.14	●	2148 2.23		2245 2.18	●	2140 2.14				2156 2.82
12	0231 4.44	27	0256 4.22	12	0455 4.42	27	0407 4.30	12	0510 4.59	27	0351 4.50	12	0007 3.00	27	0501 4.02
	0833 2.46		0846 2.74		1129 2.47		1031 2.60		1156 2.19		1031 2.24		0704 3.97		1257 2.49
FR	1444 4.83	SA	1502 4.36	MO	1719 4.27	TU	1628 4.05	WE	1749 3.97	TH	1624 3.90	SA	1431 2.42	SU	2011 3.35
	● 2123 2.11	●	2130 2.41		2345 2.38		2238 2.49		2350 2.53		2221 2.49		2130 3.59		
13	0337 4.13	28	0355 4.02	13	0620 4.47	28	0515 4.23	13	0627 4.46	28	0450 4.31	13	0311 2.89	28	0125 3.07
	0941 2.84		0948 3.00		1254 2.36		1154 2.61		1319 2.23		1154 2.37		0859 4.10		0745 4.02
SA	1557 4.42	SU	1607 4.07	TU	1851 4.16	WE	1747 3.87	TH	1925 3.81	FR	1752 3.62	SU	1553 2.10	MO	1505 2.16
	2245 2.50		2235 2.70				2356 2.68				2343 2.81		2223 3.97		2156 3.83
14	0529 4.00	29	0530 3.93	14	0110 2.46	29	0632 4.28	14	0129 2.72	29	0623 4.21	14	0414 2.52	29	0327 2.64
	1154 2.97		1156 3.07		0733 4.65		1319 2.44		0746 4.44		1336 2.29		1000 4.42		0922 4.46
SU	1747 4.17	MO	1744 3.89	WE	1409 2.11	TH	1923 3.85	FR	1441 2.10	SA	2001 3.59	MO	1640 1.74	TU	1609 1.63
					2014 4.23				2101 3.91				2251 4.31		2228 4.35
15	0047 2.58	30	0027 2.80	15	0225 2.38	30	0129 2.70	15	0300 2.63	30	0149 2.85	15	0453 2.15	30	0423 2.04
	0732 4.25		0710 4.08		0830 4.87		0740 4.45		0856 4.54		0757 4.32		1038 4.73		1014 4.98
MO	1346 2.65	TU	1340 2.83	TH	1509 1.81	FR	1429 2.13	SA	1546 1.86	SU	1502 1.99	TU	1715 1.42	WE	1653 1.11
	1947 4.29		1934 3.95		2115 4.40		2044 4.00		2206 4.15		2142 3.89		2315 4.61		2257 4.86
		31	0157 2.67					31	0318 2.58			31	0506 1.44		
			0811 4.37						0914 4.63				1055 5.42		
		WE	1440 2.45					MO	1608 1.58				1731 0.70		
			2044 4.19						2231 4.27			○	2327 5.31		

© Copyright Commonwealth of Australia 2022, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols ● New Moon ● First Quarter ○ Full Moon ● Last Quarter

PORT WALCOTT (CAPE LAMBERT) – WESTERN AUSTRALIA

2023

LAT 20° 35' S LONG 117° 11' E

Times and Heights of High and Low Waters

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER											
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m								
1	0545 1133 FR 1808 2358	0.92 5.70 0.44 5.65	16	0556 1143 SA 1808 2355	1.07 5.33 0.89 5.42	1	0600 1147 SU 1814 2358	0.27 5.74 0.55 6.06	16	0551 1142 MO 1800 2343	0.70 5.33 1.05 5.68	1	0643 1231 WE 1845	0.44 5.21 1.33	16	0626 1220 TH 1829	0.62 5.08 1.50	1	0016 0701 FR 1257 1902	5.43 0.96 4.88 1.88	16	0010 0658 SA 1256 1902	5.57 0.82 4.98 1.75
2	0623 1209 SA 1842	0.56 5.80 0.36	17	0620 1207 SU 1831	0.88 5.37 0.86	2	0634 1220 MO 1844	0.17 5.64 0.68	17	0617 1207 TU 1824	0.57 5.31 1.09	2	0030 0714 TH 1303 1913	5.65 0.74 4.96 1.64	17	0013 0658 FR 1252 1900	5.60 0.76 4.94 1.69	2	0051 0734 SA 1331 1933	5.20 1.23 4.72 2.10	17	0051 0737 SU 1335 1945	5.46 0.98 4.93 1.88
3	0028 0700 SU 1244 1915	5.84 0.39 5.72 0.46	18	0016 0645 MO 1231 1854	5.53 0.77 5.34 0.91	3	0027 0706 TU 1251 1913	6.01 0.28 5.40 0.95	18	0006 0644 WE 1233 1848	5.70 0.57 5.20 1.23	3	0100 0743 FR 1335 1939	5.32 1.14 4.65 2.00	18	0047 0732 SA 1328 1932	5.41 1.03 4.72 1.96	3	0127 0806 SU 1407 2005	4.93 1.55 4.53 2.36	18	0136 0818 MO 1418 2032	5.25 1.23 4.84 2.05
4	0100 0733 MO 1318 1945	5.88 0.43 5.48 0.73	19	0038 0709 TU 1257 1916	5.56 0.75 5.22 1.05	4	0057 0737 WE 1323 1938	5.80 0.58 5.07 1.33	19	0032 0712 TH 1301 1914	5.62 0.70 5.01 1.46	4	0132 0813 SA 1410 2003	4.92 1.60 4.31 2.38	19	0126 0810 SU 1409 2011	5.12 1.40 4.46 2.29	4	0204 0840 MO 1446 2044	4.62 1.88 4.33 2.62	19	0225 0902 TU 1506 2130	4.96 1.54 4.73 2.23
5	0130 0807 TU 1352 2012	5.76 0.67 5.13 1.12	20	0101 0734 WE 1322 1939	5.52 0.83 5.03 1.28	5	0126 0806 TH 1354 2001	5.46 1.03 4.67 1.77	20	0100 0740 FR 1330 1938	5.44 0.97 4.73 1.77	5	0206 0845 SU 1451 2030	4.49 2.08 3.96 2.78	20	0212 0855 MO 1503 2107	4.75 1.83 4.19 2.65	5	0247 0917 TU 1535 2140	4.30 2.21 4.14 2.87	20	0320 0950 WE 1603 2240	4.63 1.88 4.62 2.37
6	0201 0839 WE 1425 2037	5.47 1.07 4.69 1.60	21	0126 0800 TH 1349 2000	5.38 1.04 4.75 1.60	6	0155 0834 FR 1425 2021	5.01 1.56 4.23 2.25	21	0129 0811 SA 1403 2003	5.15 1.37 4.37 2.16	6	0249 0929 MO 1608 2120	4.04 2.54 3.65 3.18	21	0315 1000 TU 1630 2302	4.34 2.23 4.01 2.85	6	0345 1007 WE 1647 2330	3.99 2.52 4.01 2.98	21	0428 1047 TH 1715	4.30 2.21 4.56
7	0232 0911 TH 1500 2059	5.06 1.57 4.22 2.12	22	0152 0829 FR 1418 2022	5.14 1.38 4.39 1.98	7	0224 0904 SA 1501 2033	4.50 2.12 3.77 2.72	22	0203 0847 SU 1445 2033	4.76 1.85 3.96 2.61	7	0431 1145 TU 1926	3.66 2.86 3.64	22	0456 1139 WE 1832	4.03 2.47 4.11	7	0514 1130 TH 1827	3.76 2.75 4.04	22	0003 0554 FR 1200 1838	2.37 4.06 2.48 4.60
8	0304 0947 FR 1540 2115	4.57 2.12 3.72 2.63	23	0221 0901 SA 1452 2044	4.80 1.82 3.95 2.43	8	0257 0948 SU 1631 2016	3.97 2.67 3.35 3.17	23	0249 0945 MO 1613 2148	4.29 2.38 3.57 3.09	8	0205 0728 WE 1411 2042	3.05 3.65 2.70 4.02	23	0104 0659 TH 1324 1955	2.62 4.03 2.41 4.49	8	0122 0707 FR 1315 1945	2.79 3.74 2.78 4.26	23	0128 0729 SA 1329 1950	2.21 4.02 2.58 4.75
9	0346 1100 SA 1723 2106	4.03 2.64 3.28 3.12	24	0257 0952 SU 1548 2106	4.37 2.33 3.47 2.92	9	0534 1425 MO 2149	3.51 2.80 3.64	24	0450 1231 TU 2002	3.84 2.63 3.73	9	0258 0848 TH 1501 2109	2.61 3.97 2.40 4.40	24	0222 0823 FR 1435 2044	2.14 4.30 2.18 4.91	9	0227 0830 SA 1427 2033	2.44 3.94 2.63 4.54	24	0239 0848 SU 1447 2049	1.92 4.15 2.50 4.94
10	0624 1449 SU 2215	3.62 2.64 3.59	25	0416 1247 MO 2110	3.88 2.64 3.46	10	0319 0857 TU 1525 2147	2.93 3.77 2.40 4.06	25	0155 0748 WE 1430 2056	2.87 3.99 2.28 4.29	10	0330 0927 FR 1535 2133	2.17 4.32 2.12 4.76	25	0315 0916 SA 1526 2122	1.62 4.61 1.92 5.28	10	0312 0921 SU 1515 2110	2.04 4.20 2.41 4.83	25	0336 0948 MO 1547 2139	1.62 4.37 2.33 5.12
11	0335 0914 MO 1554 2220	2.93 3.89 2.22 4.01	26	0202 0801 TU 1505 2140	3.09 3.93 2.20 4.03	11	0348 0936 WE 1556 2200	2.46 4.21 2.02 4.46	26	0302 0900 TH 1521 2128	2.23 4.47 1.83 4.85	11	0359 0958 SA 1604 2157	1.74 4.62 1.86 5.08	26	0359 1000 SU 1608 2158	1.18 4.86 1.72 5.54	11	0349 1000 MO 1555 2145	1.65 4.45 2.19 5.10	26	0425 1035 TU 1636 2223	1.35 4.58 2.14 5.26
12	0413 0958 TU 1628 2235	2.46 4.31 1.81 4.39	27	0328 0921 WE 1554 2204	2.45 4.48 1.65 4.62	12	0413 1003 TH 1621 2218	2.02 4.59 1.69 4.82	27	0345 0943 FR 1601 2158	1.57 4.93 1.44 5.35	12	0427 1026 SU 1632 2220	1.34 4.86 1.65 5.34	27	0439 1037 MO 1647 2233	0.86 5.02 1.59 5.68	12	0426 1035 TU 1632 2218	1.29 4.67 1.99 5.33	27	0509 1115 WE 1718 2303	1.16 4.76 1.99 5.34
13	0441 1028 WE 1655 2253	2.03 4.69 1.47 4.73	28	0411 1003 TH 1632 2230	1.75 5.03 1.16 5.16	13	0437 1028 FR 1645 2237	1.60 4.90 1.42 5.13	28	0425 1019 SA 1638 2228	0.99 5.26 1.15 5.73	13	0455 1053 MO 1701 2245	1.00 5.04 1.49 5.54	28	0516 1114 TU 1724 2308	0.69 5.09 1.54 5.69	13	0502 1109 WE 1708 2253	1.01 4.83 1.82 5.50	28	0548 1151 TH 1757 2342	1.04 4.88 1.89 5.37
14	0507 1053 TH 1720 2313	1.65 4.99 1.19 5.02	29	0449 1040 FR 1707 2259	1.11 5.44 0.79 5.61	14	0501 1052 SA 1710 2259	1.23 5.13 1.22 5.39	29	0501 1054 SU 1713 2258	0.57 5.45 1.00 5.94	14	0524 1121 TU 1730 2313	0.75 5.13 1.41 5.66	29	0553 1148 WE 1759 2342	0.66 5.08 1.58 5.60	14	0540 1144 TH 1745 2330	0.83 4.94 1.72 5.58	29	0625 1224 FR 1831	1.02 4.95 1.86
15	0531 1117 FR 1745 2333	1.33 5.21 1.00 5.25	30	0526 1115 SA 1742 2328	0.60 5.68 0.58 5.92	15	0526 1116 SU 1734 2319	0.93 5.27 1.10 5.57	30	0536 1127 MO 1745 2328	0.33 5.48 0.99 5.99	15	0554 1149 WE 1759 2342	0.62 5.15 1.41 5.68	30	0628 1223 TH 1831	0.76 5.01 1.70	15	0618 1219 FR 1823	0.76 4.99 1.70	30	0017 0700 SA 1256 1904	5.33 1.06 4.97 1.88
						31	0610 1159 TU 1816 2359	0.29 5.40 1.11 5.89								31	0051 0730 SU 1327 1935	5.24 1.17 4.95 1.95					

© Copyright Commonwealth of Australia 2022, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter