

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

FENTON PATCHES – NORTHERN TERRITORY

LAT 12° 13' S LONG 130° 40' E

Times and Heights of High and Low Waters

2022

Local Time

JANUARY				FEBRUARY				MARCH				APRIL			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0340 1030 SA 1722 2327	5.34 0.79 6.35 3.05	16 0428 1101 SU 1751	4.63 1.61 5.92	1 0019 0539 TU 1206 1837	2.52 5.53 0.80 6.80	16 0009 0540 WE 1200 1828	2.50 5.30 1.24 6.37	1 0456 1117 TU 1746	5.21 1.36 6.38	16 0451 1103 WE 1732 2339	4.98 1.74 5.96 2.27	1 0017 0614 FR 1221 1824	1.16 6.38 1.31 6.70	16 0533 1138 SA 1744	6.11 1.44 6.52
2 0436 1118 SU 1805	5.48 0.52 6.74	17 0000 0511 MO 1138 1821	3.01 4.85 1.41 6.18	2 0058 0629 WE 1251 1914	2.08 5.84 0.73 6.92	17 0035 0612 TH 1231 1856	2.16 5.71 0.90 6.64	2 0008 0545 WE 1202 1821	2.08 5.75 1.09 6.68	17 0520 1135 TH 1757	5.51 1.31 6.35	2 0047 0648 SA 1252 1851	0.83 6.60 1.35 6.71	17 0005 0612 SU 1214 1813	0.94 6.53 1.42 6.66
3 0530 1206 MO 1847	2.73 5.62 0.41 6.96	18 0028 0549 TU 1214 1850	2.69 5.13 1.20 6.39	3 0136 0714 TH 1332 1950	1.75 6.03 0.79 6.92	18 0104 0645 FR 1304 1925	1.85 6.04 0.70 6.83	3 0042 0627 TH 1241 1854	1.60 6.15 0.95 6.86	18 0006 0552 FR 1206 1824	1.83 5.98 1.00 6.66	3 0116 0722 SU 1321 1916	0.67 6.66 1.53 6.55	18 0037 0652 MO 1252 1843	0.51 6.82 1.57 6.66
4 0103 0622 TU 1252 1926	2.43 5.73 0.47 7.00	19 0057 0624 WE 1248 1920	2.42 5.41 1.00 6.55	4 0213 0756 FR 1409 2024	1.57 6.05 0.99 6.79	19 0135 0720 SA 1335 1954	1.61 6.23 0.69 6.88	4 0116 0705 FR 1316 1924	1.25 6.38 0.95 6.91	19 0036 0627 SA 1239 1851	1.41 6.35 0.87 6.86	4 0142 0754 MO 1349 1937	0.67 6.56 1.84 6.26	19 0111 0733 TU 1331 1913	0.25 6.94 1.86 6.48
5 0712 1337 WE 2006	2.21 5.75 0.67 6.89	20 0127 0659 TH 1322 1951	2.21 5.65 0.86 6.65	5 0250 0837 SA 1443 2055	1.52 5.91 1.34 6.55	20 0208 0758 SU 1408 2022	1.42 6.26 0.92 6.79	5 0148 0742 SA 1348 1953	1.05 6.43 1.14 6.80	20 0107 0704 SU 1312 1918	1.05 6.58 0.97 6.89	5 0207 0825 TU 1417 1958	0.82 6.34 2.22 5.88	20 0146 0815 WE 1411 1946	0.21 6.84 2.26 6.16
6 0801 1421 TH 2046	2.09 5.67 0.98 6.67	21 0159 0735 FR 1356 2022	2.07 5.79 0.82 6.66	6 0326 0917 SU 1515 2124	1.58 5.63 1.80 6.20	21 0243 0839 MO 1442 2051	1.31 6.13 1.38 6.55	6 0219 0817 SU 1417 2018	1.01 6.30 1.47 6.53	21 0139 0744 MO 1347 1947	0.78 6.65 1.29 6.76	6 0230 0856 WE 1444 2015	1.11 6.03 2.63 5.46	21 0222 0859 TH 1453 2020	0.44 6.54 2.70 5.70
7 0848 1502 FR 2124	2.08 5.46 1.40 6.36	22 0234 0812 SA 1430 2055	2.01 5.80 0.95 6.57	7 0402 0959 MO 1546 2148	1.74 5.29 2.35 5.79	22 0319 0924 TU 1517 2120	1.28 5.86 2.01 6.19	7 0248 0851 MO 1444 2040	1.11 6.05 1.93 6.16	22 0213 0827 TU 1422 2015	0.65 6.54 1.79 6.46	7 0251 0928 TH 1514 2032	1.48 5.65 3.03 5.04	22 0302 0945 FR 1541 2059	0.90 6.08 3.15 5.14
8 0938 1543 SA 2203	2.14 5.17 1.88 6.00	23 0312 0853 SU 1505 2128	1.99 5.67 1.28 6.37	8 0438 1044 TU 1617 2210	1.94 4.92 2.92 5.35	23 0359 1017 WE 1555 2150	1.36 5.50 2.73 5.72	8 0315 0926 TU 1511 2058	1.32 5.70 2.45 5.72	23 0248 0911 WE 1500 2043	0.70 6.26 2.40 6.02	8 0313 1002 FR 1547 2048	1.92 5.23 3.40 4.63	23 0347 1042 SA 1648 2152	1.54 5.54 3.53 4.53
9 1032 1623 SU 2242	2.24 4.85 2.40 5.63	24 0352 0939 MO 1541 2202	1.99 5.42 1.80 6.09	9 0517 1143 WE 1653 2229	2.18 4.60 3.47 4.91	24 0445 1124 TH 1644 2224	1.55 5.13 3.45 5.20	9 0340 1001 WE 1538 2113	1.63 5.31 2.98 5.26	24 0326 1000 TH 1540 2114	0.96 5.85 3.03 5.48	9 0338 1048 SA 1639 2101	2.39 4.81 3.73 4.24	24 0451 1212 SU 1929 2358	2.23 5.10 3.58 4.05
10 1139 1708 MO 2322	2.32 4.58 2.93 5.27	25 0438 1035 TU 1622 2237	1.99 5.10 2.45 5.73	10 0608 1330 TH 1751 2245	2.40 4.45 3.94 4.49	25 0548 1308 FR 1816 2320	1.82 4.94 4.01 4.64	10 0406 1042 TH 1608 2123	2.01 4.91 3.47 4.82	25 0409 1100 FR 1634 2150	1.41 5.37 3.62 4.88	10 0427 1223 SU	2.85 4.50	25 0646 1417 MO 2116	2.71 5.10 3.03
11 1313 TU 1803	2.32 4.48 3.41	26 0534 1151 WE 1715 2320	1.97 4.84 3.15 5.34	11 0723 1530 FR	2.55 4.65	26 0721 1507 SA 2144	2.01 5.16 3.88	11 0435 1141 FR 1654 2117	2.42 4.54 3.90 4.40	26 0508 1239 SA 1850 2301	1.97 5.00 3.98 4.25	11 0657 1500 MO 2150	3.09 4.67 3.44	26 0251 0847 TU 1528 2205	4.40 2.68 5.40 2.40
12 0751 WE 1445 1926	4.94 2.24 4.64 3.75	27 0643 1337 TH 1843	1.89 4.85 3.74	12 0853 1630 SA 2313	2.53 5.00 3.68	27 0155 0902 SU 1618 2253	4.33 1.95 5.59 3.28	12 0534 1443 SA	2.82 4.45	27 0657 1451 SU 2151	2.42 5.10 3.49	12 0256 0851 TU 1550 2210	3.97 2.82 5.05 3.00	27 0357 0957 WE 1613 2242	5.01 2.40 5.75 1.81
13 0847 TH 1553 2119	4.66 2.11 4.95 3.82	28 0024 0801 FR 1517 2103	4.98 1.72 5.23 3.87	13 0326 1002 SU 1706 2328	4.05 2.32 5.36 3.28	28 0351 1021 MO 1706 2333	4.66 1.69 6.01 2.65	13 0803 1606 SU 2303	2.97 4.78 3.54	28 0242 0902 MO 1602 2238	4.21 2.39 5.47 2.83	13 0344 0946 WE 1621 2235	4.49 2.39 5.46 2.52	28 0442 1044 TH 1648 2315	5.58 2.14 6.05 1.30
14 0937 FR 1642 2244	4.50 1.96 5.30 3.62	29 0158 0913 SA 1625 2241	4.77 1.47 5.73 3.52	14 0432 1049 MO 1734 2346	4.41 2.00 5.70 2.89	14 0345 0941 MO 1640 2301	3.93 2.67 5.16 3.13	29 0406 1018 TU 1647 2313	4.82 2.05 5.88 2.19	14 0420 1025 TH 1649 2303	5.05 1.96 5.88 2.00	29 0520 1122 FR 1719 2346	6.04 1.97 6.24 0.90		
15 1021 SA 1720 2328	4.50 1.79 5.63 3.33	30 0330 1018 SU 1715 2336	4.86 1.21 6.19 3.03	15 0508 1127 TU 1801	4.84 1.62 6.04	15 0423 1029 TU 1706 2316	4.44 2.22 5.56 2.71	30 0456 1108 WE 1722 2346	5.46 1.70 6.25 1.62	15 0455 1102 FR 1717 2334	5.60 1.63 6.24 1.46	30 0555 1155 SA 1747	6.40 1.92 6.31		
31 1115 MO 1758	5.16 0.97 6.55							31 0537 1147 TH 1755	5.99 1.43 6.54						

© Copyright Commonwealth of Australia 2021, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

FENTON PATCHES – NORTHERN TERRITORY

LAT 12° 13' S LONG 130° 40' E
Times and Heights of High and Low Waters

2022

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0220 0827 TH 1453 2100	1.35 6.60 1.14 6.04	16 0259 0843 FR 1523 2147	2.39 5.82 1.37 5.60	1 0237 0819 SA 1457 2133	2.31 6.06 0.81 6.08	16 0309 0824 SU 1502 2152	3.01 4.99 1.83 5.41	1 0418 0931 TU 1621 2322	3.35 4.74 1.97 5.29	16 0431 0935 WE 1611 2306	3.33 4.26 2.63 4.95	1 0553 1121 TH 1730	2.96 4.45 2.55	16 0503 1027 FR 1638 2317	2.94 4.47 2.43 5.32
2 0253 0853 FR 1528 2147	1.90 6.27 1.20 5.72	17 0328 0900 SA 1548 2226	2.93 5.30 1.81 5.15	2 0317 0849 SU 1536 2225	2.89 5.57 1.23 5.61	17 0345 0842 MO 1527 2234	3.36 4.56 2.35 4.94	2 0604 1059 WE 1750	3.53 4.25 2.54	17 0550 1046 TH 1724	3.42 4.04 2.87	2 0021 0732 FR 1327 1900	5.32 2.68 4.49 2.90	17 0609 1137 SA 1733	2.89 4.32 2.75
3 0328 0921 SA 1608 2244	2.57 5.83 1.41 5.33	18 0400 0910 SU 1614 2318	3.43 4.79 2.31 4.72	3 0405 0924 MO 1628 2341	3.44 5.01 1.80 5.14	18 0435 0859 TU 1612 2351	3.67 4.16 2.85 4.57	3 0117 0825 TH 1355 1952	5.09 3.17 4.29 2.72	18 0028 0735 FR 1243 1852	4.82 3.27 4.01 2.95	3 0144 0841 SA 1453 2027	5.31 2.21 4.87 3.01	18 0012 0721 SU 1313 1845	5.22 2.65 4.35 3.05
4 0411 0950 SU 1659	3.26 5.31 1.73	19 0445 0901 MO 1659	3.87 4.34 2.81	4 0530 1019 TU 1757	3.87 4.41 2.36	19 1821 WE	3.18	4 0246 0930 FR 1521 2117	5.28 2.55 4.84 2.57	19 0152 0841 SA 1425 2008	4.95 2.90 4.31 2.86	4 0243 0931 SU 1552 2134	5.42 1.71 5.33 2.99	19 0113 0822 MO 1443 2008	5.18 2.25 4.69 3.24
5 0005 0516 MO 1030 1821	4.99 3.88 4.75 2.07	20 0204 1936 TU	4.47 3.11	5 0155 0906 WE 1336 2015	4.99 3.65 4.10 2.50	20 0237 0939 TH 1502 2030	4.60 3.41 3.90 3.01	5 0339 1013 SA 1615 2213	5.60 1.92 5.42 2.36	20 0246 0924 SU 1526 2108	5.20 2.42 4.76 2.72	5 0330 1012 MO 1639 2229	5.53 1.27 5.78 2.92	20 0212 0913 TU 1552 2126	5.20 1.75 5.23 3.27
6 0217 0854 TU 1231 2018	4.98 4.04 4.25 2.16	21 0354 1106 WE 1603 2138	4.73 3.46 3.90 2.85	6 0328 1009 TH 1534 2145	5.29 3.00 4.65 2.22	21 0333 0958 FR 1540 2128	4.92 3.01 4.38 2.64	6 0419 1050 SU 1658 2257	5.91 1.34 5.94 2.20	21 0326 1001 MO 1613 2159	5.46 1.88 5.29 2.58	6 0409 1048 TU 1720 2316	5.58 0.96 6.17 2.83	21 0305 0958 WE 1647 2235	5.28 1.24 5.82 3.16
7 0351 1031 WE 1519 2151	5.35 3.45 4.47 1.90	22 0432 1058 TH 1628 2224	5.06 3.09 4.40 2.43	7 0419 1047 FR 1631 2242	5.69 2.33 5.32 1.87	22 0404 1021 SA 1610 2206	5.28 2.56 4.87 2.27	7 0453 1123 MO 1736 2335	6.14 0.87 6.36 2.12	22 0401 1035 TU 1658 2248	5.70 1.31 5.85 2.48	7 0446 1121 WE 1757 2358	5.56 0.77 6.77 2.74	22 0357 1042 TH 1733 2334	5.39 0.79 6.36 2.95
8 0444 1111 TH 1632 2254	5.79 2.81 5.07 1.53	23 0457 1109 FR 1649 2254	5.42 2.70 4.90 1.99	8 0458 1122 SA 1715 2324	6.10 1.69 5.91 1.59	23 0430 1047 SU 1642 2242	5.66 2.07 5.38 1.97	8 0524 1154 TU 1813	6.23 0.56 6.65	23 0435 1110 WE 1741 2335	5.89 0.78 6.38 2.42	8 0520 1153 TH 1831	5.49 0.73 6.63	23 0446 1127 FR 1816	5.54 0.47 6.76
9 0524 1146 FR 1723 2341	6.20 2.18 5.68 1.20	24 0520 1128 SA 1713 2322	5.79 2.28 5.38 1.59	9 0531 1155 SU 1754	6.44 1.14 6.37	24 0456 1114 MO 1717 2316	6.00 1.55 5.87 1.77	9 0011 0553 WE 1223 1847	2.13 6.18 0.42 6.80	24 0511 1146 TH 1823	6.01 0.38 6.78	9 0036 0555 FR 1224 1904	2.66 5.38 0.81 6.66	24 0023 0536 SA 1213 1857	2.72 5.67 0.31 6.97
10 0600 1220 SA 1807	6.56 1.62 6.18	25 0542 1151 SU 1741 2350	6.15 1.85 5.83 1.28	10 0000 0601 MO 1226 1831	1.45 6.66 0.72 6.67	25 0522 1143 TU 1754 2353	6.28 1.04 6.32 1.71	10 0045 0620 TH 1250 1921	2.21 6.01 0.47 6.80	25 0021 0548 FR 1224 1904	2.40 6.05 0.16 7.01	10 0111 0629 SA 1256 1937	2.60 5.27 0.98 6.57	25 0109 0626 SU 1300 1938	2.51 5.77 0.33 6.99
11 0021 0633 SU 1254 1846	0.99 6.83 1.16 6.49	26 0605 1218 MO 1812	6.47 1.43 6.21	11 0033 0629 TU 1256 1906	1.46 6.71 0.48 6.80	26 0549 1214 WE 1833	6.44 0.60 6.68	11 0119 0647 FR 1317 1953	2.35 5.74 0.68 6.66	26 0106 0628 SA 1304 1946	2.42 5.98 0.16 7.01	11 0144 0704 SU 1329 2008	2.58 5.17 1.20 6.38	26 0152 0716 MO 1347 2020	2.37 5.78 0.53 6.84
12 0057 0704 MO 1327 1924	0.96 6.96 0.86 6.62	27 0020 0631 TU 1247 1847	1.12 6.69 1.05 6.49	12 0106 0656 WE 1325 1940	1.61 6.59 0.43 6.77	27 0031 0618 TH 1247 1913	1.78 6.47 0.30 6.89	12 0152 0714 SA 1344 2024	2.52 5.43 1.02 6.38	27 0151 0711 SU 1347 2028	2.50 5.81 0.40 6.79	12 0217 0739 MO 1403 2040	2.59 5.07 1.44 6.15	27 0237 0806 TU 1432 2101	2.30 5.67 0.89 6.58
13 0130 0732 TU 1359 2001	1.10 6.91 0.74 6.56	28 0052 0656 WE 1317 1925	1.15 6.77 0.74 6.64	13 0137 0721 TH 1351 2013	1.88 6.30 0.58 6.59	28 0111 0650 FR 1321 1954	1.98 6.36 0.20 6.90	13 0226 0742 SU 1412 2056	2.72 5.11 1.43 6.02	28 0237 0757 MO 1432 2112	2.63 5.54 0.84 6.42	13 0251 0815 TU 1438 2113	2.66 4.97 1.68 5.90	28 0324 0858 WE 1518 2144	2.30 5.43 1.36 6.26
14 0201 0758 WE 1429 2036	1.42 6.68 0.80 6.34	29 0125 0723 TH 1349 2005	1.38 6.69 0.58 6.63	14 0207 0743 FR 1416 2046	2.23 5.90 0.90 6.28	29 0151 0723 SA 1358 2036	2.27 6.11 0.35 6.69	14 0300 0813 MO 1442 2131	2.93 4.80 1.86 5.62	29 0327 0849 TU 1522 2202	2.79 5.19 1.40 5.97	14 0328 0853 WE 1514 2150	2.76 4.84 1.91 5.68	29 0417 0956 TH 1605 2230	2.32 5.11 1.92 5.93
15 0230 0822 TH 1457 2112	1.87 6.30 1.02 6.01	30 0201 0750 FR 1422 2047	1.79 6.44 0.59 6.44	15 0237 0804 SA 1439 2117	2.62 5.44 1.33 5.87	30 0234 0758 SU 1437 2121	2.62 5.74 0.73 6.30	15 0340 0848 TU 1520 2211	3.14 4.52 2.27 5.24	30 0428 0952 WE 1619 2301	2.94 4.78 2.01 5.56	15 0411 0935 TH 1554 2230	2.87 4.67 2.15 5.48	30 0519 1106 FR 1655 2319	2.32 4.79 2.50 5.61
				31 0320 0839 MO 1523 2213	3.00 5.27 1.31 5.78									31 0630 1238 SA 1755	2.23 4.64 3.04

© Copyright Commonwealth of Australia 2021, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +09:30)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality