

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

WEIPA (HUMBUG POINT) – QUEENSLAND

LAT 12° 40' S LONG 141° 52' E

Times and Heights of High and Low Waters

2023

Local Time

JANUARY				FEBRUARY				MARCH				APRIL					
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m		
1	0607 1351 SU 2017	1.63 2.83 1.71	16	0445 1208 MO 1916 2326	1.72 2.76 1.88 2.16	1	1313 2146 WE	2.97 1.30	16	1124 2040 TH	3.04 1.25	1	1046 1949 WE	2.88 1.38	16	0941 1849 TH	2.91 1.16
2	0109 0554 MO 1412 2122	2.09 1.89 2.90 1.46	17	0447 1228 TU 2017	1.92 2.87 1.61	2	1344 2238 TH	2.98 1.20	17	1206 2156 FR	3.11 1.09	2	1126 2059 TH	2.85 1.34	17	1032 2006 FR	2.92 1.12
3	1427 2218 TU	2.94 1.24	18	0232 0444 WE 1250 2120	2.11 2.10 2.98 1.34	3	1426 2323 FR	2.99 1.13	18	1314 2300 SA	3.16 0.95	3	1254 2200 FR	2.82 1.29	18	1143 2129 SA	2.92 1.06
4	1442 2306 WE	2.97 1.07	19	1315 2222 TH	3.09 1.09	4	1517 SA	2.99	19	1451 2353 SU	3.21 0.85	4	1416 2251 SA	2.82 1.25	19	1347 2234 SU	2.93 1.00
5	1500 2348 TH	3.00 0.96	20	1350 2319 FR	3.19 0.88	5	0005 1609 SU	1.09 3.00	20	0704 0838 MO 1602	2.47 2.44 3.25	5	1516 2335 SU	2.83 1.23	20	0547 0800 MO 1505 2328	2.40 2.33 2.96 0.98
6	1523 FR	3.02	21	1441 SA	3.27	6	0044 1657 MO	1.07 3.01	21	0042 0729 TU 1004 1703	0.81 2.49 2.38 3.25	6	0700 0830 MO 1607	2.44 2.42 2.85	21	0601 1013 TU 1608	2.41 2.18 2.97
7	0028 1555 SA	0.89 3.02	22	0012 1545 SU	0.72 3.32	7	0119 1736 TU	1.08 3.00	22	0126 0750 WE 1223 1800	0.85 2.53 2.25 3.20	7	0014 0700 TU 0957 1651	1.22 2.42 2.36 2.85	22	0014 0611 WE 1141 1706	1.03 2.47 1.96 2.93
8	0105 1635 SU	0.87 3.01	23	0100 1651 MO	0.62 3.33	8	0151 0827 WE 1118 1808	1.12 2.46 2.42 2.97	23	0205 0806 TH 1340 1853	0.98 2.60 2.05 3.06	8	0047 0656 WE 1141 1727	1.24 2.42 2.25 2.83	23	0053 0625 TH 1245 1800	1.14 2.55 1.70 2.83
9	0142 1718 MO	0.88 2.99	24	0147 0859 TU 1043 1754	0.61 2.50 2.46 3.30	9	0219 0830 TH 1303 1838	1.18 2.49 2.36 2.91	24	0241 0828 FR 1445 1943	1.18 2.70 1.85 2.86	9	0115 0656 TH 1241 1800	1.29 2.47 2.10 2.79	24	0128 0648 FR 1342 1853	1.32 2.65 1.46 2.68
10	0216 1758 TU	0.93 2.95	25	0231 0934 WE 1246 1852	0.68 2.53 2.43 3.21	10	0244 0845 FR 1416 1912	1.28 2.56 2.26 2.82	25	0312 0855 SA 1545 2033	1.45 2.79 1.69 2.61	10	0139 0710 FR 1330 1834	1.38 2.56 1.93 2.72	25	0157 0715 SA 1434 1945	1.54 2.74 1.27 2.50
11	0248 1832 WE	1.00 2.90	26	0313 1011 TH 1443 1946	0.85 2.60 2.30 3.04	11	0305 0907 SA 1519 1952	1.42 2.64 2.13 2.68	26	0331 0923 SU 1645 2130	1.74 2.86 1.56 2.36	11	0200 0730 SA 1418 1913	1.49 2.65 1.75 2.63	26	0215 0742 SU 1524 2039	1.78 2.80 1.15 2.32
12	0317 1908 TH	1.09 2.82	27	0351 1046 FR 1603 2040	1.09 2.68 2.13 2.80	12	0324 0932 SU 1620 2042	1.59 2.72 1.97 2.51	27	0322 0950 MO 1744 2317	1.99 2.89 1.47 2.15	12	0218 0755 SU 1506 1958	1.65 2.73 1.57 2.51	27	0207 0806 MO 1613 2149	1.98 2.82 1.11 2.17
13	0345 1217 FR 1515 1948	1.21 2.50 2.46 2.70	28	0424 1122 SA 1718 2136	1.39 2.78 1.95 2.51	13	0333 1000 MO 1720 2148	1.79 2.80 1.79 2.33	28	0215 1017 TU 1844	2.13 2.90 1.42	13	0230 0819 MO 1556 2052	1.83 2.79 1.42 2.37	28	0123 0830 TU 1700	2.08 2.80 1.12
14	0409 1200 SA 1700 2038	1.35 2.57 2.33 2.53	29	0445 1153 SU 1829 2252	1.70 2.86 1.77 2.24	14	0322 1026 TU 1821 2335	1.99 2.88 1.60 2.18	29	0859 1751	2.75 1.17	14	0217 0844 TU 1648 2207	2.00 2.84 1.30 2.23	29	0859 1751 WE	2.75 1.17
15	0430 1155 SU 1814 2145	1.53 2.66 2.13 2.34	30	0433 1221 MO 1937	1.96 2.91 1.59	15	0300 1053 WE 1926	2.13 2.96 1.42	30	0936 1846	2.67 1.22	15	0159 0908 WE 1745	2.12 2.88 1.22	30	0936 1846 TH	2.67 1.22
31	1246 2045 TU	2.95 1.43										31	1036 1953 FR	2.58 1.27			

© Copyright Commonwealth of Australia 2022, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

WEIPA (HUMBUG POINT) – QUEENSLAND

LAT 12° 40' S LONG 141° 52' E

Times and Heights of High and Low Waters

2023

Local Time

MAY				JUNE				JULY				AUGUST				
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	
1 0449 2.21 0928 1.99 MO 1322 2.15 2044 1.26		16 0328 2.19 0859 1.60 TU 1357 2.12 2111 1.20		1 0243 2.14 1007 1.21 TH 1519 1.76 2013 1.51		16 0259 2.30 1049 0.63 FR 1754 1.74 1920 1.73		1 0136 2.27 1016 0.65 SA 1757 1.74 1817 1.74		16 0220 2.29 1121 0.41 SU		1 0139 2.49 1142 0.24 TU 1914 1.92 2015 1.91		16 0401 2.24 1222 0.55 WE 1916 1.92 ● 2132 1.88		
2 0441 2.19 1002 1.83 TU 1428 2.12 2132 1.33		17 0341 2.26 1000 1.31 WE 1511 2.05 2157 1.40		2 0257 2.24 1048 0.95 FR 1646 1.81 2045 1.65		17 0318 2.35 1139 0.45 SA		2 0201 2.37 1109 0.43 SU		17 0256 2.29 1205 0.36 MO		2 0312 2.53 1232 0.15 WE 1934 1.91 ○ 2130 1.86		17 0452 2.26 1259 0.58 TH 1922 1.91 2253 1.80		
3 0417 2.20 1038 1.64 WE 1527 2.11 2211 1.42		18 0352 2.34 1058 1.03 TH 1630 2.00 2229 1.59		3 0317 2.35 1132 0.69 SA 1803 1.87 2116 1.77		18 0339 2.37 1224 0.33 SU 1955 1.85 ● 2038 1.85		3 0234 2.45 1200 0.24 MO 1930 1.90 ○ 2035 1.89		18 0345 2.29 1246 0.35 TU 1950 1.86 ● 2116 1.85		3 0429 2.57 1319 0.13 TH 2000 1.91 2251 1.78		18 0534 2.26 1330 0.64 FR 1925 1.92		
4 0405 2.26 1115 1.42 TH 1623 2.10 2243 1.53		19 0411 2.41 1150 0.77 FR 1749 1.98 2238 1.75		4 0342 2.44 1216 0.46 SU 1908 1.93 ○ 2150 1.86		19 0402 2.39 1305 0.28 MO		4 0319 2.51 1248 0.11 TU		19 0441 2.28 1325 0.38 WE 2002 1.86 2215 1.81		4 0533 2.58 1403 0.19 FR 2022 1.94		19 0024 1.71 0608 2.23 SA 1356 0.73 1934 1.97		
5 0418 2.36 1153 1.17 FR 1720 2.10 2312 1.64		20 0432 2.47 1238 0.56 SA 1857 1.98 ● 2230 1.85		5 0409 2.51 1301 0.28 MO 2003 1.97 2225 1.91		20 0434 2.38 1345 0.29 TU 2027 1.88 2228 1.84		5 0416 2.55 1336 0.05 WE 2039 1.90 2236 1.85		20 0532 2.27 1400 0.43 TH 2021 1.84 2311 1.77		5 0055 1.65 0632 2.52 SA 1444 0.34 2043 2.00		20 0123 1.59 0639 2.17 SU 1416 0.85 1951 2.04		
6 0440 2.46 1233 0.92 SA 1819 2.11 ○ 2338 1.75		21 0454 2.51 1321 0.43 SU 1951 1.98 2245 1.89		6 0441 2.56 1347 0.17 TU 2052 1.97 2300 1.91		21 0515 2.35 1422 0.34 WE 2056 1.86 2309 1.81		6 0519 2.56 1422 0.05 TH 2115 1.89 2338 1.80		21 0616 2.25 1431 0.51 FR 2038 1.84		6 0215 1.47 0728 2.39 SU 1521 0.57 2110 2.08		21 0214 1.46 0710 2.08 MO 1432 1.00 2012 2.12		
7 0505 2.55 1315 0.69 SU 1919 2.11 2356 1.86		22 0515 2.53 1402 0.38 MO 2035 1.97 2307 1.90		7 0519 2.58 1433 0.13 WE 2140 1.95 2338 1.89		22 0601 2.30 1457 0.43 TH 2131 1.83 2343 1.80		7 0624 2.54 1507 0.14 FR 2152 1.89		22 0015 1.74 0653 2.21 SA 1459 0.62 2056 1.86		7 0326 1.28 0823 2.17 MO 1554 0.87 2143 2.17		22 0303 1.32 0746 1.96 TU 1444 1.17 2033 2.19		
8 0530 2.61 1357 0.53 MO 2020 2.09		23 0540 2.51 1441 0.41 TU 2117 1.95 2330 1.90		8 0608 2.56 1519 0.18 TH 2230 1.92		23 0651 2.24 1530 0.54 FR 2217 1.81		8 0113 1.76 0728 2.46 SA 1550 0.31 2231 1.92		23 0145 1.70 0725 2.12 SU 1522 0.75 2118 1.90		8 0434 1.11 0922 1.91 TU 1614 1.19 ● 2215 2.24		23 0355 1.17 0832 1.82 WE 1441 1.35 2055 2.26		
9 0000 1.93 0557 2.64 TU 1442 0.43 2127 2.06		24 0610 2.46 1519 0.49 WE		9 0017 1.88 0709 2.50 FR 1607 0.28 2328 1.90		24 0005 1.80 0737 2.16 SA 1601 0.66		9 0317 1.65 0829 2.30 SU 1631 0.55 2315 1.99		24 0309 1.63 0800 2.01 MO 1541 0.90 2144 1.96		9 0542 0.95 1042 1.65 WE 1556 1.47 2245 2.28		24 0448 1.02 0936 1.68 TH 1412 1.50 ● 2115 2.31		
10 0010 1.98 0624 2.65 WE 1528 0.42 2241 2.02		25 0646 2.38 1557 0.60 TH		10 0109 1.88 0820 2.40 SA 1656 0.45		25 0820 2.05 1630 0.79 SU		10 0448 1.48 0930 2.08 MO 1709 0.84 ● 2359 2.07		25 0423 1.51 0843 1.86 TU 1556 1.07 2210 2.03		10 0649 0.81 2309 2.29 TH		25 0545 0.88 2136 2.37 FR		
11 0027 1.99 0700 2.63 TH 1617 0.47		26 0730 2.28 1634 0.72 FR		11 0028 1.94 0437 1.85 SU 0933 2.25 ● 1745 0.66		26 0130 1.85 0527 1.79 MO 0908 1.92 ● 1655 0.93		11 0609 1.27 1044 1.82 TU 1734 1.14		26 0530 1.35 0943 1.69 WE 1600 1.26 ● 2235 2.11		11 0758 0.71 2321 2.29 FR		26 0645 0.76 2207 2.41 SA		
12 0756 2.56 1710 0.57 FR		27 0832 2.16 1712 0.84 SA		12 0118 2.01 0628 1.66 MO 1054 2.06 1832 0.91		27 0058 1.89 0645 1.63 TU 1011 1.76 1717 1.09		12 0036 2.15 0721 1.05 WE 1239 1.61 1724 1.41		27 0631 1.15 1115 1.54 TH 1546 1.43 2300 2.20		12 0906 0.63 2331 2.27 SA		27 0752 0.65 2256 2.45 SU		
13 0915 2.45 1808 0.70 SA ●		28 0430 2.06 0718 2.01 SU 0945 2.04 ● 1749 0.96		13 0155 2.09 0744 1.41 TU 1229 1.87 1915 1.17		28 0041 1.97 0741 1.41 WE 1143 1.61 1736 1.27		13 0106 2.21 0830 0.83 TH		28 0731 0.93 2325 2.29 FR		13 1006 0.57 SU		28 0911 0.55 MO		
14 0348 2.09 0614 2.07 SU 1048 2.33 1911 0.85		29 0344 2.03 0810 1.85 MO 1102 1.92 1827 1.08		14 0222 2.18 0850 1.13 WE 1406 1.74 1923 1.42		29 0055 2.07 0831 1.17 TH 1350 1.56 1751 1.44		14 0132 2.25 0935 0.64 FR		29 0835 0.73 2355 2.37 SA		14 0004 2.24 1057 0.54 MO		29 0002 2.46 1022 0.45 TU		
15 0313 2.13 0752 1.86 MO 1233 2.21 2014 1.02		30 0324 2.03 0849 1.67 TU 1232 1.82 1902 1.21		15 0240 2.25 0953 0.87 TH 1614 1.70 1911 1.61		30 0115 2.17 0923 0.91 FR 1611 1.62 1803 1.60		15 0156 2.28 1031 0.50 SA		30 0943 0.54 SU		15 0301 2.23 1142 0.53 TU 1925 1.94 2014 1.93		30 0200 2.47 1119 0.38 WE 1828 1.98 2034 1.92		
		31 0253 2.06 0928 1.46 WE 1400 1.77 1938 1.36								31 0037 2.44 1045 0.37 MO				31 0333 2.52 1209 0.36 TH 1842 2.00 ○ 2227 1.79		

© Copyright Commonwealth of Australia 2022, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +10:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

