

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

PORT BROUGHTON – SOUTH AUSTRALIA

LAT 33° 36' S LONG 137° 56' E

Times and Heights of High and Low Waters

2025

Local Time

JANUARY				FEBRUARY				MARCH				APRIL				
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	
1 0843 2.28 1821 0.67 WE		16 0029 1.25 0301 1.19 TH 0903 2.17 1828 0.86		1 0145 1.39 0419 1.34 SA 0948 2.07 1808 0.77		16 0505 1.23 0953 1.89 SU 1702 0.82 2259 1.63		1 0431 1.18 0928 1.95 SA 1716 0.84 2346 1.49		16 0443 1.11 0926 1.77 SU 1609 0.92 2145 1.77		1 0627 1.02 1017 1.38 TU 1536 0.89 2148 2.08		16 0527 1.12 0900 1.41 WE 1434 0.91 2043 2.15		
2 0913 2.29 1843 0.68 TH		17 0047 1.32 0344 1.22 FR 0931 2.11 1823 0.89		2 0206 1.44 0506 1.37 SU 1017 1.93 1749 0.80		17 0547 1.30 1017 1.80 MO 1659 0.74 2309 1.71		2 0516 1.19 0956 1.83 SU 1659 0.88 2231 1.59		17 0525 1.17 0945 1.70 MO 1609 0.84 2158 1.85		2 0717 1.04 1027 1.23 WE 1540 0.79 2209 2.20		17 0608 1.08 0928 1.31 TH 1443 0.91 2106 2.21		
3 0942 2.25 1857 0.70 FR		18 0114 1.41 0426 1.28 SA 0958 2.04 1807 0.86		3 0209 1.50 0613 1.38 MO 1045 1.74 1731 0.79		18 0636 1.33 1042 1.68 TU 1704 0.71 2326 1.78		3 0605 1.20 1020 1.66 MO 1638 0.84 2234 1.75		18 0608 1.21 1006 1.62 TU 1615 0.78 2216 1.93		3 0809 1.03 1031 1.10 TH 1547 0.72 2233 2.26		18 0647 1.00 1004 1.19 FR 1448 0.94 2131 2.24		
4 1012 2.14 1859 0.75 SA		19 0143 1.50 0509 1.37 SU 1024 1.94 1752 0.79		4 0131 1.60 1724 0.77 TU		19 0734 1.30 1110 1.52 WE 1711 0.73 2348 1.83		4 0657 1.19 1040 1.48 TU 1632 0.77 2250 1.90		19 0653 1.21 1031 1.50 WE 1624 0.76 2237 1.99		4 0913 1.00 1020 1.01 FR 1551 0.70 2257 2.25		19 0728 0.90 1056 1.06 SA 1434 0.98 2155 2.22		
5 1040 1.96 1848 0.80 SU		20 0210 1.58 0605 1.43 MO 1051 1.81 1750 0.76		5 0030 1.73 0903 1.26 WE 1116 1.30 1718 0.75		20 0840 1.22 1139 1.34 TH 1713 0.79		5 0753 1.16 1054 1.30 WE 1633 0.71 2311 2.02		20 0741 1.15 1102 1.35 TH 1631 0.79 2259 2.04		5 1546 0.73 2322 2.15 SA		20 0813 0.83 2218 2.13 SU		
6 1108 1.73 1834 0.86 MO		21 0232 1.64 0729 1.44 TU 1120 1.64 1754 0.77		6 0053 1.85 1704 0.73 TH		21 0012 1.86 0955 1.11 FR 1203 1.15 1656 0.85		6 0901 1.11 1053 1.14 TH 1634 0.66 2336 2.08		21 0833 1.06 1137 1.19 FR 1630 0.85 2323 2.05		6 1420 0.78 2243 1.98 SU		21 0910 0.80 2225 1.97 MO		
7 0406 1.56 0911 1.45 TU 1115 1.47 1817 0.91		22 0249 1.69 0903 1.38 WE 1147 1.45 1755 0.84		7 0136 1.92 1640 0.67 FR		22 0040 1.85 1616 0.83 SA		7 1628 0.64 FR		22 0933 0.95 1216 1.02 SA 1606 0.88 2344 2.01		7 1353 0.83 2239 1.76 MO		22 1041 0.82 2141 1.78 TU		
8 0356 1.67 1739 0.93 WE		23 0312 1.73 1737 0.91 TH		8 0309 1.93 1626 0.60 SA		23 0237 1.80 1551 0.75 SU 2354 1.70		8 0003 2.07 1614 0.64 SA		23 1517 0.85 2349 1.90 SU		8 1351 0.89 2107 1.60 TU		23 1216 0.87 2037 1.65 WE		
9 0414 1.79 1637 0.85 TH		24 0404 1.77 1643 0.90 FR		9 0504 1.93 1633 0.56 SU		24 0122 1.69 0532 1.83 MO 1555 0.67 2330 1.61		9 0032 1.96 1600 0.64 SU		24 1440 0.78 2316 1.77 MO		9 0104 1.49 0504 1.63 WE 1356 0.97 2011 1.58		24 0109 1.45 0520 1.63 TH 1308 0.94 1946 1.64		
10 0458 1.90 1614 0.70 FR		25 0511 1.82 1614 0.81 SA		10 0625 1.97 1651 0.58 MO		25 0159 1.55 0641 1.91 TU 1615 0.62 2325 1.54		10 0415 1.80 1602 0.67 MO 2349 1.58		25 0206 1.71 0439 1.74 TU 1456 0.73 2248 1.65		10 0116 1.27 0616 1.66 TH 1401 1.05 1947 1.64		25 0142 1.22 0638 1.66 FR 1340 1.04 1931 1.70		
11 0549 2.01 1634 0.59 SA		26 0607 1.91 1621 0.70 SU		11 0721 2.01 1711 0.66 TU 2328 1.36		26 0233 1.41 0733 1.99 WE 1639 0.63 2326 1.47		11 0136 1.56 0622 1.79 TU 1612 0.74 2236 1.48		26 0208 1.52 0631 1.78 WE 1525 0.74 2219 1.57		11 0149 1.12 0700 1.68 FR 1403 1.10 1938 1.73		26 0227 1.03 0732 1.65 SA 1355 1.13 1928 1.80		
12 0636 2.10 1704 0.56 SU		27 0000 1.55 0138 1.53 MO 0654 2.00 1643 0.63		12 0220 1.28 0804 2.03 WE 1727 0.76 2319 1.36		27 0310 1.29 0817 2.03 TH 1700 0.68 2337 1.44		12 0210 1.35 0724 1.83 WE 1624 0.83 2209 1.48		27 0240 1.32 0734 1.84 TH 1551 0.80 2155 1.54		12 0229 1.04 0733 1.67 SA 1405 1.10 1941 1.82		27 0316 0.92 0815 1.58 SU 1352 1.18 1930 1.94		
13 0719 2.16 1735 0.60 MO		28 0001 1.49 0217 1.44 TU 0735 2.10 1709 0.60		13 0305 1.18 0839 2.03 TH 1734 0.86 2322 1.41		28 0349 1.21 0855 2.02 FR 1714 0.76 2351 1.45		13 0246 1.18 0807 1.86 TH 1631 0.93 2154 1.52		28 0320 1.16 0823 1.86 FR 1608 0.88 2142 1.57		13 0314 1.04 0759 1.64 SU 1410 1.07 1950 1.91		28 0406 0.87 0848 1.45 MO 1337 1.16 1941 2.09		
14 0757 2.19 1802 0.68 TU		29 0016 1.43 0248 1.37 WE 0812 2.17 1735 0.61		14 0346 1.14 0908 2.01 FR 1730 0.91 2329 1.48		15 0425 1.17 0932 1.96 SA 1716 0.89 2311 1.55		14 0323 1.08 0839 1.86 FR 1628 0.98 2143 1.60		29 0405 1.05 0903 1.81 SA 1614 0.97 2130 1.65		14 0359 1.07 0820 1.58 MO 1416 1.00 2004 1.99		29 0456 0.87 0910 1.29 TU 1331 1.07 1958 2.23		
15 0027 1.24 0208 1.22 WE 0832 2.19 1820 0.78		30 0042 1.39 0317 1.33 TH 0847 2.19 1756 0.65		15 0425 1.17 0932 1.96 SA 1716 0.89 2311 1.55		15 0425 1.17 0932 1.96 SA 1716 0.89 2311 1.55		15 0402 1.06 0905 1.83 SA 1618 0.98 2139 1.68		30 0451 1.01 0936 1.70 SU 1602 1.02 2125 1.77		15 0444 1.11 0839 1.50 TU 1424 0.94 2022 2.07		30 0546 0.90 0919 1.14 WE 1337 0.95 2019 2.33		
		31 0918 2.16 1808 0.71 FR						31 0539 1.01 1000 1.55 MO 1543 0.99 2133 1.93								

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ● Last Quarter

PORT BROUGHTON – SOUTH AUSTRALIA

LAT 33° 36' S LONG 137° 56' E

Times and Heights of High and Low Waters

2025

Local Time

MAY				JUNE				JULY				AUGUST			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0635 0.93 TH 1347 0.87 2042 2.39		16 0613 0.94 FR 1354 1.08 2047 2.37		1 0725 0.94 SU 2123 2.26		16 0642 0.77 MO 2138 2.27		1 0608 0.94 TU 1407 1.45 1524 1.44 2152 2.02		16 0544 0.84 WE 2213 1.89		1 0447 0.81 FR 1342 1.68 1923 1.43 2240 1.57		16 0416 0.83 SA 1107 1.80	
2 0724 0.94 FR 0914 0.97 1357 0.84 2107 2.38		17 0643 0.87 SA 2114 2.37		2 0728 0.95 MO 2152 2.11		17 0655 0.79 TU 2210 2.08		2 0553 0.91 WE 1436 1.57 1638 1.55 2223 1.85		17 0532 0.88 TH 1459 1.56 1855 1.50 2244 1.63		2 0452 0.86 SA 1413 1.72 2050 1.35 2301 1.39		17 0404 0.81 SU 1146 1.86	
3 0812 0.94 SA 0915 0.95 1356 0.87 2133 2.30		18 0712 0.80 SU 2141 2.31		3 0729 0.96 TU 2222 1.91		18 0704 0.86 WE 2240 1.82		3 0548 0.91 TH 1508 1.67 1944 1.56 2254 1.66		18 0524 0.94 FR 1447 1.66		3 0447 0.93 SU 1505 1.75		18 0342 0.76 MO 1345 1.87	
4 0848 0.95 SU 0939 0.95 1208 0.93 2159 2.16		19 0743 0.77 MO 2208 2.16		4 0735 0.99 WE 2244 1.69		19 0713 0.97 TH 1745 1.63		4 0549 0.95 FR 1543 1.75		19 0502 0.98 SA 1502 1.78		4 0412 0.97 MO 1608 1.80		19 0323 0.68 TU 1559 1.88	
5 0909 0.96 MO 2221 1.95		20 0818 0.80 TU 2223 1.94		5 0747 1.06 TH 1731 1.71		20 0716 1.10 FR 1708 1.73		5 0544 1.03 SA 1620 1.82		20 0412 0.94 SU 1546 1.90		5 0332 0.92 TU 1703 1.88		20 0325 0.63 WE 1724 1.93	
6 0934 1.00 TU 2209 1.73		21 0904 0.89 WE 2048 1.71		6 0807 1.15 FR 1727 1.81		21 0430 1.19 SA 1710 1.86		6 0451 1.09 SU 1656 1.90		21 0330 0.81 MO 1640 2.00		6 0327 0.84 WE 1035 1.50 1220 1.47 1751 1.98		21 0343 0.65 TH 1821 2.00	
7 1013 1.06 WE 1928 1.65		22 1008 1.03 TH 1847 1.68		7 0839 1.25 SA 1743 1.91		22 0239 0.99 SU 1729 2.01		7 0341 1.03 MO 1732 1.98		22 0336 0.68 TU 1731 2.10		7 0342 0.77 TH 1030 1.44 1259 1.38 1831 2.09		22 0404 0.72 FR 0959 1.31 1302 1.23 1904 2.04	
8 0122 1.46 TH 0347 1.48 1102 1.13 1845 1.71		23 0113 1.36 FR 0507 1.43 1119 1.16 1826 1.76		8 0250 1.13 SU 0751 1.32 1047 1.31 1804 2.00		23 0314 0.81 MO 1755 2.15		8 0340 0.93 TU 1806 2.08		23 0402 0.62 WE 1816 2.18		8 0403 0.74 FR 1042 1.38 1331 1.30 1908 2.17		23 0420 0.83 SA 0939 1.30 1344 1.11 1938 2.05	
9 0118 1.27 FR 0555 1.46 1149 1.19 1838 1.81		24 0150 1.12 SA 0655 1.44 1156 1.27 1826 1.88		9 0321 1.03 MO 0838 1.35 1204 1.32 1828 2.09		24 0357 0.70 TU 1825 2.26		9 0402 0.85 WE 1056 1.39 1238 1.37 1838 2.17		24 0432 0.63 TH 1855 2.22		9 0425 0.74 SA 1108 1.33 1401 1.26 1942 2.21		24 0428 0.95 SU 0920 1.35 1424 1.06 2006 2.03	
10 0156 1.13 SA 0654 1.49 1227 1.21 1845 1.91		25 0241 0.93 SU 0800 1.43 1205 1.32 1834 2.03		10 0357 0.96 TU 0911 1.34 1241 1.29 1852 2.18		25 0439 0.67 WE 1856 2.34		10 0428 0.80 TH 1117 1.35 1306 1.33 1909 2.26		25 0501 0.71 FR 1136 1.22 1233 1.22 1930 2.24		10 0444 0.77 SU 1146 1.31 1429 1.25 2013 2.20		25 0422 1.02 MO 0858 1.44 1502 1.09 2029 1.98	
11 0245 1.05 SU 0734 1.49 1256 1.21 1859 2.00		26 0335 0.81 MO 0853 1.36 1158 1.31 1850 2.18		11 0433 0.92 WE 0951 1.30 1302 1.26 1918 2.26		26 0519 0.70 TH 1926 2.38		11 0454 0.78 FR 1939 2.32		26 0522 0.82 SA 1124 1.21 1337 1.17 2001 2.22		11 0456 0.81 MO 1226 1.33 1500 1.28 2043 2.14		26 0403 1.01 TU 0857 1.54 1542 1.16 2049 1.91	
12 0334 1.03 MO 0804 1.45 1318 1.18 1916 2.09		27 0425 0.76 TU 1911 2.30		12 0507 0.89 TH 1106 1.25 1309 1.23 1944 2.34		27 0553 0.77 FR 1956 2.37		12 0518 0.77 SA 2008 2.35		27 0530 0.92 SU 1137 1.26 1422 1.19 2029 2.17		12 0456 0.85 TU 1254 1.37 1541 1.32 2113 2.01		27 0347 0.92 WE 0909 1.64 1623 1.25 2109 1.83	
13 0421 1.02 TU 0829 1.40 1333 1.13 1936 2.17		28 0514 0.77 WE 1935 2.39		13 0537 0.85 FR 2010 2.40		28 0618 0.85 SA 2025 2.34		13 0537 0.77 SU 2038 2.33		28 0524 0.97 MO 1200 1.35 1505 1.25 2054 2.11		13 0442 0.87 WE 1301 1.44 1642 1.35 2142 1.84		28 0345 0.83 TH 0929 1.71 1710 1.31 2132 1.72	
14 0502 1.02 WE 0851 1.32 1344 1.09 1958 2.25		29 0600 0.81 TH 2001 2.43		14 0603 0.82 SA 2038 2.42		29 0628 0.92 SU 2053 2.26		14 0550 0.78 MO 2108 2.25		29 0504 0.95 TU 1228 1.45 1550 1.34 2119 2.01		14 0426 0.86 TH 1016 1.56 1800 1.35 2209 1.63		29 0352 0.77 FR 0952 1.77 1806 1.32 2158 1.58	
15 0540 0.99 TH 0916 1.24 1353 1.08 2022 2.32		30 0641 0.86 FR 2027 2.43		15 0624 0.78 SU 2107 2.38		30 0622 0.95 MO 2122 2.16		15 0553 0.80 TU 2140 2.10		30 0445 0.88 WE 1255 1.55 1642 1.42 2145 1.89		15 0420 0.85 FR 1038 1.69 1921 1.29 2228 1.40		30 0402 0.78 SA 1015 1.80 1910 1.27 2226 1.42	
		31 0712 0.90 SA 2055 2.37								31 0442 0.82 TH 1319 1.63 1755 1.46 2213 1.74				31 0407 0.84 SU 1038 1.81 2021 1.19 2253 1.25	

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ○ Last Quarter

PORT BROUGHTON – SOUTH AUSTRALIA

LAT 33° 36' S LONG 137° 56' E

2025

Times and Heights of High and Low Waters

Local Time

SEPTEMBER				OCTOBER				NOVEMBER				DECEMBER			
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 0359 1101 MO	0.90 1.79	16 0302 1051 TU	0.72 1.91	1 0214 1015 WE	0.96 1.82	16 0223 1104 TH	0.89 1.69	1 0843 1350 SA	1.57 1.35 1.50	16 0658 1407 SU	1.67 1.13 1.33 1.25	1 0641 1424 MO	1.70 1.00 1.36 1.32	16 0601 1548 TU	1.87 0.97
2 0326 1112 TU	0.93 1.72	17 0246 1103 WE	0.71 1.73 1.70 1.71	2 0104 0942 TH	0.91 1.68 1.60 1.62	17 0225 0928 FR	0.96 1.53 1.38 1.52	2 0119 0757 SU	1.04 1.59 1.11 1.56	17 0658 1438 MO	1.79 0.99 1.39	2 0648 1515 TU	1.83 0.80 1.41	17 0633 1609 WE	1.96 0.87
3 0253 1020 WE	0.88 1.63 1.60 1.75	18 0247 1014 TH	0.74 1.53 1.49 1.73	3 0118 0905 FR	0.87 1.57 1.41 1.68	18 0231 0829 SA	1.05 1.53 1.16 1.57	3 0203 0748 MO	1.12 1.66 0.92 1.60	18 0039 0711 TU	1.28 1.89 0.91 1.41	3 0040 0705 WE	1.39 1.97 0.67	18 0704 1641 TH	2.03 0.82 1.38
4 0248 0954 TH	0.81 1.54 1.46 1.84	19 0258 0859 FR	0.81 1.42 1.27 1.79	4 0152 0818 SA	0.88 1.50 1.21 1.77	19 0232 0804 SU	1.14 1.61 1.48 1.61	4 0228 0751 TU	1.20 1.78 0.79 1.57	19 0124 0731 WE	1.28 1.99 0.88 1.40	4 0727 1659 TH	2.11 0.61	19 0138 0734 FR	1.35 2.10 1.79 1.35
5 0301 0939 FR	0.78 1.47 1.31 1.94	20 0310 0824 SA	0.92 1.42 1.35 1.83	5 0320 0854 SU	0.92 1.50 1.05 1.82	20 0231 0759 MO	1.19 1.72 0.91 1.62	5 0236 0801 WE	1.24 1.92 0.74 1.47	20 0157 0753 TH	1.24 2.06 0.89 1.37	5 0752 1747 FR	2.22 0.61	20 0213 0802 SA	1.30 2.16 0.79
6 0321 0922 SA	0.78 1.41 1.19 2.01	21 0316 0803 SU	1.03 1.49 0.97 1.84	6 0340 0847 MO	0.99 1.55 0.94 1.81	21 0235 0806 TU	1.19 1.83 0.90 1.59	6 0230 0816 TH	1.23 2.05 0.74 1.32	21 0223 0816 FR	1.19 2.12 0.91 1.31	6 0818 1831 SA	2.30 0.66	21 0011 0235 SU	1.32 1.27 2.21 0.79
7 0340 0907 SU	0.82 1.38 1.11 1.98	22 0309 0754 MO	1.09 1.59 0.95 1.81	7 0351 0845 TU	1.05 1.64 0.90 1.72	22 0244 0821 WE	1.15 1.92 0.95 1.54	7 0223 0835 FR	1.17 2.18 1.78 1.17	22 0241 0839 SA	1.15 2.17 0.92 1.25	7 0844 1909 SU	2.33 0.74	22 0055 0246 MO	1.29 1.27 2.25 0.78
8 0354 0852 MO	0.88 1.40 1.09 1.98	23 0255 0758 TU	1.09 1.69 1.00 1.76	8 0346 0851 WE	1.09 1.77 0.90 1.58	23 0256 0838 TH	1.08 1.99 1.01 1.47	8 0223 0858 SA	1.07 2.27 0.82 1.04	23 0253 0903 SU	1.13 2.22 0.90 1.20	8 0910 1938 MO	2.32 0.82	23 0923 1848 TU	2.27 0.76
9 0358 0841 TU	0.94 1.47 1.10 2.05	24 0248 0810 WE	1.02 1.79 1.08 1.69	9 0332 0904 TH	1.07 1.91 0.93 1.41	24 0310 0858 FR	1.01 2.05 1.05 1.40	9 0228 0921 SU	0.98 2.31 0.86 0.96	24 0259 0929 MO	1.14 2.25 0.86	9 0937 1950 TU	2.26 0.89	24 0951 1856 WE	2.24 0.74
10 0346 0844 WE	0.96 1.59 1.13 2.116	25 0251 0827 TH	0.93 1.86 1.16 1.61	10 0325 0922 FR	1.00 2.04 0.96 1.24	25 0322 0920 SA	0.97 2.10 1.05 1.32	10 0230 0946 MO	0.93 2.30 0.90	25 0954 1933 TU	2.25 0.81	10 1005 1944 WE	2.15 0.92	25 1021 1858 TH	2.14 0.74
11 0328 0858 TH	0.94 1.73 1.14 2.138	26 0300 0848 FR	0.85 1.92 1.19 1.51	11 0327 0943 SA	0.91 2.15 0.97 1.10	26 0334 0943 SU	0.97 2.14 1.00 1.23	11 1010 2100 TU	2.22 0.93	26 1021 1952 WE	2.19 0.78	11 1032 1926 TH	1.99 0.93	26 1053 1858 FR	1.97 0.79
12 0322 0917 FR	0.87 1.87 1.14 2.155	27 0311 0909 SA	0.83 1.96 1.16 1.39	12 0331 1006 SU	0.83 2.20 0.97 1.00	27 0341 1007 MO	1.00 2.15 0.93 1.13	12 1034 2114 WE	2.07 0.97	27 1048 2013 TH	2.05 0.81	12 1059 1909 FR	1.79 0.94	27 1125 1859 SA	1.73 0.87
13 0323 0940 SA	0.81 1.98 1.10 2.202	28 0321 0932 SU	0.85 1.99 1.10 1.25	13 0333 1030 MO	0.80 2.18	28 0334 1031 TU	1.05 2.12 0.87	13 1053 2126 TH	1.87 1.02	28 1109 2039 FR	1.84 0.90	13 0455 0839 SA	1.55 1.54 1.57 0.98	28 0448 1851 SU	1.56 0.99
14 0323 1004 SU	0.77 2.03	29 0324 0954 MO	0.91 1.98 1.02 1.11	14 0324 1052 TU	0.81 2.09	29 1052 2117 WE	2.03 0.85	14 1040 2148 FR	1.63 1.10	29 0913 2114 SA	1.60 1.04	14 0502 1851 SU	1.67 1.04	29 0449 1722 MO	1.67 1.04
15 0317 1028 MO	0.74 2.01	30 0307 1013 TU	0.96 1.92	15 0249 1110 WE	0.84 1.91	30 1059 2218 TH	1.87 0.89	15 0741 2230 SA	1.57 1.18	30 0655 1406 SU	1.60 1.26 1.28 1.20	15 0530 1704 MO	1.78 1.08	30 0511 1528 TU	1.79 0.87
						31 1009 2358 FR	1.68 0.96							31 0547 1551 WE	1.92 0.68

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Caution: Predictions are of secondary quality

Times are in local standard time (UTC +09:30) or daylight savings time (UTC +10:30) when in effect

Moon Phase Symbols ● New Moon ○ First Quarter ○ Full Moon ○ Last Quarter