

Conditions of Use

1) Disclaimer, Attribution and Copyright acknowledgement

- a) Any publication of Bureau tide predictions must acknowledge copyright in the Material in the Commonwealth of Australia represented by the Bureau of Meteorology and must include the following disclaimer:

“The Bureau of Meteorology gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights.

The Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- b) Where a user creates new products from the Bureau tide predictions the Bureau should be acknowledged and a disclaimer displayed as follows:

“This product is based on Bureau of Meteorology information that has subsequently been modified. The Bureau does not necessarily support or endorse, or have any connection with, the product.

In respect of that part of the information which is sourced from the Bureau, and to the maximum extent permitted by law:

(i) The Bureau makes no representation and gives no warranty of any kind whether express, implied, statutory or otherwise in respect to the availability, accuracy, currency, completeness, quality or reliability of the information or that the information will be fit for any particular purpose or will not infringe any third party Intellectual Property rights; and

(ii) the Bureau's liability for any loss, damage, cost or expense resulting from use of, or reliance on, the information is entirely excluded.”

- 2) The disclaimers required will be displayed with the product or where this is not possible a clear and obvious link to these as part of the copyright or attribution notice will be required to ensure these terms are clearly and adequately brought to the attention of the user.

BREMER BAY – WESTERN AUSTRALIA

LAT 34° 26' S LONG 119° 24' E

Times and Heights of High and Low Waters

2025

Local Time

| JANUARY | | | | FEBRUARY | | | | MARCH | | | | APRIL | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m |
| 1 0721 0.30 1300 0.55 WE 1549 0.50 2344 1.24 | | 16 0724 0.42 1252 0.62 TH 1605 0.56 | | 1 0024 1.19 0725 0.46 SA 1315 0.79 1807 0.58 | | 16 0624 0.52 1224 0.96 SU 1808 0.64 2355 0.96 | | 1 0619 0.50 1217 0.97 SA 1754 0.53 | | 16 0522 0.57 1137 1.11 SU 1754 0.61 2325 0.97 | | 1 0024 0.77 0432 0.66 TU 1216 1.29 | | 16 0430 0.60 1146 1.27 WE 1905 0.65 2303 0.75 | |
| 2 0751 0.34 1336 0.56 TH 1618 0.52 | | 17 0004 1.11 0728 0.48 FR 1248 0.68 1639 0.59 | | 2 0050 1.07 0733 0.54 SU 1326 0.86 1904 0.65 | | 17 0625 0.52 1244 1.01 MO 1843 0.68 2355 0.89 | | 2 0017 1.10 0628 0.57 SU 1232 1.04 1842 0.57 | | 17 0524 0.57 1152 1.15 MO 1823 0.63 2333 0.90 | | 2 0347 0.57 1236 1.26 WE | | 17 0425 0.58 1209 1.24 TH 1946 0.69 2238 0.72 | |
| 3 0022 1.20 0819 0.41 FR 1420 0.59 1645 0.57 | | 18 0009 1.05 0725 0.51 SA 1251 0.76 1716 0.64 | | 3 0103 0.93 0723 0.59 MO 1344 0.93 2017 0.72 | | 18 0625 0.51 1308 1.02 TU 1921 0.73 2338 0.83 | | 3 0036 0.94 0618 0.62 MO 1246 1.10 1937 0.63 | | 18 0525 0.55 1212 1.16 TU 1853 0.66 2325 0.83 | | 3 0317 0.45 1252 1.20 TH | | 18 0416 0.56 1232 1.20 FR | |
| 4 0057 1.12 0842 0.49 SA | | 19 0017 0.99 0722 0.52 SU 1313 0.82 1755 0.70 | | 4 0031 0.79 0635 0.58 TU 1414 0.97 | | 19 0618 0.50 1332 1.02 WE 2006 0.77 2252 0.80 | | 4 0021 0.78 0536 0.60 TU 1303 1.13 | | 19 0525 0.54 1233 1.15 WE 1926 0.70 2307 0.78 | | 4 0340 0.38 1259 1.13 FR | | 19 0407 0.54 1301 1.16 SA | |
| 5 0126 1.02 0858 0.57 SU | | 20 0020 0.93 0722 0.53 MO 1349 0.87 1840 0.77 | | 5 0553 0.51 1516 1.00 WE | | 20 0604 0.48 1358 0.99 TH | | 5 0456 0.51 1320 1.12 WE | | 20 0514 0.52 1251 1.12 TH 2006 0.75 2223 0.76 | | 5 0407 0.37 1247 1.05 SA 1635 1.00 1924 1.04 | | 20 0350 0.53 1345 1.11 SU | |
| 6 0144 0.90 0853 0.63 MO 1828 0.83 | | 21 0004 0.87 0721 0.53 TU 1439 0.89 | | 6 0525 0.41 1926 1.05 TH | | 21 0554 0.45 1441 0.96 FR | | 6 0432 0.41 1335 1.08 TH | | 21 0508 0.49 1312 1.08 FR | | 6 0428 0.41 1236 0.98 SU 1538 0.94 2028 1.06 | | 21 0342 0.53 1755 1.08 MO | |
| 7 0747 0.65 1857 0.95 TU | | 22 0703 0.52 1634 0.91 WE | | 7 0530 0.33 2027 1.11 FR | | 22 0528 0.42 2003 0.99 SA | | 7 0446 0.34 1346 1.01 FR 1631 1.00 1937 1.04 | | 22 0455 0.47 1345 1.04 SA | | 7 0436 0.47 1153 0.93 MO 1533 0.88 2102 1.08 | | 22 0330 0.54 1930 1.14 TU | |
| 8 0545 0.58 1936 1.05 WE | | 23 0638 0.50 1931 0.96 TH | | 8 0541 0.28 2112 1.17 SA | | 23 0517 0.38 2044 1.09 SU | | 8 0503 0.31 1336 0.93 SA 1518 0.93 2037 1.09 | | 23 0438 0.45 1908 1.01 SU | | 8 0433 0.54 1120 0.94 TU 1538 0.82 2124 1.09 | | 23 0327 0.55 1014 0.95 WE 1417 0.86 2031 1.20 | |
| 9 0519 0.46 2017 1.15 TH | | 24 0600 0.46 2012 1.02 FR | | 9 0553 0.27 2150 1.20 SU | | 24 0516 0.34 2121 1.18 MO | | 9 0517 0.33 1309 0.86 SU 1511 0.85 2117 1.13 | | 24 0430 0.43 2017 1.12 MO | | 9 0422 0.60 1050 0.97 WE 1552 0.78 2143 1.10 | | 24 0334 0.58 0945 1.04 TH 1512 0.76 2122 1.21 | |
| 10 0531 0.35 2100 1.21 FR | | 25 0543 0.40 2048 1.09 SA | | 10 0607 0.29 1250 0.70 MO 1514 0.68 2223 1.22 | | 25 0524 0.32 1155 0.73 TU 1458 0.67 2157 1.27 | | 10 0523 0.37 1211 0.82 MO 1524 0.77 2145 1.16 | | 25 0430 0.42 1131 0.84 TU 1419 0.81 2101 1.22 | | 10 0410 0.63 1025 1.04 TH 1611 0.73 2204 1.09 | | 25 0347 0.63 0958 1.14 FR 1600 0.66 2209 1.16 | |
| 11 0556 0.28 2140 1.26 SA | | 26 0543 0.34 2124 1.16 SU | | 11 0617 0.33 1230 0.69 TU 1551 0.62 2251 1.21 | | 26 0538 0.32 1131 0.76 WE 1543 0.61 2234 1.31 | | 11 0525 0.43 1153 0.82 TU 1546 0.71 2210 1.17 | | 26 0436 0.43 1049 0.87 WE 1512 0.72 2141 1.28 | | 11 0408 0.65 1027 1.12 FR 1636 0.69 2225 1.06 | | 26 0402 0.69 1017 1.25 SA 1648 0.58 2256 1.06 | |
| 12 0624 0.25 2221 1.27 SU | | 27 0553 0.29 2200 1.23 MO | | 12 0619 0.38 1210 0.72 WE 1621 0.59 2315 1.19 | | 27 0551 0.36 1141 0.82 TH 1625 0.56 2310 1.30 | | 12 0521 0.48 1125 0.86 WE 1610 0.66 2232 1.16 | | 27 0446 0.46 1045 0.95 TH 1555 0.64 2221 1.28 | | 12 0411 0.65 1037 1.19 SA 1703 0.66 2244 1.02 | | 27 0410 0.74 1039 1.34 SU 1739 0.54 2342 0.93 | |
| 13 0650 0.26 2256 1.25 MO | | 28 0611 0.27 1206 0.63 TU 1505 0.57 2237 1.28 | | 13 0621 0.44 1207 0.77 TH 1647 0.59 2333 1.14 | | 28 0605 0.42 1159 0.89 FR 1708 0.53 2346 1.23 | | 13 0517 0.52 1116 0.92 TH 1635 0.64 2251 1.14 | | 28 0458 0.52 1101 1.04 FR 1638 0.57 2300 1.22 | | 13 0417 0.65 1047 1.24 SU 1732 0.63 2258 0.95 | | 28 0357 0.75 1104 1.40 MO 1835 0.52 | |
| 14 0711 0.30 2327 1.22 TU | | 29 0631 0.27 1215 0.65 WE 1549 0.54 2315 1.29 | | 14 0624 0.48 1210 0.83 FR 1712 0.59 2343 1.09 | | 15 0624 0.51 1214 0.90 SA 1738 0.61 2348 1.03 | | 14 0518 0.54 1122 0.99 FR 1700 0.62 2308 1.10 | | 29 0511 0.58 1120 1.13 SA 1723 0.53 2338 1.11 | | 14 0419 0.64 1102 1.27 MO 1801 0.62 2310 0.88 | | 29 0031 0.77 0327 0.72 TU 1132 1.42 1951 0.55 | |
| 15 0720 0.36 1306 0.58 WE 1533 0.55 2351 1.16 | | 30 0651 0.31 1236 0.68 TH 1632 0.52 2351 1.27 | | 31 0709 0.38 1257 0.73 FR 1717 0.54 | | | | 15 0520 0.56 1129 1.05 SA 1727 0.61 2317 1.04 | | 30 0520 0.65 1138 1.21 SU 1811 0.53 | | 15 0423 0.62 1122 1.28 TU 1832 0.62 2319 0.81 | | 30 1200 1.39 WE | |

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

BREMER BAY – WESTERN AUSTRALIA

LAT 34° 26' S LONG 119° 24' E

Times and Heights of High and Low Waters

2025

Local Time

| MAY | | | | JUNE | | | | JULY | | | | AUGUST | | | | | | | | | | | |
|-----------------|------------------------------|------------------------------|-----------------|------------------------------|------------------------------|-----------------|------------------------------|------------------------------|-----------------|------------------------------|------------------------------|-----------------|------------------------------|------------------------------|-----------------|------------------------------|------------------------------|-----------------|------------------------------|------------------------------|-----------------|------------------------------|------------------------------|
| Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | | | | | | | | |
| 1 TH | 0133 1229 | 0.52 1.32 | 16 FR | 0340 1205 2055 2238 | 0.62 1.30 0.66 0.67 | 1 SU | 0227 1312 | 0.58 1.16 | 16 MO | 1325 2245 | 1.26 0.71 | 1 TU | 0038 0349 1242 2013 | 0.84 0.82 1.11 0.79 | 16 WE | 0215 0644 1339 2033 | 0.90 0.84 1.10 0.78 | 1 FR | 0203 0802 1053 1843 | 1.05 0.94 0.96 0.66 | 16 SA | 0226 1656 | 1.10 0.56 |
| 2 FR | 0222 1252 | 0.46 1.23 | 17 SA | 0326 1238 | 0.61 1.26 | 2 MO | 0257 1301 | 0.66 1.10 | 17 TU | 1406 2341 | 1.20 0.76 | 2 WE | 0159 0406 1224 2005 | 0.91 0.91 1.06 0.78 | 17 TH | 0326 0856 1339 2006 | 0.97 0.91 0.97 0.80 | 2 SA | 0309 1824 | 1.05 0.64 | 17 SU | 0636 1659 | 1.11 0.47 |
| 3 SA | 0300 1300 | 0.45 1.14 | 18 SU | 0256 1318 | 0.61 1.23 | 3 TU | 0256 1224 | 0.75 1.06 | 18 WE | 1454 2351 | 1.10 0.81 | 3 TH | 1003 2005 | 1.03 0.77 | 18 FR | 0530 1844 | 1.05 0.77 | 3 SU | 0658 1802 | 1.06 0.61 | 18 MO | 0803 1710 | 1.18 0.41 |
| 4 SU | 0330 1235 | 0.49 1.07 | 19 MO | 0249 1410 | 0.62 1.18 | 4 WE | 0208 1015 | 0.82 1.05 | 19 TH | 0737 1136 1617 | 1.02 0.96 0.99 | 4 FR | 0734 1937 | 1.09 0.76 | 19 SA | 0643 1719 | 1.15 0.66 | 4 MO | 0806 1739 | 1.11 0.56 | 19 TU | 0853 1724 | 1.25 0.39 |
| 5 MO | 0345 1214 1637 1935 | 0.57 1.03 0.98 1.01 | 20 TU | 0222 1540 | 0.65 1.13 | 5 TH | 0025 0900 | 0.84 1.09 | 20 FR | 0002 0737 1512 2048 | 0.85 1.13 0.84 0.91 | 5 SA | 0747 1840 | 1.15 0.73 | 20 SU | 0745 1715 | 1.24 0.55 | 5 TU | 0843 1736 | 1.18 0.52 | 20 WE | 0936 1743 | 1.30 0.41 |
| 6 TU | 0341 1054 1557 2019 | 0.66 1.01 0.94 1.00 | 21 WE | 0206 1835 | 0.68 1.11 | 6 FR | 0044 0834 1717 2050 | 0.83 1.17 0.85 0.88 | 21 SA | 0028 0803 1621 2316 | 0.87 1.25 0.71 0.88 | 6 SU | 0813 1757 | 1.21 0.68 | 21 MO | 0839 1739 | 1.32 0.46 | 6 WE | 0918 1741 2359 | 1.24 0.48 0.76 | 21 TH | 0018 0308 1011 1757 | 0.80 0.76 1.32 0.46 |
| 7 WE | 0322 1026 1552 2044 | 0.72 1.04 0.90 1.00 | 22 TH | 0214 0843 1416 2000 | 0.71 1.06 0.89 1.09 | 7 SA | 0113 0844 1700 2138 | 0.81 1.24 0.78 0.86 | 22 SU | 0052 0839 1712 | 0.87 1.35 0.58 | 7 MO | 0842 1752 | 1.26 0.62 | 22 TU | 0928 1809 | 1.38 0.42 | 7 TH | 0205 0952 1755 2334 | 0.74 1.31 0.47 0.77 | 22 FR | 1043 1802 2344 | 1.31 0.52 0.83 |
| 8 TH | 0256 0936 1558 2109 | 0.75 1.10 0.85 1.00 | 23 FR | 0230 0851 1521 2117 | 0.75 1.18 0.77 1.05 | 8 SU | 0138 0902 1711 2218 | 0.79 1.30 0.71 0.84 | 23 MO | 0920 1800 | 1.43 0.50 | 8 TU | 0914 1800 2343 | 1.30 0.56 0.75 | 23 WE | 1013 1838 | 1.41 0.42 | 8 FR | 0254 1025 1811 2344 | 0.69 1.35 0.47 0.79 | 23 SA | 0418 1109 1802 2343 | 0.67 1.27 0.58 0.89 |
| 9 FR | 0250 0931 1616 2138 | 0.75 1.18 0.79 0.99 | 24 SA | 0244 0912 1618 2220 | 0.79 1.29 0.66 0.98 | 9 MO | 0159 0925 1736 2253 | 0.77 1.34 0.64 0.81 | 24 TU | 1005 1848 | 1.47 0.45 | 9 WE | 0150 0949 1819 2346 | 0.74 1.34 0.53 0.74 | 24 TH | 1054 1904 | 1.41 0.46 | 9 SA | 0336 1059 1826 | 0.66 1.38 0.50 | 24 SU | 0447 1129 1804 2347 | 0.66 1.21 0.63 0.95 |
| 10 SA | 0257 0941 1642 2206 | 0.74 1.26 0.73 0.96 | 25 SU | 0251 0938 1715 2319 | 0.82 1.39 0.57 0.89 | 10 TU | 0220 0952 1807 2324 | 0.73 1.36 0.60 0.77 | 25 WE | 1051 1937 | 1.47 0.45 | 10 TH | 0231 1024 1843 | 0.70 1.37 0.51 | 25 FR | 0109 0318 1129 1919 | 0.73 0.72 1.38 0.53 | 10 SU | 0002 0418 1133 1841 | 0.82 0.64 1.36 0.55 | 25 MO | 0513 1139 1800 2348 | 0.67 1.13 0.65 1.01 |
| 11 SU | 0307 0955 1710 2235 | 0.73 1.31 0.67 0.91 | 26 MO | 0242 1011 1814 | 0.81 1.46 0.51 | 11 WE | 0243 1022 1841 2351 | 0.70 1.37 0.57 0.73 | 26 TH | 1134 2027 | 1.44 0.49 | 11 FR | 0006 0307 1101 1909 | 0.73 0.67 1.38 0.52 | 26 SA | 0055 0351 1158 1922 | 0.74 0.71 1.32 0.61 | 11 MO | 0021 0503 1205 1856 | 0.87 0.64 1.30 0.61 | 26 TU | 0538 1136 1755 2355 | 0.69 1.06 0.66 1.07 |
| 12 MO | 0312 1013 1743 2257 | 0.71 1.34 0.63 0.85 | 27 TU | 1047 1922 | 1.48 0.49 | 12 TH | 0307 1056 1919 | 0.67 1.37 0.57 | 27 FR | 1212 2117 | 1.38 0.57 | 12 SA | 0030 0343 1136 1933 | 0.73 0.66 1.39 0.55 | 27 SU | 0045 0416 1216 1922 | 0.78 0.72 1.24 0.67 | 12 TU | 0038 0552 1233 1907 | 0.93 0.67 1.19 0.68 | 27 WE | 0605 1135 1748 | 0.72 0.99 0.64 |
| 13 TU | 0322 1035 1817 2314 | 0.68 1.36 0.61 0.79 | 28 WE | 1127 2053 | 1.46 0.50 | 13 FR | 0017 0328 1133 2001 | 0.70 0.65 1.36 0.59 | 28 SA | 1241 2155 | 1.31 0.66 | 13 SU | 0057 0419 1212 1955 | 0.75 0.67 1.36 0.60 | 28 MO | 0038 0444 1218 1914 | 0.84 0.74 1.17 0.71 | 13 WE | 0052 0646 1252 1904 | 0.99 0.72 1.05 0.72 | 28 TH | 0014 0637 1129 1746 | 1.11 0.75 0.93 0.61 |
| 14 WE | 0336 1103 1853 2327 | 0.65 1.35 0.61 0.73 | 29 TH | 1207 2339 | 1.41 0.52 | 14 SA | 0043 0341 1210 2047 | 0.68 0.65 1.34 0.62 | 29 SU | 1255 2055 2354 | 1.23 0.74 0.76 | 14 MO | 0123 0455 1246 2014 | 0.78 0.71 1.30 0.66 | 29 TU | 0031 0517 1209 1902 | 0.92 0.78 1.10 0.71 | 14 TH | 0113 0749 1246 1824 | 1.05 0.78 0.91 0.72 | 29 FR | 0039 0711 1113 1741 | 1.11 0.79 0.88 0.59 |
| 15 TH | 0346 1133 1938 2329 | 0.63 1.33 0.63 0.69 | 30 FR | 1242 | 1.33 | 15 SU | 0111 0334 1247 2140 | 0.68 0.68 1.31 0.66 | 30 MO | 0303 1249 2046 | 0.74 1.16 0.78 | 15 TU | 0147 0535 1316 2029 | 0.83 0.77 1.22 0.73 | 30 WE | 0048 0557 1207 1855 | 0.99 0.84 1.05 0.70 | 15 FR | 0140 1736 | 1.09 0.66 | 30 SA | 0104 0754 1025 1728 | 1.09 0.83 0.85 0.56 |
| | | | 31 SA | 0132 1307 | 0.54 1.24 | | | | | | | 31 TH | 0121 0645 1150 1852 | 1.03 0.89 1.00 0.68 | | | | | | 31 SU | 0129 1722 | 1.05 0.54 | |

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality

BREMER BAY – WESTERN AUSTRALIA

LAT 34° 26' S LONG 119° 24' E

2025

Times and Heights of High and Low Waters

Local Time

| SEPTEMBER | | | | OCTOBER | | | | NOVEMBER | | | | DECEMBER | | | |
|--|---|--|---|--|---|--|---|--|---|--|---|---|---|--|---|
| Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m | Time | m |
| 1 0206 1.00 1703 0.51 MO | | 16 0811 1.11 1637 0.37 TU | | 1 0159 0.93 0329 0.93 WE 0708 0.95 1601 0.45 | | 16 0314 0.78 0845 1.01 TH 1558 0.49 2235 0.90 | | 1 0214 0.76 0807 1.01 SA 1458 0.51 2114 0.97 | | 16 0416 0.66 0920 0.79 SU 1417 0.64 2108 1.10 | | 1 0317 0.60 0909 0.82 MO 1410 0.65 2043 1.15 | | 16 0537 0.53 1139 0.64 TU 1244 0.64 2051 1.15 | |
| 2 0803 1.02 1654 0.48 TU | | 17 0856 1.15 1648 0.41 WE 2329 0.85 | | 2 0803 1.04 1558 0.45 TH 2247 0.84 | | 17 0329 0.72 0914 1.01 FR 1550 0.56 2205 0.96 | | 2 0300 0.65 0901 1.03 SU 1514 0.55 2125 1.07 | | 17 0427 0.60 0944 0.78 MO 1421 0.62 2118 1.17 | | 2 0409 0.47 1105 0.78 TU 1419 0.66 2111 1.24 | | 17 0532 0.47 1112 0.63 WE 1328 0.61 2113 1.18 | |
| 3 0836 1.11 1653 0.46 WE 2341 0.80 | | 18 0312 0.76 0930 1.17 TH 1655 0.47 2314 0.86 | | 3 0217 0.77 0842 1.13 FR 1601 0.45 2204 0.89 | | 18 0347 0.67 0936 0.99 SA 1540 0.59 2154 1.03 | | 3 0345 0.54 0950 1.00 MO 1528 0.59 2143 1.17 | | 18 0446 0.54 1011 0.75 TU 1433 0.60 2132 1.21 | | 3 0501 0.35 1115 0.71 WE 1422 0.65 2143 1.32 | | 18 0542 0.41 1117 0.61 TH 1403 0.58 2140 1.20 | |
| 4 0147 0.79 0908 1.19 TH 1658 0.44 2306 0.81 | | 19 0336 0.70 0957 1.18 FR 1654 0.53 2249 0.91 | | 4 0259 0.69 0920 1.18 SA 1609 0.48 2209 0.96 | | 19 0408 0.63 0956 0.97 SU 1537 0.61 2158 1.10 | | 4 0430 0.45 1037 0.91 TU 1537 0.63 2205 1.26 | | 19 0510 0.48 1039 0.71 WE 1445 0.57 2150 1.24 | | 4 0554 0.28 2221 1.35 TH | | 19 0602 0.36 1138 0.59 FR 1433 0.54 2209 1.21 | |
| 5 0248 0.72 0940 1.27 FR 1708 0.45 2254 0.84 | | 20 0402 0.65 1021 1.16 SA 1650 0.57 2247 0.98 | | 5 0339 0.60 0958 1.19 SU 1623 0.52 2225 1.04 | | 20 0432 0.59 1016 0.93 MO 1538 0.60 2207 1.17 | | 5 0519 0.38 1126 0.80 WE 1528 0.64 2230 1.31 | | 20 0539 0.44 1106 0.66 TH 1458 0.54 2213 1.24 | | 5 0650 0.24 2303 1.34 FR | | 20 0628 0.34 1200 0.57 SA 1502 0.51 2240 1.21 | |
| 6 0329 0.66 1014 1.31 SA 1719 0.48 2306 0.90 | | 21 0428 0.63 1041 1.11 SU 1649 0.60 2252 1.04 | | 6 0420 0.53 1036 1.14 MO 1637 0.58 2242 1.13 | | 21 0458 0.55 1035 0.88 TU 1541 0.59 2218 1.21 | | 6 0613 0.34 1219 0.66 TH 1508 0.60 2259 1.33 | | 21 0610 0.41 1127 0.61 FR 1514 0.51 2240 1.23 | | 6 0753 0.25 2347 1.28 SA | | 21 0657 0.34 1223 0.55 SU 1531 0.49 2313 1.20 | |
| 7 0408 0.61 1048 1.30 SU 1732 0.52 2323 0.97 | | 22 0454 0.61 1057 1.05 MO 1649 0.62 2258 1.10 | | 7 0503 0.48 1115 1.04 TU 1644 0.63 2259 1.20 | | 22 0526 0.52 1051 0.82 WE 1543 0.57 2233 1.23 | | 7 0720 0.35 2332 1.29 FR | | 22 0644 0.41 1141 0.57 SA 1528 0.49 2310 1.20 | | 7 0909 0.30 SU | | 22 0725 0.36 1247 0.55 MO 1556 0.50 2346 1.18 | |
| 8 0449 0.57 1122 1.24 MO 1745 0.58 2339 1.04 | | 23 0521 0.60 1106 0.98 TU 1647 0.61 2306 1.15 | | 8 0549 0.45 1151 0.89 WE 1632 0.65 2319 1.25 | | 23 0555 0.50 1102 0.75 TH 1550 0.54 2254 1.23 | | 8 0936 0.38 SA | | 23 0722 0.43 1152 0.53 SU 1528 0.48 2341 1.15 | | 8 0026 1.20 1051 0.37 MO | | 23 0751 0.40 1311 0.56 TU 1616 0.52 | |
| 9 0532 0.56 1153 1.13 TU 1755 0.64 2355 1.10 | | 24 0548 0.60 1109 0.91 WE 1643 0.60 2321 1.18 | | 9 0642 0.47 1221 0.72 TH 1604 0.62 2341 1.26 | | 24 0626 0.50 1111 0.68 FR 1557 0.52 2318 1.20 | | 9 0007 1.22 1323 0.34 SU | | 24 0808 0.47 1158 0.51 MO 1517 0.48 | | 9 0055 1.09 1321 0.44 TU | | 24 0019 1.14 0817 0.45 WE 1343 0.59 1630 0.57 | |
| 10 0619 0.58 1218 0.98 WE 1746 0.68 | | 25 0617 0.61 1113 0.84 TH 1644 0.57 2341 1.18 | | 10 0754 0.51 1146 0.56 FR 1507 0.54 | | 25 0659 0.53 1103 0.62 SA 1550 0.49 2342 1.15 | | 10 0037 1.12 1414 0.33 MO | | 25 0012 1.11 1440 0.49 TU | | 10 0100 0.99 1415 0.52 WE | | 25 0049 1.09 0843 0.50 TH | |
| 11 0011 1.15 0713 0.63 TH 1219 0.81 1708 0.66 | | 26 0646 0.63 1101 0.77 FR 1644 0.54 | | 11 0006 1.22 1428 0.42 SA | | 26 0740 0.56 1030 0.60 SU 1542 0.47 | | 11 0047 1.02 1448 0.38 TU 2341 0.93 | | 26 0044 1.06 1426 0.51 WE | | 11 0019 0.92 1425 0.62 TH 2323 0.89 | | 26 0118 1.02 0907 0.56 FR | |
| 12 0031 1.17 0836 0.69 FR 1013 0.70 1619 0.58 | | 27 0002 1.15 0718 0.67 SA 1042 0.73 1631 0.52 | | 12 0027 1.16 1455 0.34 SU | | 27 0004 1.10 1533 0.46 MO | | 12 1504 0.45 2308 0.89 WE | | 27 0121 1.01 1334 0.54 TH | | 12 0828 0.67 2135 0.91 FR | | 27 0144 0.92 0926 0.61 SA 1924 0.83 2244 0.80 | |
| 13 0052 1.15 1548 0.47 SA | | 28 0021 1.10 0759 0.72 SU 0945 0.73 1628 0.49 | | 13 0034 1.06 1524 0.32 MO | | 28 0027 1.05 1517 0.46 TU | | 13 0416 0.82 0717 0.84 TH 1506 0.54 2204 0.91 | | 28 0212 0.95 1321 0.56 FR | | 13 0737 0.65 2040 0.96 SA | | 28 0007 0.81 0912 0.65 SU 1909 0.94 | |
| 14 0109 1.10 1604 0.39 SU | | 29 0040 1.05 1617 0.47 MO | | 14 0000 0.98 1544 0.35 TU 2343 0.91 | | 29 0059 0.99 1512 0.47 WE | | 14 0359 0.76 0825 0.83 FR 1449 0.61 2138 0.95 | | 29 0528 0.87 1336 0.59 SA 2022 0.92 | | 14 0638 0.62 2022 1.03 SU | | 29 0520 0.64 1938 1.05 MO | |
| 15 0112 1.03 0404 1.02 MO 0700 1.05 1623 0.36 | | 30 0106 0.99 1605 0.46 TU | | 15 0302 0.86 0801 0.99 WE 1554 0.42 2247 0.89 | | 30 0210 0.93 1500 0.48 TH 2242 0.85 | | 15 0407 0.71 0858 0.81 SA 1426 0.64 2109 1.02 | | 30 0219 0.73 0728 0.84 SU 1355 0.62 2024 1.03 | | 15 0600 0.58 2032 1.10 MO | | 30 0430 0.50 2017 1.16 TU | |
| | | | | | | 31 0100 0.85 0701 0.97 FR 1451 0.49 2126 0.89 | | | | | | | | 31 0503 0.36 2100 1.25 WE | |

© Copyright Commonwealth of Australia 2024, Bureau of Meteorology

Datum of Predictions is Lowest Astronomical Tide

Times are in local standard time (Time Zone UTC +08:00)

Moon Phase Symbols

● New Moon

◐ First Quarter

○ Full Moon

◑ Last Quarter

Caution: Predictions are of secondary quality